

3M Science.
Applied to Life.™



Product catalogue 2023

Abrasives Systems

Valid from 01.09.2023

The information in this catalogue is current at the date of publication. Products availability may be amended by 3M from time to time. 3M is not liable in case of any errors or omissions.



■ Table of Contents

Discs	15
Fibre Grinding Discs	18
Flap Discs	22
Film Discs	25
Non-woven Discs	29
Cloth Discs	38
Paper Discs	40
Quick Change Discs	42
Net Discs	51
Wheels	55
Cut-off & Grinding Wheels	56
Deburring & Finishing Wheels	62
Brushes	67
Bristle Brushes & Discs	68
Flap Brushes	73
Sheets & Rolls	75
Cloth Sheets & Rolls	76
Non-woven Sheets & Rolls	77
Handheld Abrasives	81
Hand Pads	82
Belts	85
Cloth belts	91
Non-woven Belts	101

■ Table of Contents

Abrasives Tools & Accessories	105
Holders & Back-up Pads	106
Power Sanders	112
Power Grinders	117
Dust Extraction Systems	118

3M™ Abrasive technologies




Cubitron™ 3
Performance Abrasives



3M™ Abrasive technologies

3M™ Abrasive technologies

CUBITRON™ II



The science of speed

3M™ Precision-Shaped Ceramic Grain – precisely shaped, uniformly sized triangles of ceramic aluminium oxide. These self-sharpening triangles are designed continuously forming new super-sharp points and edges that slice cleanly through the metal like a knife, instead of gouging or ploughing. This prevents heat from building up in the workpiece – reducing heat-related stress cracks and discolouration.

3M's Precision-Shaped Ceramic Grain technology.

It acts like a cutting tool, slicing through metal like a knife. The material is continuously self-sharpening, as points break off during use to expose new sharp edges.

- ▶ Slicing cleaner and faster
- ▶ Staying cooler
- ▶ Lasting longer than conventional grain

Precision-Shaped Ceramic Grain slices cleaner and faster.



- ✓ Cooler operation
- ✓ Clean cut
- ✓ Lasts much longer

vs.

Conventional ceramic grain is irregular and ‘ploughs’ through the metal.



- ✗ Heat build-up
- ✗ Slower cutting
- ✗ Shorter life

3M™ Abrasive technologies



Cubitron™ 3

Performance Abrasives

Transforming work for over 40 years with pioneering abrasive grain technology.

For over 40 years, 3M™ Cubitron™ Performance Abrasives have always delivered maximum productivity, but now the best have gotten even better! Introducing 3M™ Cubitron™ 3 Performance Abrasives - the next generation of awesome.

Our new product line uses groundbreaking advancements in precision-shaped grain to deliver 3X the performance in life and cut rate than ever before*. Discover the difference with 3M™ Cubitron™ 3 Performance Abrasives and experience improvements in all areas of your shop through productivity, worker safety and sustainability.



Our portable bonded wheels have evolved.



CUBITRON™ II
Industrial Abrasives

Launched in 2012, this was the first range of portable bonded wheels using 3M's precision-shaped triangular grain abrasives.

This range will now be replaced by our latest and best offering.



Cubitron™ 3
Performance Abrasives

Significantly raising the benchmark for cut rate and product life in heavy grinding and cutting applications.

We've re-engineered precision-shaped ceramic triangular grain using proprietary breakthroughs in molecular bonding technology.




*Vs 3M™ Cubitron™ II

3M™ Abrasive technologies





3M™ Abrasive technologies




The science of smooth

Scotch-Brite™ line of surface conditioning abrasives includes a variety of non-woven synthetic fibre webs suitable for a wide range of applications. Are well-suited for cleaning, blending, deburring, finishing and polishing, and improve surfaces without significantly changing the shape or dimension of the workpiece. Scotch-Brite abrasives run cool, and resist loading due to their open web construction, reducing the risk of part discolouration and warping.

Scotch-Brite™ Non-woven technology. Prepared for perfection.

A tough, non-woven nylon web impregnated with resin and mineral throughout its structure

- ▶ Spring-like action produces smooth, burr-free surface
- ▶ Easy to use, less rework, fewer rejects



3M™ Abrasive technologies


Trizact™





3M™ Abrasive technologies

Trizact™



The science of finishing

Micro and macro-replicated abrasives.
Using another proprietary technology, Trizact™ abrasives derive from 3M's vast experience in the art of microreplication. Unlike conventional abrasives, which are constructed from randomly spaced and irregular-shaped minerals, the uniform configuration of Trizact abrasives helps deliver a more consistent finish with higher cut rates, and cooler grinding and finishing temperatures. The fast, fine, consistent finishes made possible with Trizact abrasives help reduce reject rates and improve worker productivity.

The science of consistent finishes

Derived from patented 3M microreplication technology, 3M™ Trizact™ Abrasives consist of precisely-shaped three-dimensional structures distributed uniformly over the substrate.

- ▶ Uniform configuration for consistent performance
- ▶ Faster cut
- ▶ Multi-layer mineral

Conventional abrasives start out sharp, but dull quickly.



The three-dimensional structures of 3M™ Trizact™ Abrasives contain multiple layers of mineral. As these structures wear, fresh, sharp mineral is constantly exposed to the workpiece, resulting in faster, more consistent cutting throughout the life of the belt.

3M™ Abrasive safety

Abrasives applications such as cutting, grinding and sanding can involve a multitude of hazards, and identifying those hazards and the best safety solutions to address these is not always easy. The high speeds, temperatures and forces involved with the use of abrasives can create immediate safety hazards such as cuts and burns. If not properly managed, the routine use of abrasive can also create longer-term health risks from vibration, airborne particles and noise.

Abrasive workplace hazards



Hand-arm vibration



Airborne particles




Noise



Injury

Best practice in health and safety management begins with a thorough risk assessment. Once hazards have been identified and categorised for risk, the next step is to implement preventative measures and appropriate controls, such as the Hierarchy of Controls framework.

Hierarchy of Controls



3M™ Abrasive safety

Enhance your safety levels with the complete solution by 3M.

Let 3M be your partner in providing you the complete solution to make your workforce more productive and adequately protected. Our specialists will deliver you combined expertise - optimising your process with world-class abrasives and personal protective equipment.



3M™ Cubitron™ II Abrasives

Product	Product description
	3M™ Cubitron™ II Fibre Disc
	3M™ High Performance Ribbed Back-Up Pad
	3M™ Cubitron™ II Flap Disc 969F
	3M™ Cubitron™ 3 Depressed Centre Grinding Wheel T27
	3M™ Cubitron™ 3 Cut-Off Wheel T41
	3M™ Cubitron™ 2 Hookit™ Clean Sanding Film Disc 775L

Full portfolio of sizes and grades are available.

3M™ Personal Protective Equipment

Product	Product description
	3M™ Headgear Combination, G500V5F11H51-GU (includes hearing protection)
	3M™ Versaflo™ Faceshield with Flame Resistant Poly Faceseal M-207 with 3M™ Adflo™
	3M™ Adflo™ High-Altitude Powered Air Respirator (to be combined with 3M headtops)
	3M™ SecureFit™ 400X Series Safety Glasses
	3M™ SecureFit™ 3700 Series Overspectacles
	3M™ GoggleGear™ 500 Series Goggle
	3M™ Aura™ Disposable Respirators 9300+ Series
	3M™ SecureClick™ Half Mask Reusable Respirator HF 800 Series
	3M™ E-A-R™ Flexible Fit Earplug HA 328-100
	3M™ PELTOR™ Electronic Earplug, EEP-100
	3M™ PELTOR™ Earmuff X4
	3M™ PELTOR™ X4 and Wireless Communication Accessory



Discs



Boost productivity and your bottom line.

Cuts
33%

Faster

than Cubitron™ II
Fibre Discs 982C

3M™ Cubitron™ II Fibre Disc 982CX Pro

Introducing the new 3M™ Cubitron™ II Fibre Disc 982CX Pro and the new 3M™ Electric Grinders. The new fibre discs cut even faster and last even longer than our legendary Cubitron II Fibre Discs. When paired with our tools and recommended back-up pads, the system gives you more power than ever before. It's performance, power and productivity optimized.



Xtract™
Clean Sanding



Go for
performance.
Leave the dust
behind.

3M Xtract™ Cubitron™ II Net Disc 710W

The first high-performance sanding
system from 3M.



3M Xtract™ Cubitron™ II Net Disc 710W

Premium patterned product

- Unique hole pattern
- Up to 97% dust extraction
- Industry-leading cut-rate
- Designed to require less pressure

Discs

Fibre Grinding Discs

3M™ Cubitron™ II Fibre Disc 982CX Pro Kit

Get even more done when the 3M™ Cubitron™ II Fibre Disc Pro 982CX is combined with a 3M™ High Performance Ribbed Back-Up Pad. With a re-engineered 3M Precision-Shaped Grain, these fibre discs take the legendary cutting speed and life of 3M™ Cubitron™ II Abrasives to a new level. 3M™ Disc Back-up Pads provide the firm support required for grinding applications which helps mineral break down to optimise performance.



- Re-engineered 3M Precision-Shaped Grain takes legendary speed and life to a new level especially when used with extra hard 3M™ High Performance Ribbed Back-Up Pads.
- Using these fibre discs with extra hard back-up pads makes them cut with less pressure required than traditional fibre discs, helping reduce the demands on operators.
- Longest-lasting 3M fibre disc helps boost productivity and minimize disc changes in manual and automated applications

Product ID	Product	MOQ	Order Unit
7100263628	3M™ Cubitron™ II Fibre Disc 982CX Pro, 36+, Slotted Disc with Ribbed Back-up Pad, 115 mm	10	Kit
7100263629	3M™ Cubitron™ II Fibre Disc 982CX Pro, 36+, Slotted Disc with Ribbed Back-up Pad, 125 mm	10	Kit

3M™ Cubitron™ II Fibre Disc 982CX Pro

Get more done with 3M™ Cubitron™ II Fibre Disc 982CX Pro. With a re-engineered 3M Precision-Shaped Grain, these fibre discs take the legendary cutting speed and life of 3M™ Cubitron™ II Abrasives to a new level. Available in 36+ grit for medium and high-pressure applications like weld grinding, beveling and heavy deburring.



- Re-engineered 3M Precision-Shaped Grain takes legendary speed and life to a new level
- Longest-lasting 3M fibre disc helps boost productivity and minimize disc changes in manual and automated applications
- Triangular ceramic grain wears evenly, runs cool and stays sharp through the life of the disc

Product ID	Product	MOQ	Order Unit
7100242967	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83315, 36+, 180 mm x 22.23 mm, 25 per inner, 100 per case	100	Each
7100242965	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83321, 36+, 180 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each
7100246096	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83322, 36+, 125 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each
7100242885	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83323, 36+, 115 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each
7100242886	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83325, 36+, 100 mm x 16 mm, Slotted, 25 per inner, 100 per case	100	Each
7100242966	3M™ Cubitron™ II Fibre Disc 982CX Pro, 83326, 36+, 150 mm x 22.23 mm, Slotted, 25 per inner, 100 per case	100	Each



Discs

3M™ Cubitron™ II Fibre Disc 982C

3M™ Cubitron™ II Fibre Disc 982C outperforms conventional ceramic industrial abrasive discs. Our discs feature 3M Precision Shaped Grain technology, offering up to twice the cut rate, durability and lifespan of conventional discs with less grinding pressure required.



- 3M Precision Shaped Grain technology cuts exceptionally fast with less pressure, outperforming all conventional ceramic industrial abrasive discs
- Lasts up to twice as long as conventional discs
- Get significantly longer disc life, completing more parts per disc with fewer disc changes required

Product ID	Product	MOQ	Order Unit
70000000402	3M™ Cubitron™ II Fibre Disc 982C, 100 mm x 16 mm, 36+	100	Each
70000000403	3M™ Cubitron™ II Fibre Disc 982C, 100 mm x 16 mm, 60+	100	Each
70000000404	3M™ Cubitron™ II Fibre Disc 982C, 100 mm x 16 mm, 80+	100	Each
7000028192	3M™ Cubitron™ II Fibre Disc 982C, 115 mm x 22 mm, 36+, Slotted	100	Each
7000028194	3M™ Cubitron™ II Fibre Disc 982C, 115 mm x 22 mm, 60+, Slotted	100	Each
7000028196	3M™ Cubitron™ II Fibre Disc 982C, 115 mm x 22 mm, 80+, Slotted	100	Each
70000000392	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 36+	100	Each
7000028191	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100142581	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 36+, Slotted	20	Kit
7000028195	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 60+, Slotted	100	Each
7000028197	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 80+, Slotted	100	Each
7100142572	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 80+, Slotted	10	Kit
7000045230	3M™ Cubitron™ II Fibre Disc 982C, 150 mm x 22 mm, 36+, Slotted	100	Each
7000045234	3M™ Cubitron™ II Fibre Disc 982C, 150 mm x 22 mm, 60+	100	Each
7000028198	3M™ Cubitron™ II Fibre Disc 982C, 177 mm x 22 mm, 60+	100	Each
7000028201	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 36+, Slotted	100	Each
70000000393	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 36+, Slotted	100	Each
7000028203	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 60+, Slotted	100	Each
7000028204	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 80+, Slotted	100	Each
7000045132	3M™ Cubitron™ II Fibre Disc 982C, 230 mm x 22 mm, 36+	25	Each
7000144562	3M™ Cubitron™ II Fibre Disc 982C, 230 mm x 22 mm, 36+, Slotted	100	Each

3M™ Cubitron™ II Fibre Disc 987C



3M™ Cubitron™ II Fibre Disc 987C gives a higher cut rate, greater durability and longer life than other fibre discs and grinding discs. Our discs use 3M Precision Shaped Grain combined with a stiff fibre backing for increased productivity on medium to heavy duty operations.

- Engineered to cut faster and last longer than competitive ceramic products
- Stiff fibre backing and strong resin bond provide durability and tear resistance during heavyweight applications
- Contains 3M Precision Shaped Grain which runs significantly cooler and longer than rival products, completing more parts per disc for less disc changes

Product ID	Product	MOQ	Order Unit
70000000405	3M™ Cubitron™ II Fibre Disc 987C, 100mm x 16mm, 36+	100	Each
70000000406	3M™ Cubitron™ II Fibre Disc 987C, 100mm x 16mm, 60+	100	Each

Discs

3M™ Cubitron™ II Fibre Disc 987C

3M™ Cubitron™ II Fibre Disc 987C gives a higher cut rate, greater durability and longer life than other fibre discs and grinding discs. Our discs use 3M Precision Shaped Grain combined with a stiff fibre backing for increased productivity on medium to heavy duty operations.



- Engineered to cut faster and last longer than competitive ceramic products
- Stiff fibre backing and strong resin bond provide durability and tear resistance during heavyweight applications
- Contains 3M Precision Shaped Grain which runs significantly cooler and longer than rival products, completing more parts per disc for less disc changes

Product ID	Product	MOQ	Order Unit
7000000407	3M™ Cubitron™ II Fibre Disc 987C, 100mm x 16mm, 80+	100	Each
7100149169	3M™ Cubitron™ II Fibre Disc 987C, 115 mm , 36+	100	Each
7100149527	3M™ Cubitron™ II Fibre Disc 987C, 115 mm , 60+	100	Each
7100149538	3M™ Cubitron™ II Fibre Disc 987C, 115 mm , 80+	100	Each
7000045159	3M™ Cubitron™ II Fibre Disc 987C, 115 mm x 22 mm, 36+, Slotted	100	Each
7000045160	3M™ Cubitron™ II Fibre Disc 987C, 115 mm x 22 mm, 60+, Slotted	100	Each
7000045161	3M™ Cubitron™ II Fibre Disc 987C, 115 mm x 22 mm, 80+, Slotted	100	Each
7100068024	3M™ Cubitron™ II Fibre Disc 987C, 115 mm, 60+	25	Each
7100149536	3M™ Cubitron™ II Fibre Disc 987C, 125 mm , 60+	100	Each
7100149797	3M™ Cubitron™ II Fibre Disc 987C, 125 mm , 80+	100	Each
7000028193	3M™ Cubitron™ II Fibre Disc 987C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100149176	3M™ Cubitron™ II Fibre Disc 987C, 125 mm, 36+	100	Each
7000028199	3M™ Cubitron™ II Fibre Disc 987C, 125mm x 22mm, 60+, Slotted	100	Each
7000028200	3M™ Cubitron™ II Fibre Disc 987C, 125mm x 22mm, 80+, Slotted	100	Each
7000045188	3M™ Cubitron™ II Fibre Disc 987C, 178 mm x 22 mm, 36+, Slotted	100	Each
7000045186	3M™ Cubitron™ II Fibre Disc 987C, 178 mm x 22 mm, 60+, Slotted	100	Each
7000045187	3M™ Cubitron™ II Fibre Disc 987C, 178 mm x 22 mm, 80+, Slotted	100	Each
7010308138	3M™ Cubitron™ II Fibre Disc 987C, TN Quick Change, 7 in, 60+, 25 per inner, 100, per case	100	Each

3M™ Fibre Disc 782C



3M™ Fibre Disc 782C is a fibre disc engineered for an ultra-rapid cut on carbon steel. These discs feature our advanced abrasive technology, 3M Precision Shaped Grain. Their stiff fibre backing and strong resin bond provides durability and tear resistance.

These discs are compatible with 3M disc pad face plates and hubs (sold separately).

- Cuts carbon steel rapidly
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100099264	3M™ Fibre Disc 782C, 100 mm x 16 mm, 36+, Slotted	100	Each
7100099249	3M™ Fibre Disc 782C, 100 mm x 16 mm, 60+, Slotted	100	Each
7100099092	3M™ Fibre Disc 782C, 100 mm x 16 mm, 80+, Slotted	100	Each
7100099545	3M™ Fibre Disc 782C, 115 mm x 22 mm, 36+, Slotted	100	Each
7100099250	3M™ Fibre Disc 782C, 115 mm x 22 mm, 60+, Slotted	100	Each

Discs

3M™ Fibre Disc 782C

3M™ Fibre Disc 782C is a fibre disc engineered for an ultra-rapid cut on carbon steel. These discs feature our advanced abrasive technology, 3M Precision Shaped Grain. Their stiff fibre backing and strong resin bond provides durability and tear resistance.



These discs are compatible with 3M disc pad face plates and hubs (sold separately).

- Cuts carbon steel rapidly
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100099093	3M™ Fibre Disc 782C, 115 mm x 22 mm, 80+, Slotted	100	Each
7100099576	3M™ Fibre Disc 782C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100099094	3M™ Fibre Disc 782C, 125 mm x 22 mm, 60+, Slotted	100	Each
7100099095	3M™ Fibre Disc 782C, 125 mm x 22 mm, 80+, Slotted	100	Each
7100099284	3M™ Fibre Disc 782C, 180 mm x 22 mm, 36+, Slotted	100	Each
7100099091	3M™ Fibre Disc 782C, 180 mm x 22 mm, 60+, Slotted	100	Each
7100099237	3M™ Fibre Disc 782C, 180 mm x 22 mm, 80+, Slotted	100	Each

3M™ Fibre Disc 787C

3M™ Fibre Disc 787C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear resistance. They're constructed with a grinding aid and are engineered for ultra-rapid cut.



- Cuts hard and fast to grind metals like stainless steel and high nickel alloys
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100099238	3M™ Fibre Disc 787C, 100 mm x 16 mm, 36+, Slotted	100	Each
7100099258	3M™ Fibre Disc 787C, 100 mm x 16 mm, 60+, Slotted	100	Each
7100099252	3M™ Fibre Disc 787C, 100 mm x 16 mm, 80+, Slotted	100	Each
7100099241	3M™ Fibre Disc 787C, 100 mm x 16 mm, 120+, Slotted	100	Each
7100099787	3M™ Fibre Disc 787C, 115 mm x 22 mm, 36+, Slotted	100	Each
7100099260	3M™ Fibre Disc 787C, 115 mm x 22 mm, 60+, Slotted	100	Each
7100099254	3M™ Fibre Disc 787C, 115 mm x 22 mm, 80+, Slotted	100	Each
7100099791	3M™ Fibre Disc 787C, 115 mm x 22 mm, 120+, Slotted	100	Each
7100099788	3M™ Fibre Disc 787C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100099245	3M™ Fibre Disc 787C, 125 mm x 22 mm, 60+, Slotted	100	Each
7100099256	3M™ Fibre Disc 787C, 125 mm x 22 mm, 80+, Slotted	100	Each
7100099546	3M™ Fibre Disc 787C, 125 mm x 22 mm, 120+, Slotted	100	Each
7100099257	3M™ Fibre Disc 787C, 180 mm x 22 mm, 36+, Slotted	100	Each
7100099247	3M™ Fibre Disc 787C, 180 mm x 22 mm, 60+, Slotted	100	Each
7100099240	3M™ Fibre Disc 787C, 180 mm x 22 mm, 80+, Slotted	100	Each
7100099243	3M™ Fibre Disc 787C, 180 mm x 22 mm, 120+, Slotted	100	Each

Discs

Flap Discs

3M™ Cubitron™ II Flap Disc 969F

3M™ Cubitron™ II Flap Disc 969F is made with layers of abrasive material. Our flap discs are unique in design and feature a fast cutting abrasive material on flaps of tough polyester cloth. These discs come with a grinding aid and semi-flexible, Y-weight, backing gives each flap excellent strength.



- Abrasive flap design provides a soft and smooth cut on rounded or irregular surfaces
- Flaps wear down to expose fresh abrasive mineral, assuring a fast and consistent cut
- Cubitron™ II abrasive cuts exceptionally fast, helping increase productivity

Product ID	Product	MOQ	Order Unit
7100105847	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 40+, Conical	10	Each
7100105859	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 40+, Flat	10	Each
7100105848	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 60+, Conical	10	Each
7100105860	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 60+, Flat	10	Each
7100105849	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 80+, Conical	10	Each
7100105861	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 80+, Flat	10	Each
7100105850	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 40+, Conical	10	Each
7100105862	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 40+, Flat	10	Each
7100105851	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 60+, Conical	10	Each
7100105863	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 60+, Flat	10	Each
7100105852	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 80+, Conical	10	Each
7100105864	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 80+, Flat	10	Each
7100105853	3M™ Cubitron™ II Flap Disc 969F, 150 mm, 40+, Conical	15	Each
7100105854	3M™ Cubitron™ II Flap Disc 969F, 150 mm, 60+, Conical	15	Each
7100105855	3M™ Cubitron™ II Flap Disc 969F, 150 mm, 80+, Conical	15	Each
7100105856	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 40+, Conical	10	Each
7100105865	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 40+, Flat	10	Each
7100105857	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 60+, Conical	10	Each
7100105866	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 60+, Flat	10	Each
7100105858	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 80+, Conical	10	Each
7100105867	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 80+, Flat	10	Each

3M™ Cubitron™ II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A delivers superior cut rates in low to medium-high pressure applications. Our discs are ideal for flat surfaces or outside edgework, especially where final finish and gouge resistance are important.



- Engineered to cut faster and last longer than competitive ceramic products with 3M Precision Shaped Grain
- Cool operating temperature decreases metal discolouration/oxidation and heat related stress cracks
- Flap discs grind and blend in a single step meaning they can replace bonded wheels and fibre discs

Product ID	Product	MOQ	Order Unit
7000104357	3M™ Cubitron™ II Flap Disc 967A, 100 mm, Conical, G40, PN65049	700	Each
7000104368	3M™ Cubitron™ II Flap Disc 967A, 100 mm, G40, PN65063	700	Each



Discs

3M™ Cubitron™ II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A delivers superior cut rates in low to medium-high pressure applications. Our discs are ideal for flat surfaces or outside edgework, especially where final finish and gouge resistance are important.



- Engineered to cut faster and last longer than competitive ceramic products with 3M Precision Shaped Grain
- Cool operating temperature decreases metal discolouration/oxidation and heat related stress cracks
- Flap discs grind and blend in a single step meaning they can replace bonded wheels and fibre discs

Product ID	Product	MOQ	Order Unit
7000104359	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 40+, Conical	10	Each
7000104371	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 40+, Flat	10	Each
7000104360	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 60+, Conical	10	Each
7000104372	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 60+, Flat	10	Each
7000104361	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 80+, Conical	10	Each
7000104373	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 80+, Flat	10	Each
7100011310	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 40+, Conical	10	Each
7000104374	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 40+, Flat	10	Each
7100011144	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 60+, Conical	10	Each
7000104375	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 60+, Flat	10	Each
7100011569	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 80+, Conical	10	Each
7000104376	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 80+, Flat	10	Each
7100026188	3M™ Cubitron™ II Flap Disc 967A, 150 mm, 40+, Conical	15	Each
7100026189	3M™ Cubitron™ II Flap Disc 967A, 150 mm, 60+, Conical	15	Each
7100025343	3M™ Cubitron™ II Flap Disc 967A, 150 mm, 80+, Conical	15	Each
7000104365	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 40+, Conical	10	Each
7000104377	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 40+, Flat	10	Each
7000104366	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 60+, Conical	10	Each
7000104378	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 60+, Flat	10	Each
7000104367	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 80+, Conical	10	Each
7000104379	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 80+, Flat	10	Each

3M™ Flap Disc 769F

3M™ Flap Disc 769F is our long-lasting, high-performance abrasive flap disc featuring 3M™ Precision-Shaped Grain and a durable polyester backing.



- Delivers long-lasting high-performance and versatility
- Cuts faster and lasts longer than conventional abrasive grain thanks to 3M™ Precision-Shaped Grain
- Proven to outperform traditional alumina zirconia flap discs

Product ID	Product	MOQ	Order Unit
7100239219	3M™ Flap Disc 769F, 40+, Y-weight, T29, 150 mm x 22.23 mm	20	Each
7100196818	3M™ Flap Disc 769F, 115 mm, 40+, Conical	10	Each
7100196540	3M™ Flap Disc 769F, 115 mm, 40+, Flat	10	Each
7100196816	3M™ Flap Disc 769F, 115 mm, 60+, Conical	10	Each

Discs

3M™ Flap Disc 769F

3M™ Flap Disc 769F is our long-lasting, high-performance abrasive flap disc featuring 3M™ Precision-Shaped Grain and a durable polyester backing.



- Delivers long-lasting high-performance and versatility
- Cuts faster and lasts longer than conventional abrasive grain thanks to 3M™ Precision-Shaped Grain
- Proven to outperform traditional alumina zirconia flap discs

Product ID	Product	MOQ	Order Unit
7100196817	3M™ Flap Disc 769F, 115 mm, 60+, Flat	10	Each
7100196789	3M™ Flap Disc 769F, 115 mm, 80+, Conical	10	Each
7100196820	3M™ Flap Disc 769F, 115 mm, 80+, Flat	10	Each
7100196539	3M™ Flap Disc 769F, 115 mm, 120+, Conical	100	Each
7100196819	3M™ Flap Disc 769F, 115 mm, 120+, Flat	10	Each
7100196812	3M™ Flap Disc 769F, 125 mm, 40+, Conical	10	Each
7100196813	3M™ Flap Disc 769F, 125 mm, 40+, Flat	10	Each
7100196797	3M™ Flap Disc 769F, 125 mm, 60+, Conical	10	Each
7100196799	3M™ Flap Disc 769F, 125 mm, 60+, Flat	10	Each
7100196791	3M™ Flap Disc 769F, 125 mm, 80+, Conical	10	Each
7100196790	3M™ Flap Disc 769F, 125 mm, 80+, Flat	10	Each
7100196815	3M™ Flap Disc 769F, 125 mm, 120+, Conical	10	Each
7100196821	3M™ Flap Disc 769F, 125 mm, 120+, Flat	10	Each
7100197061	3M™ Flap Disc 769F, 180 mm, 40+, Conical	5	Each
7100196538	3M™ Flap Disc 769F, 180 mm, 40+, Flat	5	Each
7100196798	3M™ Flap Disc 769F, 180 mm, 60+, Conical	5	Each
7100196800	3M™ Flap Disc 769F, 180 mm, 60+, Flat	5	Each
7100196794	3M™ Flap Disc 769F, 180 mm, 80+, Conical	5	Each
7100197431	3M™ Flap Disc 769F, 180 mm, 80+, Flat	5	Each
7100196793	3M™ Flap Disc 769F, 180 mm, 120+, Conical	5	Each
7100196792	3M™ Flap Disc 769F, 180 mm, 120+, Flat	5	Each
7100239223	3M™ Flap Disc 769F, 28716, 60+ Y-weight, T29, 150 mm x 22.23 mm	20	Each
7100240279	3M™ Flap Disc 769F, 28901, 80+ Y-weight, T29, 150 mm x 22.23 mm	20	Each
7100239224	3M™ Flap Disc 769F, 28919, 120+ Y-weight, T29, 150 mm x 22.23 mm	20	Each

Film Discs

3M Xtract™ Cubitron™ II Film Disc 775L

3M Xtract™ Cubitron™ II Film Disc 775L features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Featuring 3M Precision Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “ploughing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast and lasts up to 6x as long as conventional abrasives. The film backing delivers outstanding tear resistance, flexibility and a consistent, uniform finish on a variety of substrates.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Revolutionary 3M™ Precision Shaped Grain technology provides fast cut and long life
- Cuts up to 2x as fast as conventional abrasives

Product ID	Product	MOQ	Order Unit
7100106717	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 150+	250	Each
7100111238	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 180+	250	Each
7100106716	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 220+	250	Each
7100145460	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 240+	250	Each
7100145433	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 320+	250	Each
7100145452	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 400+	250	Each
7100045070	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 80+ 500LG, 50 per inner, 250 per case	250	Each
7100045071	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 120+ 500LG, 50 per inner, 250 per case	250	Each
7100064175	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 150+ 500LG, 50 per inner, 250 per case	250	Each
7100064177	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 180+ 500LG, 50 per inner, 250 per case	250	Each
7100064270	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 220+, 500LG, 50 per inner, 250 per case	250	Each
7100145362	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 240+ 500LG, 50 per inner, 250 per case	250	Each
7100145363	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 320+ 500LG, 50 per inner, 250 per case	250	Each
7100145404	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 400+ 500LG, 50 per inner, 250 per case	250	Each
7100045072	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 80+, 600LG	250	Each
7100045073	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 120+	250	Each
7100065918	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 150+	250	Each
7100064178	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 180+	250	Each
7100064271	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 220+	250	Each
7100145316	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 240+	250	Each
7100141692	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 320+	250	Each
7100145455	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 400+	250	Each
7100246422	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 80+, PN17775	250	Each
7100246524	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 120+, PN59938	250	Each
7100248339	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 150+, PN33568	250	Each
7100248337	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 180+, PN73495	250	Each
7100246533	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 220+, PN94374	250	Each
7100246535	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 240+, PN42667	500	Each
7100246534	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 320+, PN46340	250	Each

Discs

3M Xtract™ Cubitron™ II Film Disc 775L

3M Xtract™ Cubitron™ II Film Disc 775L features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Featuring 3M Precision Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “ploughing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast and lasts up to 6x as long as conventional abrasives. The film backing delivers outstanding tear resistance, flexibility and a consistent, uniform finish on a variety of substrates.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Revolutionary 3M™ Precision Shaped Grain technology provides fast cut and long life
- Cuts up to 2x as fast as conventional abrasives

Product ID	Product	MOQ	Order Unit
7100246525	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 400+, PN11458	250	Each

3M™ Cubitron™ II Hookit™ Film Disc 775L

3M™ Cubitron™ II Hookit™ Film Disc 775L features 3M Precision Shaped Ceramic Grain a revolutionary advancement in abrasive technology. Our film discs can cut up to twice as fast and last up to six times as long as normal abrasives.



- Contains 3M Precision Shaped Grain which cuts up to twice as fast and lasts up to six times as long as other abrasives
- Film backing provides greater tear resistance and edge retention
- Ideal for a variety of applications focused primarily on stock removal

Product ID	Product	MOQ	Order Unit
7100106678	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, Clean Sand, 80+	250	Each
7100106714	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, Clean Sand, 120+	250	Each
7100106742	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 80+	250	Each
7100106764	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 120+	250	Each
7100106768	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 180+	250	Each
7100106766	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 220+	250	Each
7100145430	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 240+	250	Each
7100145431	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 320+	250	Each
7100145477	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 400+	250	Each
7100046325	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 80+	250	Each
7100046326	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 120+	250	Each
7100064174	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 150+	250	Each
7100064176	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 180+	250	Each
7100064179	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 220+	250	Each
7100145403	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 240+	250	Each
7100145405	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 320+	250	Each
7100145436	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 400+	250	Each
7100175196	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.52 mm, 17 Hole, 150+	250	Each
7100166525	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.52 mm, 17 Holes, 220+	250	Each



Discs

3M™ Cubitron™ II Hookit™ Film Disc 775L

3M™ Cubitron™ II Hookit™ Film Disc 775L features 3M Precision Shaped Ceramic Grain a revolutionary advancement in abrasive technology. Our film discs can cut up to twice as fast and last up to six times as long as normal abrasives.



- Contains 3M Precision Shaped Grain which cuts up to twice as fast and lasts up to six times as long as other abrasives
- Film backing provides greater tear resistance and edge retention
- Ideal for a variety of applications focused primarily on stock removal

Product ID	Product	MOQ	Order Unit
7100206145	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.53 mm, 17 Hole, 120+	250	Each
7100206144	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.53 mm, 17 Holes, 80+ C-Weight, Die 600FG	250	Each
7100046327	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 80+	250	Each
7100046328	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 120+	250	Each
7100064273	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 150+	250	Each
7100064272	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 180+	250	Each
7100064274	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 220+	250	Each
7100145407	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 240+	250	Each
7100145462	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 320+	250	Each
7100145469	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 400+	250	Each
7100204458	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 180+	250	Each
7100204460	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 240+	250	Each
7100204463	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 320+	250	Each
7100204459	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 400+	250	Each
7100249321	3M™ Cubitron™ II Hookit™ Film Disc 775L, 18469, 203 mm, No Hole, 240+, Die 800L, 50 per inner, 250 per case	250	Each
7100249320	3M™ Cubitron™ II Hookit™ Film Disc 775L, 23109, 203 mm, No Hole, 220+, Die 800L, 50 per inner, 250 per case	250	Each
7100249431	3M™ Cubitron™ II Hookit™ Film Disc 775L, 26148, 180+, 8 in x NH, Die 800L, 50 per inner, 250 per case	250	Each
7100249319	3M™ Cubitron™ II Hookit™ Film Disc 775L, 31592, 203 mm, No Hole, 80+, Die 800L, 50 per inner, 250 per case	250	Each
7100249473	3M™ Cubitron™ II Hookit™ Film Disc 775L, 33163, 203 mm, No Hole, 120+, Die 800L, 50 per inner, 250 per case	250	Each
7100249443	3M™ Cubitron™ II Hookit™ Film Disc 775L, 33667, 203 mm, No Hole, 400+, Die 800L, 50 per inner, 250 per case	250	Each
7100249427	3M™ Cubitron™ II Hookit™ Film Disc 775L, 50343, 203 mm, No Hole, 150+, Die 800L, 50 per inner, 250 per case	250	Each
7100249322	3M™ Cubitron™ II Hookit™ Film Disc 775L, 83297, 203 mm, No Hole, 320+, Die 800L, 50 per inner, 250 per case	250	Each

Discs

3M Xtract™ Film Disc 360L

3M Xtract™ Film Disc 360L features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Advanced Series Abrasives from 3M are designed to deliver an unbeatable combination of performance and value.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Open coat and load-resistant coating prevents clogging to optimize cut and product life
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7100084760	3M Xtract™ Film Disc 360L, 76 mm, 300LG, P400	500	Each
7100010261	3M Xtract™ Film Disc 360L, 76 mm, 300LG, P600	500	Each
7100010263	3M Xtract™ Film Disc 360L, 76 mm, 300LG, P1000	500	Each
7010029938	3M Xtract™ Film Disc 360L, 127 mm, 500LG, P600	500	Each
7010029936	3M Xtract™ Film Disc 360L, 127 mm, P240	500	Each
7100028668	3M Xtract™ Film Disc 360L, 127 mm, P280, 500LG	500	Each
7010029939	3M Xtract™ Film Disc 360L, 127 mm, P800	500	Each
7100077620	3M Xtract™ Film Disc 360L, 152 mm, P220	500	Each
7100077621	3M Xtract™ Film Disc 360L, 152 mm, P240	500	Each
7010029944	3M Xtract™ Film Disc 360L, 152 mm, P280	500	Each
7100077622	3M Xtract™ Film Disc 360L, 152 mm, P320	500	Each
7100077623	3M Xtract™ Film Disc 360L, 152 mm, P400	500	Each
7100077624	3M Xtract™ Film Disc 360L, 152 mm, P500	500	Each
7100077625	3M Xtract™ Film Disc 360L, 152 mm, P600	500	Each
7100077626	3M Xtract™ Film Disc 360L, 152 mm, P800	500	Each
7100077975	3M Xtract™ Film Disc 360L, 152 mm, P1000	500	Each

3M™ Trizact™ Hookit™ Film Disc Roll 466LA

3M™ Trizact™ Finesse-it™ Film Disc Roll 466LA uses our own microreplication technology, where micron-graded silicon carbide particles are formed into tiny pyramids of abrasive mineral and then coated on a non-compressible polyester backing.



- With sharp Microreplicated 3M™ Trizact™ abrasives for predictable and consistent finishes
- Ideal for the 3M two-step paint defect repair process for automotive finishes
- Available in a convenient disc roll form

Product ID	Product	MOQ	Order Unit
7000034236	3M™ Trizact™ Abrasive Disc 466LA, 31.7 mm, P3000	1000	Each
7000028142	3M™ Trizact™ Hookit™ Abrasive Disc 466LA, Grey, 35 mm, A5	100	Each
7000028143	3M™ Trizact™ Hookit™ Abrasive Disc 466LA, Purple, 35 mm, A7	2000	Each
7100016753	3M™ Trizact™ Hookit™ Film Disc Roll 466LA, 34.92 mm x NH, A3	2000	Each

Non-woven Discs

Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192708	Scotch-Brite™ Clean and Strip XT Pro Disc XA-ZS, 75 mm x 25 mm x 6mm, S XCRS, Purple	10	Each
7100192711	Scotch-Brite™ Clean and Strip XT Pro Disc XA-ZS, 100 mm x 25 mm x 6 mm, S XCRS, Purple	10	Each
7100192333	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 115 mm x 22 mm, S XCRS, Purple	10	Each
7100192334	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 178 mm x 22 mm, S XCRS, Purple	10	Each
7100176374	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 100 mm x 13 mm, S XCRS, Purple	30	Each
7100176347	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 150 mm x 13 mm, S XCRS, Purple	20	Each
7100176348	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 200 mm x 13 mm, S XCRS, Purple	12	Each
7100192330	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 115 mm x 22 mm, S XCRS, Purple	10	Each
7100192331	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x 22 mm, S XCRS, Purple	10	Each
7100192335	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x M14, S XCRS, Purple	10	Each
7100192332	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 178 mm x 22 mm , S XCRS, Purple	10	Each
7100192707	Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 75 mm x 13 mm x 6mm, S XCRS, Purple	10	Each
7100192709	Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 100 mm x 13 mm x 6 mm, S XCRS, Purple	10	Each
7100192710	Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 150 mm x 13 mm x 8 mm, S XCRS, Purple	6	Each

Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc



Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion, while also blending and refining the bare metal underneath.

- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines to the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192736	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XB-ZS, 75 mm x 25 mm x 6 mm, A XCRS, Green	10	Each
7100192739	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XB-ZS, 100 mm x 25 mm x 6 mm, A XCRS, Green	10	Each
7100192339	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DB, 115 mm x 22 mm, A XCRS, Green	10	Each
7100192340	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DB, 178 mm x 22 mm, A XCRS, Green	10	Each
7100175138	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 100 mm x 13 mm, A XCRS, Green	30	Each
7100175139	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 150 mm x 13 mm, A XCRS, Green	20	Each
7100191877	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 150mm x 22mm, A XCRS, Green	20	Each
7100175140	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 200 mm x 13 mm, A XCRS, Green	12	Each
7100192336	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 115 mm x 22 mm, A XCRS, Green	10	Each

Discs

Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion, while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines to the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192337	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 125 mm x 22 mm, A XCRS, Green	10	Each
7100192341	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 125 mm x M14, A XCRS, Green	10	Each
7100192338	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 178 mm x 22 mm , A XCRS, Green	10	Each
7100192735	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-ZS, 75 mm x 13 mm x 6 mm, A XCRS, Green	10	Each
7100192737	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-ZS, 100 mm x 13 mm x 6 mm, A XCRS, Green	10	Each
7100192738	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-ZS, 150 mm x 13 mm x 8 mm, A XCRS, Green	6	Each

Scotch-Brite™ Fiber Backed Clean and Strip Disc



Scotch-Brite™ Fibre Backed Clean and Strip Disc is specially engineered to effectively clean welds, remove rust and strip paint. Our extra coarse grade open web discs provide a smooth running loading resistant wheel and fibre backing for a superb finish in soft or aggressive applications.

- Reach into tight corners for complete cleaning, stripping and surface preparation
- Cover a bigger surface area than with wire brushes
- Uses extra coarse grade silicon carbide for aggressive cutting and a finer finish than with wire brushes

Product ID	Product	MOQ	Order Unit
7000091751	Scotch-Brite™ Fiber Backed Clean and Strip Disc CS-DB, 200 mm x 250 mm x 76.2 mm, A CRS	1	Each
7000077940	Scotch-Brite™ Fiber Backed Clean and Strip Disc CS-DB, 115 mm x 63 mm x 22 mm, A CRS	10	Each
7000067980	Scotch-Brite™ Fiber Backed Clean and Strip Disc, 115 mm	10	Each

Scotch-Brite™ Surface Conditioning Disc SC-DH



Scotch-Brite™ Surface Conditioning Disc is a durable, non-woven disc for use as the first step in cleaning, blending, deburring, and finishing. Our discs perform well on contoured or uneven surfaces, without undercutting or damaging the base material.

- Variety of abrasive grades and sizes offer an ideal starting point for cleaning, finishing, blending, and light deburring
- Open web material runs cool and resists loading for prolonged operation
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7100233611	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 10 mm, A CRS	200	Each
7100233778	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 10 mm, A MED	200	Each
7100233807	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 10 mm, A VFN	200	Each
7100233442	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x NH, A CRS	20	Each

Scotch-Brite™ Surface Conditioning Disc SC-DH

Scotch-Brite™ Surface Conditioning Disc is a durable, non-woven disc for use as the first step in cleaning, blending, deburring, and finishing. Our discs perform well on contoured or uneven surfaces, without undercutting or damaging the base material.



- Variety of abrasive grades and sizes offer an ideal starting point for cleaning, finishing, blending, and light deburring
- Open web material runs cool and resists loading for prolonged operation
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7100233796	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x NH, A MED	20	Each
7100234024	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 10 mm, A CRS	200	Each
7100233810	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 10 mm, A MED	600	Each
7100234021	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 10 mm, A VFN	100	Each
7100234022	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x NH, S SFN	20	Each
7100233441	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm x 10 mm, A CRS	1500	Each
7100233782	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm x 10 mm, A MED	160	Each
7100233814	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm x No Hole, A MED	20	Each
7100233610	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 10 mm, A CRS	100	Each
7100233775	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, A MED	20	Each
7100233793	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x NH, S SFN	120	Each
7100233805	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x No Hole, A VFN	20	Each
7100234047	Scotch-Brite™ Surface Conditioning Disc SC-DH, 1200 mm x No Hole, A MED	5	Each
7100234048	Scotch-Brite™ Surface Conditioning Disc SC-DH, 1220 mm, No Hole, A CRS	5	Each
7100234044	Scotch-Brite™ Surface Conditioning Disc SC-DH, 1220 mm, No Hole, A VFN	5	Each
7100233605	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, A CRS , Brown	22	Each
7100233780	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, A MED, Red	22	Each
7100233781	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, A VFN, Blue	22	Each
7100200101	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, No Slot, A CRS,	40	Each
7100233608	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A CRS, Brown	20	Each
7100233774	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A CRS, Brown	20	Each
7100233812	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A MED, Red	20	Each
7100233795	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A VFN, Blue	20	Each
7100233813	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x No Hole, S SFN	20	Each
7000046019	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A CRS, Brown	50	Each
7000046018	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A MED, Red	50	Each
7100233776	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A MED, Red	20	Each
7100233439	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A VFN, Blue	20	Each
7100233609	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 22 mm, A CRS, Brown	20	Each
7100233803	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 22 mm, A MED, Red	20	Each
7100234045	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 22 mm, A VFN	20	Each
7100233623	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm, No Hole, A CRS, Brown	20	Each
7100233806	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm, No Hole, A MED, Red	20	Each
7100233440	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm, No Hole, A VFN, Blue	20	Each
7100233777	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm, No Hole, A VFN, Blue	20	Each

Discs

Scotch-Brite™ Surface Conditioning Disc SC-DH

Scotch-Brite™ Surface Conditioning Disc is a durable, non-woven disc for use as the first step in cleaning, blending, deburring, and finishing. Our discs perform well on contoured or uneven surfaces, without undercutting or damaging the base material.



- Variety of abrasive grades and sizes offer an ideal starting point for cleaning, finishing, blending, and light deburring
- Open web material runs cool and resists loading for prolonged operation
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7100233794	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, A CRS, Brown	20	Each
7100233809	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, A VFN, Blue	20	Each
7100200772	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, No Slot, A CRS,	10	Each
7100233606	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm, No Hole, A CRS, Brown	20	Each
7100233804	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm, No Hole, A MED, Red	20	Each

Scotch-Brite™ SE Surface Conditioning Disc SE-DB

Scotch-Brite™ SE Surface Conditioning Disc combines an aggressive non-woven disc for heavy duty deburring and finishing, with a convenient hook and loop attachment system. Our disc uses aluminium oxide abrasive for a fast cut and fibre that conforms well to help preserve edges and contoured surfaces.



- For faster cutting and longer life than SC Surface Conditioning discs in heavy duty deburring and finishing
- High and fast cutting disc that conforms well to help preserve edges
- Secure hook and loop attachment and conformability offers aggressive cutting without damaging base material

Product ID	Product	MOQ	Order Unit
7100233797	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 100 mm x NH, A CRS	25	Each
7100233779	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 115 mm x No Hole, A CRS	20	Each
7000120932	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 127 mm x 22 mm	50	Each
7100233808	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 150 mm x NH, A CRS	380	Each
7100200775	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 178 mm x 22 mm, 4 Slot, A CRS	40	Each
7100233816	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 178 mm x No Hole, A CRS	120	Each
7000046034	Scotch-Brite™ SE Surface Conditioning Disc SE-DH, 114 mm, No Hole, A MED	50	Each
7000046091	Scotch-Brite™ SE Surface Conditioning Disc SE-DH, 127 mm, No Hole, A MED	50	Each
7100233811	Scotch-Brite™ SE Surface Conditioning Disc, SE-DH, A CRS, 100 mm x 16 mm	330	Each
7000046214	Scotch-Brite™ SE Surface Conditioning Disc SE-BS, 114 mm, No Hole, A FIN	50	Each
7100233607	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 115 mm x 22 mm, A CRS	20	Each
7100200774	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 178 mm x 22 mm, A CRS	40	Each
7100200773	Scotch-Brite™ Surface Conditioning Disc SE-DB, Maroon, 115 mm x 22 mm, 4 Slot, A CRS	40	Each
7100200718	Scotch-Brite™ Surface Conditioning Disc SE-DB, Maroon, 125 mm x 22 mm, 4 Slots, A CRS	40	Each



Discs

Scotch-Brite™ Surface Conditioning Disc SL-DH

Scotch-Brite™ SL Surface Conditioning Disc is a durable, aggressive non-woven abrasive disc for weld refinement applications. Our discs blend and finish consistently, often in one step.



- Use a flexible disc for blending and finishing
- Get a fast cutting disc
- Reduce steps by combining weld blending with finishing steps

Product ID	Product	MOQ	Order Unit
7100233614	Scotch-Brite™ Surface Conditioning Disc SL-DH, Heavy Duty, 100 mm x 16 mm, A CRS	22	Each
7100233783	Scotch-Brite™ Surface Conditioning Disc SL-DH, Heavy Duty, 178 mm x 22 mm, A CRS	100	Each
7100233801	Scotch-Brite™ Surface Conditioning Disc SL-DH, Super Duty, 100 mm x 16 mm, A CRS	22	Each
7100233438	Scotch-Brite™ Surface Conditioning Disc SL-DH, Super Duty, 125 mm x 22 mm, A CRS	20	Each
7100233800	Scotch-Brite™ Surface Conditioning Disc SL-DH, Super Duty, 178 mm x 22 mm, A CRS	100	Each
7100233819	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm x 22 mm, A CRS HD	20	Each
7100234046	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm x 22 mm, A CRS SD	20	Each
7000046272	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm x 22 mm, A MED	50	Each
7100233817	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm, No Hole, A CRS HD	20	Each
7000046224	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm, No Hole, A CRS SD	50	Each
7100233818	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm, No Hole, A CRS SD	20	Each
7100233604	Scotch-Brite™ Surface Conditioning Disc SL-DH, 125 mm x 22 mm, A CRS HD	20	Each
7100233799	Scotch-Brite™ Surface Conditioning Disc SL-DH, 125 mm, No Hole, A CRS SD	20	Each

Scotch-Brite™ Light Grinding and Blending Disc GB-DH

Scotch-Brite™ Light Grinding and Blending Disc uses a ceramic abrasive grain blend, which offers a high cut rate for optimal weld grinding and blending in mild-steel applications. Our discs effectively blend and refine a grade 36 scratch, or finer.



- Grind and blend in a single step
- 3M ceramic aluminium oxide abrasives offer a fast and consistent cut over the disc life
- Durable to resist edge wear. Can be folded, stacked or rolled for effective cleaning or conditioning on flat, irregular or contoured surfaces

Product ID	Product	MOQ	Order Unit
7000046244	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 114 mm x 22 mm, Heavy Duty	50	Each
7000046263	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 115 mm x 22 mm, Heavy Duty	50	Each
7000046264	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 115 mm x 22 mm, Super Duty	50	Each
7000046245	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 127 mm x 22 mm, Heavy Duty	50	Each
7000046247	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 127 mm x 22 mm, Super Duty	50	Each
7000046248	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 178 mm x 22 mm, Heavy Duty	25	Each
7000046249	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 178 mm x 22 mm, Heavy Duty	25	Each
7000046246	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc , 101 mm x 15 mm, A CRS	100	Each

Discs

Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD

Our Scotch-Brite™ Deburr and Finish PRO Unitized Disc is a new disc designed to make a variety of metalworking applications easier and more efficient for industrial professionals. Typically, abrasives excel in one area: deburring, finishing or blending. This multi-purpose disc is unique, because it's engineered to do all three.



- Unitized production enhances abrasive durability and strength, helping prolong service life
- 3M precision-shaped grain is engineered to cut fast and sharp, enabling quicker burr removal
- Open coat construction permits dust and debris to escape, minimizing loading

Product ID	Product	MOQ	Order Unit
7010412238	Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD, 114 mm x 22 mm, 2S FIN	10	Each
7100109111	Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD, 114 mm x 22 mm, 8C CRS+	5	Each
7100081369	Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD, 114 mm x 22 mm, MED	5	Each

Scotch-Brite™ Clean and Strip Disc

Scotch-Brite™ Clean and Strip Disc is designed to effectively clean welds, remove rust and strip paint. Our extra coarse grade open web discs provide a smooth running loading-resistant wheel, which is ideal for removing soft coatings.



- Reach into tight corners for complete cleaning, stripping and surface preparation
- Cover a bigger surface area than with wire brushes
- Uses extra coarse grade silicon carbide for aggressive cutting and a finer finish than with wire brushes

Product ID	Product	MOQ	Order Unit
7100093991	Scotch-Brite™ Clean and Strip Disc CG-DB, 178 mm x 22 mm, S XCRS	10	Each
7100182637	Scotch-Brite™ Clean and Strip Disc CS-RD, 150 mm x 13 mm, Blue	20	Each
7100182579	Scotch-Brite™ Clean and Strip Disc CS-RD, 200 mm x 13 mm, Blue	12	Each

Scotch-Brite™ Cut and Polish Disc

Scotch-Brite™ Cut and Polish Disc is engineered to produce satin or high lustre finishes and can be used for cleaning or light deburring on a variety of metals. Our cut and polish discs feature a durable open-web construction designed to resist loading and greatly increase the life of the disc.



- Aluminium oxide mineral delivers an aggressive cut with a polished surface
- Durable non-woven web construction resists loading, prolonging service life of the disc
- Versatile disc may be used on bench motor or straight shaft tool

Product ID	Product	MOQ	Order Unit
7000046014	Scotch-Brite™ Cut and Polish Disc CP-DC, 6 in x 1/2 in A MED	100	Each
7000094866	Scotch-Brite™ Cut and Polish Disc, CP-DC, 200 mm - 20 mm, A MED	120	Each
7010329036	Scotch-Brite™ Cut and Polish Disc, CP-DC, A/O Very Fine, 152 mm x 12,7 mm, 100 ea/Case	100	Each



Discs

Scotch-Brite™ Cut and Polish Unitized Disc

Scotch-Brite™ Cut and Polish Unitized Disc is a layered, durable unitised disc construction. Our discs are ideal for tough blending and finishing applications.

- Available in fine and medium grades
- Layered, durable unitised construction
- Features aluminium oxide mineral

Product ID	Product	MOQ	Order Unit
7000046131	Scotch-Brite™ Cut and Polish Unitized Disc CP-UD, 4-1/2 in x 7/8 in, 5A FIN	5	Each
7000046132	Scotch-Brite™ Cut and Polish Unitized Disc CP-UW, 115 mm x 22 mm, 7A MED	5	Each

Scotch-Brite™ EXL Unitized Disc XL-UD



Scotch-Brite™ EXL Unitized Disc is engineered by mixing abrasive mineral and nylon fibres together. Our EXL unitised discs have a web that is cured and compressed together for added strength and durability.,

- Abrasive deburrs and finishes with minimal change to workpiece geometry
- Resists smearing for cleaner surfaces and less preparation
- Open web is load-resistant

Product ID	Product	MOQ	Order Unit
7000028518	Scotch-Brite™ EXL Unitized Disc XL-UD, 115 mm x 22 mm, 2S FIN	5	Each
7000028516	Scotch-Brite™ EXL Unitized Disc XL-UD, 115 mm x 22 mm, 6S FIN	5	Each
7000028517	Scotch-Brite™ EXL Unitized Disc XL-UD, 115 mm x 22 mm, CRS	5	Each

Scotch-Brite™ Precision Surface Conditioning Disc



Scotch-Brite™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.

- Now with 3M™ precision shaped grain technology - setting a new standard of performance.
- Designed for ease of use and consistent surface finishing results
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material.

Product ID	Product	MOQ	Order Unit
7100275261	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274705	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100274279	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274273	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274227	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274275	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274660	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 150 mm x NH, 25 per inner, 100 per case	100	Each

Discs

Scotch-Brite™ Precision Surface Conditioning Disc

Scotch-Brite™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology - setting a new standard of performance.
- Designed for ease of use and consistent surface finishing results
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material.

Product ID	Product	MOQ	Order Unit
7100274665	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275259	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 178 mmx NH, 25 per inner, 100 per case	100	Each
7100275260	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274706	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100274225	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274270	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274272	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274226	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274661	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 150 mm x NH, 25 per inner, 100 per case	100	Each
7100274664	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275256	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275837	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 100 mm x 16 mm, 25 per inner, 100 per case	200	Each
7100274670	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100275836	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274222	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274274	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100276268	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 125 mm x 22.23 mm, 25 per inner, 100 per case	100	Each
7100274663	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 150 mmx NH, 25 per inner, 100 per case	200	Each
7100274667	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275255	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275899	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274669	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 100 mm x NH, 25 per inner, 100 per case	100	Each



Discs

Scotch-Brite™ Precision Surface Conditioning Disc

Scotch-Brite™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology - setting a new standard of performance.
- Designed for ease of use and consistent surface finishing results
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material.

Product ID	Product	MOQ	Order Unit
7100275844	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274223	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274271	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274229	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274662	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 150 mm x NH, 25 per inner, 100 per case	100	Each
7100274666	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275258	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275838	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274671	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100275845	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274224	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274277	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274228	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274704	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 150 mm x NH, 25 per inner, 100 per case	100	Each
7100274668	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275253	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 178 mm x NH, 25 per inner, 100 per case	100	Each

Discs

Scotch-Brite™ Hookit™ 7447 PRO Disc

Our Scotch-Brite™ Hookit™ 7447 PRO Disc combines flexible fibers with outstanding cut to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. It is an excellent alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks. The Hookit™ backing enables convenient attachment on a random orbital sander.



- Use for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Unique fibre coating capability assures a fast, consistent scratch
- Very fine grade aluminum oxide abrasive cleans and finishes efficiently

Product ID	Product	MOQ	Order Unit
7010300879	Scotch-Brite™ Hookit™ 7447 PRO Disc, 152.4 mm x NH, A VFN	40	Each

Cloth Discs

3M™ Cubitron II Hookit Cloth Disc 784F

3M™ Cubitron™ II Hookit™ Cloth Disc 784F features 3M Precision-Shaped Grain for longer life and a faster, more consistent cut than aluminum oxide discs. A precise mix of shaped ceramic and premium aluminum oxide delivers optimal cut in medium pressure grinding and blending applications. The disc also features a waterproof backing and grinding aid.

- 3M Precision-Shaped Grain blend provides up to 2x longer life than comparable aluminum oxide discs
- Proprietary mineral provides consistent, faster results on medium pressure applications, increasing production rate
- Reduces changeouts and downtime in finishing applications

Product ID	Product	MOQ	Order Unit
7100222630	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 36+ YF-weight, 5 in x NH, Die 500X, 25 discs per inner, 200 per case	200	Each
7100222629	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 50+ YF-weight, 5 in x NH, Die 500X, 25 per inner, 200 per case	1000	Each
7100211074	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 60+ YF-weight, 5 in x NH, 25 discs per inner, 200 per case	200	Each
7100222628	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 80+ YF-weight, 5 in x NH, Die 500X, 25 per inner, 200 per case	200	Each
7100222757	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 120+ XF-weight, 5 in x NH, Die 500X, 25 per inner, 200 per case	200	Each

3M™ Cubitron™II Hookit™ Cloth D/F Disc 947A



3M™ Cubitron™ II Hookit™ Cloth Disc 947A is a cloth disc featuring 3M Precision Shaped Grain. Our cloth discs are constructed on a durable X-weight poly-cloth backing for high performance on a wide range of metals.

- Cuts hard and fast to slice through metals
- 3M Precision Shaped Grain yields higher cut rates
- Delivers consistent performance on a wide range of metals

Product ID	Product	MOQ	Order Unit
7100113118	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, 3-Hole, 40+	200	Each
7100113145	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, 3-Hole, 80+	200	Each
7100113113	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, 3-Hole, 120+	200	Each



Discs

3M™ Cubitron™II Hookit™ Cloth D/F Disc 947A

3M™ Cubitron™ II Hookit™ Cloth Disc 947A is a cloth disc featuring 3M Precision Shaped Grain. Our cloth discs are constructed on a durable X-weight poly-cloth backing for high performance on a wide range of metals.

- Cuts hard and fast to slice through metals
- 3M Precision Shaped Grain yields higher cut rates
- Delivers consistent performance on a wide range of metals



Product ID	Product	MOQ	Order Unit
7100113114	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 40+	200	Each
7100113109	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 60+	200	Each
7100113126	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 80+	200	Each
7100113117	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 120+	200	Each
7100169959	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 40+	200	Each
7100169950	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 60+	200	Each
7100169962	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 80+	200	Each
7100169949	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 120+	200	Each
7100113110	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 40+	200	Each
7100113096	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 60+	200	Each
7100113111	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 80+	200	Each
7100113075	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 120+	200	Each
7100113120	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 40+	200	Each
7100113137	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 60+	200	Each
7100112980	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 80+	200	Each
7100085514	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 120+	200	Each
7100113143	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, 6-Hole, 40+	200	Each
7100113076	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, 6-Hole, 60+	200	Each
7100113107	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, 6-Hole, 80+	200	Each
7100113121	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 40+	200	Each
7100113142	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 60+	200	Each
7100113080	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 80+	200	Each
7100113139	3M™ Cubitron™II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 120+	200	Each

Paper Discs

3M™ Cubitron™ II Hookit™ Disc 950U

3M™ Cubitron™ II Hookit™ Disc 950U is an abrasive disc designed to deliver high performance in body-in-white applications. It's powered by fast-cutting, long-lasting 3M Precision-Shaped Grain in a super-open-coat construction that resists loading with sanding swarf. The E-weight paper backing is specially designed for sanding metal.



- Ideal for prepping and repairing flat surfaces, including body-in-white applications
- Super-open-coat construction for reduced loading allowing metal and paint particles to escape
- 3M™ Precision-Shaped Grain delivers a consistent, high cut-rate and long life

Product ID	Product	MOQ	Order Unit
7100244892	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 80+	250	Each
7100244891	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 120+	250	Each
7100244890	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 150+	250	Each
7100245353	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 180+	250	Each
7100190726	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 60+	250	Each
7100190724	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 80+	250	Each
7100190722	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 120+	250	Each
7100190725	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 150+	250	Each
7100190723	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 180+	250	Each
7100244497	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 8+1 Festool HL, Die 500KE, 60+	250	Each
7100187017	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 60+	250	Each
7100187016	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 80+	250	Each
7100187015	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 120+	250	Each
7100187014	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 150+	250	Each
7100187013	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 180+	250	Each
7100226878	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 60+	250	Each
7100226892	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 80+	250	Each
7100226879	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 120+	250	Each
7100226891	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 150+	250	Each
7100226890	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 180+	250	Each
7100226887	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 60+	250	Each
7100226884	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 80+	250	Each
7100226886	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 120+	250	Each
7100226885	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 150+	250	Each
7100226888	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 180+	250	Each
7100190718	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 60+	250	Each
7100190719	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 80+	250	Each
7100190721	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 120+	250	Each
7100190720	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 150+	250	Each
7100190717	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 180+	250	Each



Discs

3M Xtract™ Paper Disc 236U

3M Xtract™ Paper Disc 236U features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Advanced Series Abrasives from 3M are designed to deliver an unbeatable combination of performance and value. Open coat construction and a load-resistant coating further prevent clogging.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Open coat and load-resistant coating prevents clogging to optimize cut and product life
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7000119599	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P80	250	Each
7000119602	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P150	50	Each
7000119605	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P240	250	Each
7000119606	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P320	250	Each
7000119607	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P400, C-Weight	50	Each
7000119608	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P500, C-Weight	50	Each
7010029935	3M Xtract™ Paper Disc 236U, 127 mm, 500LG, P500	50	Each
7010029932	3M Xtract™ Paper Disc 236U, 127 mm, P240	250	Each
7010029933	3M Xtract™ Paper Disc 236U, 127 mm, P320	250	Each
7010029934	3M Xtract™ Paper Disc 236U, 127 mm, P400	250	Each
7100078157	3M Xtract™ Paper Disc 236U, 152 mm x NH, 600LG, P220	50	Each
7100078181	3M Xtract™ Paper Disc 236U, 152 mm, 600LG, P500	50	Each
7100078180	3M Xtract™ Paper Disc 236U, 152 mm, 600LG, P400, C-Weight	50	Each
7100078152	3M Xtract™ Paper Disc 236U, 152 mm, P80, C-Weight	250	Each
7100078153	3M Xtract™ Paper Disc 236U, 152 mm, P100	50	Each
7100078155	3M Xtract™ Paper Disc 236U, 152 mm, P150	50	Each
7100078158	3M Xtract™ Paper Disc 236U, 152 mm, P240	50	Each
7100078159	3M Xtract™ Paper Disc 236U, 152 mm, P320	50	Each
7100078154	3M Xtract™ Paper Disc 236U, 152 mm, x NH, P120	250	Each
7100078156	3M Xtract™ Paper Disc 236U, 152 mm, x NH, P180	50	Each

Discs

Quick Change Discs

3M™ Cubitron™ II Roloc™ Fibre Disc 982C

3M™ Cubitron™ II Roloc™ Fibre Disc 982C offers outstanding performance and productivity for medium to high pressure grinding applications. Our discs are perfect for use on carbon steel when a smaller disc is needed.



- Features 3M Precision Shaped Grain which gives improved cut and longevity
- Disc life is significantly increased, completing more parts per disc for less disc changes
- Roloc™ quick attachment system makes for easy disc changes between grades or applications

Product ID	Product	MOQ	Order Unit
7000118429	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 50 mm, 36+	50	Each
7000044902	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76 mm, R300V, 60+	50	Each
7000044904	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76 mm, R300V, 80+	50	Each
7100126838	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76 mm, RS300VM, 36+	200	Each
7000118430	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76mm, R300V, 36+	50	Each

3M™ Cubitron™ II Roloc™ Cloth Disc 984F

3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F combines the convenience of our 3M Roloc Quick-Change Attachment System with 3M Precision Shaped Grain technology, delivering increased cut rates and disc life.



- Features 3M Precision Shaped Grain which gives improved cut and longevity
- Disc life is significantly increased, completing more parts per disc for less disc changes
- Incorporated grinding aid reduces grinding temperatures on heat sensitive alloys increasing longevity

Product ID	Product	MOQ	Order Unit
7000045173	3M™ Cubitron™ II Roloc™ Cloth Disc 984, 50 mm, RS200PM, 60+	200	Each
7000045233	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 25 mm, R100N, 60+	200	Each
7000045166	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, R150S, 36+	200	Each
7000045171	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, R150S, 60+	200	Each
7000045175	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, R150S, 80+	200	Each
7000045168	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, RS150SM, 36+	200	Each
7100001474	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 36+	200	Each
7100001475	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 60+	200	Each
7100001473	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 80+	200	Each
7000045167	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 76 mm, R300V, 36+	200	Each
7000045172	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 76 mm, R300V, 60+	200	Each
7000045176	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 76 mm, R300V, 80+	200	Each
7000045177	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, RS150SM, 80+	200	Each



Discs

3M™ Cubitron™ II Roloc™ Disc 984F

3M™ Cubitron™ II Roloc™ Disc 984F offers a superior solution for tackling metalworking applications where flexibility is required, such as weld grinding, beveling, flame-cut edge clean-up and deburring.



- 3M Precision Shaped Ceramic Grain (PSG) maintains super-sharp points that cut exceptionally fast with less pressure compared to conventional abrasives
- Disc life is significantly longer, completing more parts per disc and requiring fewer disc changes compared to conventional abrasives
- Grinding aid incorporated on the disc minimizes grinding temperatures for stainless steel and other heat-sensitive alloys

Product ID	Product	MOQ	Order Unit
7010361116	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 60+	200	Each

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A is a poly-cotton backed, heavyweight, sharp cutting disc. Our strong, durable discs are easy to use and ideal for edge work.



- Precision-Shaped Grain delivers sharp, cool, consistent cutting action
- Poly-cotton backing offers water resistance and great tensile strength, enhancing durability of grains
- Heavy weight backing makes it more durable and tear resistant, great for edge work

Product ID	Product	MOQ	Order Unit
7100077039	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 40+	200	Each
7100077047	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 60+	200	Each
7100076925	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 80+	200	Each
7100076933	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 120+	200	Each
7100077040	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 40+	200	Each
7100076898	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 60+	200	Each
7100076926	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 80+	200	Each
7100076934	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 120+	200	Each

3M™ Roloc™ Fibre Disc 782C

3M™ Roloc™ Fibre Disc 782C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear-resistance.



- Cuts carbon steel rapidly
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100100976	3M™ Roloc™ Fibre Disc 782C, 50 mm, 36+	200	Each
7100100989	3M™ Roloc™ Fibre Disc 782C, 50 mm, 60+	200	Each
7100100999	3M™ Roloc™ Fibre Disc 782C, 50 mm, 80+	200	Each
7100100942	3M™ Roloc™ Fibre Disc 782C, 76 mm, 36+	200	Each
7100100885	3M™ Roloc™ Fibre Disc 782C, 76 mm, 60+	200	Each

Discs

3M™ Roloc™ Fibre Disc 782C

3M™ Roloc™ Fibre Disc 782C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear-resistance.



- Cuts carbon steel rapidly
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100100986	3M™ Roloc™ Fibre Disc 782C, 76 mm, 80+	200	Each

3M™ Roloc™ Fibre Disc 787C

3M™ Roloc™ Fibre Disc 787C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear-resistance. They are constructed with a grinding aid.



- Cuts hard and fast to grind metals like stainless steel and high nickel alloys
- 3M Precision Shaped Grain yields higher cut rates and excels at heavy weight applications
- Grinding aid minimises grinding temperatures for heat-sensitive alloys

Product ID	Product	MOQ	Order Unit
7100100974	3M™ Roloc™ Fibre Disc 787C, 50 mm, 36+	200	Each
7100100982	3M™ Roloc™ Fibre Disc 787C, 50 mm, 60+	200	Each
7100100962	3M™ Roloc™ Fibre Disc 787C, 50 mm, 80+	200	Each
7100100964	3M™ Roloc™ Fibre Disc 787C, 50 mm, 120+	200	Each
7100100981	3M™ Roloc™ Fibre Disc 787C, 75 mm, 36+	200	Each
7100100979	3M™ Roloc™ Fibre Disc 787C, 75 mm, 60+	200	Each
7100100966	3M™ Roloc™ Fibre Disc 787C, 75 mm, 120+	200	Each
7100100961	3M™ Roloc™ Fibre Disc 787C, 76 mm, 80+	200	Each

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates


Product ID	Product	MOQ	Order Unit
7100175521	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 50 mm, S XCRS, Purple	60	Each
7100173795	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 76 mm, S XCRS, Purple	40	Each
7100192704	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 100 mm x 13 mm x 6 mm, S XCRS, Purple	10	Each
7100192705	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 125 mm x 13 mm x 6 mm, S XCRS, Purple	8	Each
7100192706	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 150 mm x 13 mm x 6 mm, S XCRS, Purple	6	Each



Discs

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion, while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100179815	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc XC-DR, 50 mm, A XCRS, Green	60	Each
7100173790	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc XC-DR, 76 mm, A XCRS, Green	40	Each

Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192712	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc XO-ZR, 100 mm x 13 mm x 6 mm, A XCRS, Green	10	Each
7100192733	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc XO-ZR, 125 mm x 13 mm x 6 mm, A XCRS, Green	8	Each
7100192734	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc XO-ZR, 150 mm x 13 mm x 6 mm, A XCRS, Green	6	Each

Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR

Scotch-Brite™ Roloc™ Surface Conditioning Disc combines our durable, non-woven disc with the efficient Roloc quick-change attachment system, for effective cleaning, finishing, blending and deburring. These discs use non-woven fibre which conforms well to irregular surfaces.



- Tough non-woven disc aggressively deburrs and finishes
- Conformable, non-woven disc with Roloc™ backing for aggressive cutting
- Achieve consistent finishes with open-web construction that resists loading and runs cool

Product ID	Product	MOQ	Order Unit
7000045887	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR TR, 38 mm, A CRS, Brown	50	Each
7000000704	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 25 mm, A CRS, Brown	200	Each
7000021280	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 25 mm, A MED, Red	200	Each
7000021279	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 25 mm, A VFN, Blue	200	Each
7000045888	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 38 mm, A MED, Red	50	Each
7000028507	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	100	Each
7000000752	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	50	Each
7000068118	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, PN139497	200	Each

Discs

Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR

Scotch-Brite™ Roloc™ Surface Conditioning Disc combines our durable, non-woven disc with the efficient Roloc quick-change attachment system, for effective cleaning, finishing, blending and deburring. These discs use non-woven fibre which conforms well to irregular surfaces.



- Tough non-woven disc aggressively deburrs and finishes
- Conformable, non-woven disc with Roloc™ backing for aggressive cutting
- Achieve consistent finishes with open-web construction that resists loading and runs cool

Product ID	Product	MOQ	Order Unit
7000068117	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, PN139496	200	Each
7000028506	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, Red	100	Each
7000000751	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, Red	50	Each
7000000750	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A VFN, Blue	200	Each
7000028508	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A VFN, Blue	100	Each
7000068116	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A VFN, PN139495	200	Each
7000028509	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, S FIN, Grey	100	Each
7000000753	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, S SFN, Grey	200	Each
7000046114	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A CRS, Brown	4	Carton
7000000756	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A CRS, Brown	100	Each
7000000755	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A MED, Red	25	Each
7000046113	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A MED, Red	4	Carton
7000000754	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A VFN, Blue	25	Each
7000046108	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A VFN, Blue	4	Carton
7000028501	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, S SFN, Grey	100	Each
7100007009	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 102 mm, A CRS	25	Each

Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR

Scotch-Brite™ Roloc™ SE Surface Conditioning Discs combine a coarse, non-woven disc with the efficiency of the 3M™ Roloc™ quick-change attachment system. Our discs are designed for heavy-duty deburring and finishing, with a conformable fibre and supportive Roloc backing for aggressive cutting.



- Course, tough non-woven disc aggressively deburrs and finishes
- Open-web construction resists loading and runs cool, producing consistent finishes
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7000046111	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 50 mm, A CRS, Brown	200	Each
7000046110	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 50 mm, A MED, Red	200	Each
7000042733	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 76 mm, A CRS, Brown	100	Each
7000046112	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 76 mm, A MED, Red	100	Each
7000046149	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 76 mm, A VFN, Red	100	Each



Discs

Scotch-Brite™ Roloc™ SL Surface Conditioning Disc

Scotch-Brite™ Roloc™ SL Surface Conditioning Disc has a unique web construction and formulation. Our discs resist loading and use aluminium oxide abrasive mineral for a fast, aggressive cut and long product life. They offer blending and finishing capabilities.



- Specially engineered light grinding and blending disc can last up to twice as long as other surface conditioning discs
- Blending and finishing capability saves process steps and offers desired finish without sacrificing cut-rate
- Versatile for grind line refinement, metal blending, and surface preparation

Product ID	Product	MOQ	Order Unit
7000121083	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 50 mm, A MED	200	Each
7000046219	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 50 mm, CRS, Heavy Duty	200	Each
7000046221	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 50 mm, CRS, Super Duty	200	Each
7000046218	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 75 mm, CRS, Heavy Duty	100	Each
7000046220	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 75 mm, CRS, Super Duty	100	Each
7100029968	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 76 mm, A CRS	100	Each
7000121082	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 76 mm, A MED	100	Each

Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR

Scotch-Brite™ Roloc™ Light Grinding and Blending Discs use a fast cutting ceramic aluminium oxide abrasive grain blend. We've designed them for optimal weld grinding and blending in mild-steel applications, and to handle intense heat and stress applications.



- Grinds and blends in a single step
- 3M™ ceramic aluminium oxide abrasives combine high cut-rate with blending, eliminating finishing steps
- Disc backup pad helps provide high edge durability for consistent finishing and long disc life

Product ID	Product	MOQ	Order Unit
7100019197	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 25 mm, A CRS	200	Each
7100048019	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 38 mm, A CRS	200	Each
7000046250	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 50 mm, Heavy Duty	200	Each
7000046251	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 50 mm, Super Duty	200	Each
7100007318	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 76 mm, Heavy Duty	100	Each
7100009310	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 76 mm, Super Duty	100	Each

Discs

Scotch-Brite™ Roloc™ Clean and Strip Disc CG-RD

Scotch-Brite™ Roloc™ Clean and Strip Disc uses a long lasting abrasive that combines silicon carbide mineral with non-woven nylon fibres using a resin which dissolves and breaks down over time. Our discs are designed to aggressively clean without altering the base material.



- Removes paint, rust and quickly without compromising the geometry of the work piece
- Load resistant material resists clogging for consistent cutting action
- Smear resistant to minimise cleaning of the work surface

Product ID	Product	MOQ	Order Unit
7100093978	Scotch-Brite™ Roloc™ Clean and Strip Disc CG-RD, 100 mm x 13 mm	10	Each

Scotch-Brite™ Roloc™ Coating Removal Disc CR-DR

Scotch-Brite™ Roloc™ Coating Removal Disc uses extra coarse silicon carbide abrasive and conformable, non-woven material to effectively remove paint and rust from metal surfaces and welds. Our discs feature a secure hook and loop backing and are a good option to wire brushes.



- Strips coatings and preps surfaces more effectively than wire brushes
- Non-woven material aggressively removes coating without damaging the base material
- Open web material runs cool and resists loading for prolonged operation

Product ID	Product	MOQ	Order Unit
7000046010	Scotch-Brite™ Roloc™ Coating Removal Disc CR-DR, 50 mm	60	Each
7000046009	Scotch-Brite™ Roloc™ Coating Removal Disc CR-DR, 76 mm	40	Each

Scotch-Brite™ Roloc™ Deburr & Finish PRO Unitized Wheel

Scotch-Brite™ Roloc™ Deburr & Finish PRO Unitized Wheel is our new metalworking tool with 3M precision shaped grain woven throughout the abrasive. These unitised wheels have a soft nylon fibre backing and include a Roloc™ attachment for swift, easy connection to power tools.



- Unitised construction enhances abrasive durability and strength, helping prolong service life
- Non-woven construction permits dust and debris to escape, minimising loading
- Perfect for moderate to heavy deburring

Product ID	Product	MOQ	Order Unit
7100081368	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 50 mm x 3.2 mm, 6C MED+	60	Each
7100081367	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 50 mm x 6.35 mm, 6C MED+	60	Each
7010300983	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 3.2 mm, 4C MED+	40	Each
7100081366	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 3.2 mm, 6C MED+	40	Each
7100109130	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 3.2 mm, 8C CRS+,	40	Each
7100081365	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6 mm, 6C MED+	40	Each
7010329346	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6.35 mm, 2S FIN,	40	Each
7010295274	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6.35 mm, 4C MED+,	40	Each
7100109110	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6.35 mm, 8C CRS+	40	Each

Discs

Scotch-Brite™ Roloc™ Cut and Polish Flap Brush

Scotch-Brite™ Roloc™ Cut and Polish Flap Brush uses tough durable aluminium oxide mineral and our unique non-woven web design of blended synthetic fibres and abrasive particles in a conformable, three-dimensional material. These brushes provide a smooth and polished finish.



- Aluminium oxide mineral easily removes surface imperfections, helping to cut faster
- Easy abrasive wheel attachment
- Heavy-duty design for a longer brush life

Product ID	Product	MOQ	Order Unit
7000077928	Scotch-Brite™ Roloc™ Cut and Polish Flap Brush PF-ZR, 50 mm x 25 mm, A MED	25	Each
7000077904	Scotch-Brite™ Roloc™ Cut and Polish Flap Brush PF-ZR, 75 mm x 35 mm, AMED	10	Each

Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc

Scotch-Brite™ Roloc™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology, setting a new standard of performance.
- Consistency and ease of use, to improve surfaces without significantly changing the workpiece.
- Conformable, non-woven disc combined with Roloc™ backing allows for aggressive cutting and a convenient, efficient attachment system.

Product ID	Product	MOQ	Order Unit
7100271028	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 25.4 mm, 50/Inner, 200 ea/Case, Dispenser Pack	200	Each
7100264164	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264169	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100272236	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 50.8 mm , 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264090	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264092	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 50.8 mm , 1000 ea/ Case, Bulk	1000	Each
7100264197	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264427	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 76.2 mm, 1000 ea/ Case, Bulk	1000	Each
7100264203	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264150	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 25.4 mm, 50/ inner, 200 ea/Case, Dispenser Pack	200	Each
7100264165	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 38.1 mm, 25/ inner, 100 ea/Case, Dispenser Pack	100	Each
7100264170	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 38.1 mm, 50/ inner, 200 ea/Case, Dispenser Pack	200	Each
7100264172	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 50.8 mm , 25/ inner, 100 ea/Case, Dispenser Pack	100	Each
7100264091	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 50.8 mm , 50/ inner, 200 ea/Case, Dispenser Pack	200	Each

Discs

Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc

Scotch-Brite™ Roloc™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology, setting a new standard of performance.
- Consistency and ease of use, to improve surfaces without significantly changing the workpiece.
- Conformable, non-woven disc combined with Roloc™ backing allows for aggressive cutting and a convenient, efficient attachment system.

Product ID	Product	MOQ	Order Unit
7100264193	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264198	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264438	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 76.2 mm, 1000 ea/Case, Bulk	1000	Each
7100270872	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 101.6 mm, 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264159	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264152	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264167	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264171	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 50.8 mm , 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264174	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264139	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264195	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100271030	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 76.2 mm, 1000/Case, Bulk	1000	Each
7100264204	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264161	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264168	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 38,1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264163	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100272016	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 50.8 mm , 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264089	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264141	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264196	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264428	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 76.2 mm, 1000 ea/Case, Bulk	1000	Each



Discs

Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc

Scotch-Brite™ Roloc™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology, setting a new standard of performance.
- Consistency and ease of use, to improve surfaces without significantly changing the workpiece.
- Conformable, non-woven disc combined with Roloc™ backing allows for aggressive cutting and a convenient, efficient attachment system.

Product ID	Product	MOQ	Order Unit
7100264142	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264156	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264151	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264166	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100272237	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 50.8 mm , 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264173	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264138	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 50.8 mm , 1000 ea/ Case, Bulk	1000	Each
7100264194	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264429	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 76.2 mm, 1000 ea/ Case, Bulk	1000	Each
7100264199	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each

Net Discs

3M Xtract™ Cubitron™ II Net Disc 710W

Dust extraction meets industry-leading cut-rate in 3M Xtract™ Cubitron™ II Net Disc 710W. This premium sanding disc features a unique abrasive pattern on a net backing that allows for virtually dust-free sanding, with legendary 3M™ Precision-Shaped Grain technology. You'll finish more parts per disc with less dust in the environment, boosting productivity without sacrificing worker health.



- Premium net disc allows for virtually dust-free sanding
- 3M™ Precision-Shaped Grain arranged in a unique pattern delivers industry-leading cut-rate and long life
- Part of the 3M Xtract™ Series, the ultimate in dust removal and performance

Product ID	Product	MOQ	Order Unit
7100254713	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 80+	500	Each
7100254714	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 120+	500	Each
7100254715	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 150+	500	Each
7100254754	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 180+	500	Each
7100254725	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 220+	500	Each

3M Xtract™ Cubitron™ II Net Disc 710W

Dust extraction meets industry-leading cut-rate in 3M Xtract™ Cubitron™ II Net Disc 710W. This premium sanding disc features a unique abrasive pattern on a net backing that allows for virtually dust-free sanding, with legendary 3M™ Precision-Shaped Grain technology. You'll finish more parts per disc with less dust in the environment, boosting productivity without sacrificing worker health.



- Premium net disc allows for virtually dust-free sanding
- 3M™ Precision-Shaped Grain arranged in a unique pattern delivers industry-leading cut-rate and long life
- Part of the 3M Xtract™ Series, the ultimate in dust removal and performance

Product ID	Product	MOQ	Order Unit
7100254723	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 240+	500	Each
7100254724	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 320+	500	Each
7100250115	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 80+	300	Each
7100250114	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 120+	300	Each
7100250120	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 150+	300	Each
7100250119	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 180+	300	Each
7100250118	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 220+	300	Each
7100250117	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 240+	300	Each
7100250116	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 320+	300	Each
7100251170	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 80+	300	Each
7100251171	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 120+	300	Each
7100251172	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 150+	300	Each
7100251173	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 180+	300	Each
7100251950	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 220+	300	Each
7100251167	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 240+	300	Each
7100251165	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 320+	300	Each
7100251206	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 80+	300	Each
7100251205	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 120+	300	Each
7100251204	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 150+	300	Each
7100251177	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 180+	300	Each
7100251178	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 220+	300	Each
7100251951	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 240+	300	Each
7100251168	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 320+	300	Each
7100251196	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 80+	300	Each
7100251189	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 120+	300	Each
7100251190	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 150+	300	Each
7100251191	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 180+	300	Each
7100251952	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 220+	300	Each
7100251184	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 240+	300	Each
7100251185	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 320+	300	Each
7100254485	3M Xtract™ Cubitron™ II Net disc 710W Multi-pack, 125 mm, No hole, 2x80+ 2x120+ 2x180+ 2x320+	100	Kit
7100254484	3M Xtract™ Cubitron™ II Net disc 710W Multi-pack, 150 mm, No hole, 2x80+ 2x120+ 2x180+ 2x320+	100	Kit

3M Xtract™ Net Disc 310W



Strike the balance of dust extraction and abrasive performance with 3M Xtract™ Net Disc 310W. This Advanced Series sanding disc features a net backing that enables virtually dust-free sanding, with fast-cutting, long-lasting 3M™ Precision-Shaped Grain technology. These technologies allow you to boost productivity without sacrificing worker health.

- Advanced Series net disc delivers virtually dust-free sanding at a value price
- Features 3M™ Precision-Shaped Grain mixed with premium aluminum oxide abrasive for a fast cut and long life
- Part of the 3M Xtract™ Series, the ultimate in dust removal and performance

Product ID	Product	MOQ	Order Unit
7100254493	3M Xtract™ Net Disc 310W, 28966, 2x80+, 2x120+, 2x180+, 2x320+, 125 mm x NH, 10 per inner, 100 per case, Job Multi-pack	100	Kit
7100254496	3M Xtract™ Net Disc 310W, 29262, 2x80+, 2x120+, 2x180+, 2x320+, 150 mm x NH, 10 per inner, 100 per case, Job Multi-pack	100	Kit
7100251195	3M Xtract™ Net Disc 310W, 33636, 320, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251194	3M Xtract™ Net Disc 310W, 33645, 240, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251201	3M Xtract™ Net Disc 310W, 33721, 220, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251200	3M Xtract™ Net Disc 310W, 33988, 180, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100249781	3M Xtract™ Net Disc 310W, 33996, 150, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251188	3M Xtract™ Net Disc 310W, 34008, 120, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251187	3M Xtract™ Net Disc 310W, 34055, 80, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251183	3M Xtract™ Net Disc 310W, 53279, 80+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251166	3M Xtract™ Net Disc 310W, 53295, 120+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251949	3M Xtract™ Net Disc 310W, 53375, 150+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251161	3M Xtract™ Net Disc 310W, 53382, 180+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251179	3M Xtract™ Net Disc 310W, 53433, 220+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251180	3M Xtract™ Net Disc 310W, 53445, 240+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251181	3M Xtract™ Net Disc 310W, 53519, 320+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100250109	3M Xtract™ Net Disc 310W, 53612, 80+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251169	3M Xtract™ Net Disc 310W, 53736, 120+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251162	3M Xtract™ Net Disc 310W, 53822, 150+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251163	3M Xtract™ Net Disc 310W, 53880, 180+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251156	3M Xtract™ Net Disc 310W, 54044, 220+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251153	3M Xtract™ Net Disc 310W, 54057, 240+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100250113	3M Xtract™ Net Disc 310W, 54158, 320+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100250481	3M Xtract™ Net Disc 310W, 54323, 80+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250480	3M Xtract™ Net Disc 310W, 54356, 120+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250478	3M Xtract™ Net Disc 310W, 54422, 150+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250479	3M Xtract™ Net Disc 310W, 54656, 180+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250477	3M Xtract™ Net Disc 310W, 54684, 220+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250476	3M Xtract™ Net Disc 310W, 54731, 240+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250475	3M Xtract™ Net Disc 310W, 54779, 320+, 75 mm x NH, 50 per inner, 500 per case	500	Each



Wheels

Cut-off & Grinding Wheels

3M™ Silver Cut-Off Wheel

3M™ Silver Cut-Off Wheel is designed to deliver an unbeatable combination of performance and value. It cuts quickly through metal pipes, tubes and flat sheets. The long-lasting wheel uses our Precision Shaped Grain to deliver a fast, consistent cut.



- Cuts cleanly with minimal burrs
- Cuts quickly through metal pipes, tubes, flat sheets and more
- 3M Precision Shaped Grain cuts cleanly and fast, helping to increase productivity

Product ID	Product	MOQ	Order Unit
7100139207	3M™ Silver Cut-Off Wheel, T41, 75 mm x 0.9 mm x 6.35 mm	50	Each
7100139209	3M™ Silver Cut-Off Wheel, T41, 75 mm x 0.9 mm x 10 mm	50	Each
7100139211	3M™ Silver Cut-Off Wheel, T41, 75 mm x 1.6 mm x 9.53 mm	50	Each
7100139216	3M™ Silver Cut-Off Wheel, T41, 100 mm x 1 mm x 9.53 mm	50	Each
7100139217	3M™ Silver Cut-Off Wheel, T41, 100 mm x 1 mm x 16 mm	50	Each
7100139218	3M™ Silver Cut-Off Wheel, T41, 100 mm x 1.3 mm x 16 mm	50	Each
7100139219	3M™ Silver Cut-Off Wheel, T41, 105 mm x 1 mm x 10 mm	50	Each
7100139227	3M™ Silver Cut-Off Wheel, T41, 115 mm x 1 mm x 22.2 mm	50	Each
7100139229	3M™ Silver Cut-Off Wheel, T41, 115 mm x 1.6 mm x 22.2 mm	50	Each
7100139232	3M™ Silver Cut-Off Wheel, T41, 125 mm x 1 mm x 22.2 mm	50	Each
7100139234	3M™ Silver Cut-Off Wheel, T41, 125 mm x 1.6 mm x 22.2 mm	50	Each
7100139238	3M™ Silver Cut-Off Wheel, T41, 125 mm x 2 mm x 22.2 mm	50	Each
7100139235	3M™ Silver Cut-Off Wheel, T41, 150 mm x 1.6 mm x 22.2 mm	50	Each
7100141045	3M™ Silver Cut-Off Wheel, T41, 178 mm x 3 mm x 22.2 mm	50	Each
7100139240	3M™ Silver Cut-Off Wheel, T41, 180 mm x 2 mm x 22.2 mm	50	Each
7100141075	3M™ Silver Cut-Off Wheel, T41, 230 mm x 3 mm x 22.2 mm	50	Each
7100141056	3M™ Silver Cut-Off Wheel, T42, 115 mm x 2.5 mm x 22.2 mm	50	Each
7100141069	3M™ Silver Cut-Off Wheel, T42, 125 mm x 2.5 mm x 22.2 mm	50	Each
7100141067	3M™ Silver Cut-Off Wheel, T42, 178 mm x 2.5 mm x 22.2 mm	50	Each
7100141070	3M™ Silver Cut-Off Wheel, T42, 230 mm x 2.5 mm x 22.2 mm	50	Each

Wheels

3M™ Cubitron™ II Flexible Grinding Wheels

The 3M™ Cubitron™ II Flexible Grinding Wheel is designed to help you grind, shape and sand as fast as possible on a variety of metal materials. Utilising 3M Precision Shaped Grain that cuts fast and cool, while still offering enhanced flexibility.



- Designed to grind, shape and sand on a variety of metal materials
- 3M™ Precision Shaped Grain offer excellent cut rate and enhanced flexibility vs standard depressed center grinding wheels
- Resin bond helps retain strength and performance under grinding operations

Product ID	Product	MOQ	Order Unit
7100140055	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 100mm x 3mm x 16mm	200	Each
7100140056	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 115 mm x 3 mm x 22.2 mm	200	Each
7100140059	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 115 mm x 3 mm x 22.2 mm	200	Each
7100140057	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 125 mm x 3 mm x 22.2 mm	200	Each
7100140060	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 125 mm x 3 mm x 22.2 mm, 80+	200	Each
7100140058	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 178 mm x 4 mm x 22.2 mm	100	Each

3M™ Silver Depressed Centre Grinding Wheel



3M™ Silver Depressed Centre Grinding Wheel is our type 27 wheel, designed to deliver an unbeatable combination of performance and value that delivers a fast and consistent cut during grinding and heavy stock removal on stainless steel, mild steel, aerospace alloys and more.

- Suitable for heavy grinding, beveling and weld removal
- 3M Precision Shaped Grain cuts cleanly and fast, helping to increase productivity
- Long-lasting wheel provides great performance value

Product ID	Product	MOQ	Order Unit
7100141123	3M™ Silver Depressed Centre Grinding Wheel, T27, 100 mm x 7 mm x 16 mm	20	Each
7100141083	3M™ Silver Depressed Centre Grinding Wheel, T27, 115 mm x 7 mm x 22.2 mm	20	Each
7100141086	3M™ Silver Depressed Centre Grinding Wheel, T27, 125 mm x 7 mm x 22.2 mm	20	Each
7100141089	3M™ Silver Depressed Centre Grinding Wheel, T27, 150 mm x 7 mm x 22.2 mm	20	Each
7100141096	3M™ Silver Depressed Centre Grinding Wheel, T27, 178 mm x 7 mm x 22.2 mm	20	Each
7100141099	3M™ Silver Depressed Centre Grinding Wheel, T27, 230 mm x 7 mm x 22.2 mm	20	Each

Wheels

3M™ Cut & Grind Wheel

3M™ Cut & Grind Wheels are engineered to help you get more work done for your dollar. They blast through tough jobs with a fast, smooth cut ... with less pressure ... and with less chatter on back gouging and root pass grinding. 3M Precision Shaped Grain technology slices through metal with super-sharp, micro-replicated points for a cooler, faster and longer lasting cut than conventional crushed abrasive grain. Plus, these long-lasting wheels need fewer changes, so you can power through the daily grind much faster.



- 3M™ Cut & Grind wheels use 3M precision-shaped grain technology that increases the speed and life of the abrasive
- Designed for the cost driven customer. Delivers high performance at an affordable price
- Versatile: Rigid reinforced resin bonded wheel is designed to be used as both a grinding wheel and a cut-off wheel on mild and stainless-steel substrates

Product ID	Product	MOQ	Order Unit
7100214038	3M™ Cut and Grind Wheel, T27, 115 mm x 4.2 mm x 22.2 mm	20	Each
7100214085	3M™ Cut and Grind Wheel, T27, 127 mm x 4.2 mm x 22.2 mm	20	Each
7100214087	3M™ Cut and Grind Wheel, T27, 152 mm x 4.2 mm x 22.2 mm	20	Each
7100214088	3M™ Cut and Grind Wheel, T27, 180 mm x 4.2 mm x 22.2 mm	20	Each
7100214089	3M™ Cut and Grind Wheel, T27, 230 mm x 4.2 mm x 22.2 mm	20	Each

Focus

3M™ Cubitron™ 3 Cut and Grind Wheel

The 3M™ Cubitron™ 3 Cut and Grind Wheel is a versatile solution designed to be used both as a grinding wheel and cut-off wheel — making it ideal for cutting, grinding, gouging, and more. Unlike other abrasive products, which are designed for just one job, this wheel can meet multiple challenges thanks, in part, to a flat, reinforced inner surface that can shape or grind objects and a thin outer edge that can be used to make perpendicular cuts and gouges. This inclusive design removes the need for multiple abrasive tools and can help to maximise production.



Additionally, the 3M™ Cubitron™ 3 Cut and Grind Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives. 3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut and Grind Wheel.

- MULTIPLE FUNCTIONS: Used both as a grinding wheel and cut-off wheel, making it ideal for cutting, grinding, gouging, and more
- ENHANCED SPEED: Delivers up to 5% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- RIGID, REINFORCED, RESIN-BONDED WHEEL: Designed to be used both as a grinding wheel and as a cut-off wheel on both stainless and mild steel substrates.

Product ID	Product	MOQ	Order Unit
7100305148	3M™ Cubitron™ 3 Cut and Grind Wheel, 47563, 36+, T27, 150 mm x 3.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305445	3M™ Cubitron™ 3 Cut and Grind Wheel, 93314, 36+, T27, 100 mm x 3.2 mm x 15.88 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305446	3M™ Cubitron™ 3 Cut and Grind Wheel, 93395, 36+, T27, 230 mm x 3.8 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305447	3M™ Cubitron™ 3 Cut and Grind Wheel, 93473, 36+, T27, 180 mm x 3.5 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305448	3M™ Cubitron™ 3 Cut and Grind Wheel, 93498, 36+, T27, 125 mm x 3.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each

Wheels

Focus

3M™ Cubitron™ 3 Cut and Grind Wheel

The 3M™ Cubitron™ 3 Cut and Grind Wheel is a versatile solution designed to be used both as a grinding wheel and cut-off wheel — making it ideal for cutting, grinding, gouging, and more. Unlike other abrasive products, which are designed for just one job, this wheel can meet multiple challenges thanks, in part, to a flat, reinforced inner surface that can shape or grind objects and a thin outer edge that can be used to make perpendicular cuts and gouges. This inclusive design removes the need for multiple abrasive tools and can help to maximise production.

Additionally, the 3M™ Cubitron™ 3 Cut and Grind Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives. 3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut and Grind Wheel.



- **MULTIPLE FUNCTIONS:** Used both as a grinding wheel and cut-off wheel, making it ideal for cutting, grinding, gouging, and more
- **ENHANCED SPEED:** Delivers up to 5% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- **RIGID, REINFORCED, RESIN-BONDED WHEEL:** Designed to be used both as a grinding wheel and as a cut-off wheel on both stainless and mild steel substrates.

Product ID	Product	MOQ	Order Unit
7100305449	3M™ Cubitron™ 3 Cut and Grind Wheel, 94159, 36+, T27, 115 mm x 3.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303971	3M™ Cubitron™ 3 Cut and Grind Wheel, 94343, 36+, T27, 230 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303972	3M™ Cubitron™ 3 Cut and Grind Wheel, 94542, 36+, T27, 180 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303973	3M™ Cubitron™ 3 Cut and Grind Wheel, 94888, 36+, T27, 150 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303974	3M™ Cubitron™ 3 Cut and Grind Wheel, 94946, 36+, T27, 125 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303975	3M™ Cubitron™ 3 Cut and Grind Wheel, 95344, 36+, T27, 115 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305450	3M™ Cubitron™ 3 Cut and Grind Wheel, 95508, 36+, T27, 100 mm x 4.2 mm x 15.88 mm, EN, 10/Pack, 20 ea/Case	20	Each

Wheels

Focus

3M™ Cubitron™ 3 Depressed Center Grinding Wheel

The 3M™ Cubitron™ 3 Depressed Center Grinding Wheel is an exceptionally fast-cutting and long-lasting rigid-bonded wheel for heavy weld removal and other heavy-duty grinding applications. Utilising a depressed centre to enable grinding at any angle, this wheel works well on almost all materials while being specially formulated for use on stainless steel, mild steel, and aerospace alloys.

Additionally, the 3M™ Cubitron™ 3 Depressed Center Grinding Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives. 3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Depressed Center Grinding Wheel.



- **HEAVY-DUTY:** Designed for heavy weld removal and other heavy-duty grinding applications on almost all materials while being specially formulated for use on stainless steel, mild steel, and aerospace alloys.
- **ENHANCED PERFORMANCE:** Delivers up to 14% increased cut rate compared to 3M™ Cubitron™ II Abrasives to help reduce the amount of time and pressure required to get the job done.
- **LESS CHANGEOVER:** Removes up to 2x more material compared to 3M™ Cubitron™ II Performance Abrasives.

Product ID	Product	MOQ	Order Unit
7100312955	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 43616, 36+, T27, 125 mm x 7 mm x 22.23 mm, Gouge Special EN, 20 ea/Case	20	Each
7100303963	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 74433, 36+, T27, 150 mm x 7 mm x 22.23 mm, Gouge Special EN, 10/Pack 20 ea/Case	20	Each
7100305453	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 97618, 36+, T27, 180 mm x 7 mm x 22.23 mm, Gouge Special EN, 10/Pack 20 ea/Case	20	Each
7100303979	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98291, 36+, T27, 230 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303980	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98418, 36+, T27, 180 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303981	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98452, 36+, T27, 150 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303982	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98647, 36+, T27, 125 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303983	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 99306, 36+, T27, 115 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each

Wheels

Focus

3M™ Cubitron™ 3 Cut-Off Wheel

The 3M™ Cubitron™ 3 Cut-Off Wheel creates perpendicular cuts using the outer edge of the wheel, making it ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.

Additionally, the 3M™ Cubitron™ 3 Cut-Off Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives.

3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut-Off Wheel.



- **SPECIALISED FUNCTIONALITY:** Creates perpendicular cuts using the outer edge of the wheel, making them ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.
- **ENHANCED SPEED:** Delivers up to 10% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- **LESS CHANGEOVER:** Removes up to 3x more material compared to 3M™ Cubitron™ II Performance Abrasives.

Product ID	Product	MOQ	Order Unit
7100303829	3M™ Cubitron™ 3 Cut-Off Wheel, 86412, 36+, T41, 125 mm x 1.6 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304304	3M™ Cubitron™ 3 Cut-Off Wheel, 86457, 60+, T41, 125 mm x 1.3 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304056	3M™ Cubitron™ 3 Cut-Off Wheel, 86542, 60+, T41, 150 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304127	3M™ Cubitron™ 3 Cut-Off Wheel, 86580, 80+, T41, 125 mm x 0.8 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304305	3M™ Cubitron™ 3 Cut-Off Wheel, 86581, 80+, T41, 115 mm x 0.8 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304120	3M™ Cubitron™ 3 Cut-Off Wheel, 86616, 60+, T41, 115 mm x 1 mm x 22.23 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100304306	3M™ Cubitron™ 3 Cut-Off Wheel, 86647, 60+, T41, 125 mm x 1 mm x 22.23 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100303830	3M™ Cubitron™ 3 Cut-Off Wheel, 86997, 36+, T41, 100 mm x 2 mm x 15.88 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303831	3M™ Cubitron™ 3 Cut-Off Wheel, 87338, 36+, T42, 125 mm x 3 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303832	3M™ Cubitron™ 3 Cut-Off Wheel, 87371, 36+, T41, 230 mm x 3 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303993	3M™ Cubitron™ 3 Cut-Off Wheel, 87378, 36+, T42, 230 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303994	3M™ Cubitron™ 3 Cut-Off Wheel, 87396, 36+, T42, 180 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303995	3M™ Cubitron™ 3 Cut-Off Wheel, 87963, 36+, T42, 125 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303996	3M™ Cubitron™ 3 Cut-Off Wheel, 88383, 36+, T42, 115 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303997	3M™ Cubitron™ 3 Cut-Off Wheel, 88404, 36+, T41, 230 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303998	3M™ Cubitron™ 3 Cut-Off Wheel, 88732, 36+, T41, 230 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303999	3M™ Cubitron™ 3 Cut-Off Wheel, 88768, 36+, T41, 180 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each

Wheels

Focus

3M™ Cubitron™ 3 Cut-Off Wheel

The 3M™ Cubitron™ 3 Cut-Off Wheel creates perpendicular cuts using the outer edge of the wheel, making it ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.

Additionally, the 3M™ Cubitron™ 3 Cut-Off Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives.

3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut-Off Wheel.



- **SPECIALISED FUNCTIONALITY:** Creates perpendicular cuts using the outer edge of the wheel, making them ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.
- **ENHANCED SPEED:** Delivers up to 10% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- **LESS CHANGEOVER:** Removes up to 3x more material compared to 3M™ Cubitron™ II Performance Abrasives.

Product ID	Product	MOQ	Order Unit
7100304000	3M™ Cubitron™ 3 Cut-Off Wheel, 88775, 36+, T41, 125 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304003	3M™ Cubitron™ 3 Cut-Off Wheel, 89573, 36+, T41, 115 mm x 1.6 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304121	3M™ Cubitron™ 3 Cut-Off Wheel, 89623, 60+, T41, 75 mm x 1 mm x 9.53 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100303861	3M™ Cubitron™ 3 Cut-Off Wheel, 90230, 60+, T41, 75 mm x 1 mm x 6.35 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100304123	3M™ Cubitron™ 3 Cut-Off Wheel, 91045, 60+, T41, 75 mm x 1 mm x 10 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100304124	3M™ Cubitron™ 3 Cut-Off Wheel, 91564, 60+, T41, 75 mm x 1 mm x 8 mm, EN, 25/Pack, 50 ea/Case	50	Each

Deburring & Finishing Wheels

Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW

Scotch-Brite™ Deburr and Finish PRO Unitized Wheel uses 3M Precision Shaped Grain technology, bound to a nylon web, for higher cutting and durability in deburring and blending applications. Our unitised wheels are soft yet wear like iron, designed to minimise wheel changes.



- Get a longer lasting unitised wheel
- Perform faster deburring
- A soft, strong and smooth wheel with good control

Product ID	Product	MOQ	Order Unit
7100256411	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 6C Medium+, 76 mm x 12.7 mm x 6.35 mm, 20 ea/Case	20	Each
7100083512	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 25.4 mm x 25.4 mm x 4.76 mm, 6C MED+	50	Each
7100053413	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 50 mm x 3.175 mm x 6.35 mm, 6C MED+	60	Each
7100053414	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 50 mm x 6.35 mm x 6.35 mm, MED	60	Each



Wheels

Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW

Scotch-Brite™ Deburr and Finish PRO Unitized Wheel uses 3M Precision Shaped Grain technology, bound to a nylon web, for higher cutting and durability in deburring and blending applications. Our unitised wheels are soft yet wear like iron, designed to minimise wheel changes.



- Get a longer lasting unitised wheel
- Perform faster deburring
- A soft, strong and smooth wheel with good control

Product ID	Product	MOQ	Order Unit
7100053418	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 3.18 mm x 6.35 mm, 6C MED+	40	Each
7100105326	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 3.175 mm x 6.35 mm, 8C CRS+	40	Each
7100256513	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 2S Fine	40	Each
7010365693	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 4C MED+	40	Each
7100256410	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 6C Med+	40	Each
7100256508	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 8C CRS+	40	Each
7010310029	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 12.7 mm x 6.35 mm, 4C MED+	20	Each
7100256517	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 12.7 mm x 6.35 mm, 8C CRS+	20	Each
7100110912	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 12.7 mm x 9.52 mm, 8 CRS+	20	Each
7100053421	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 19 mm x 6.35 mm, 6C MED+	20	Each
7010329496	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 19 mm x 6.35 mm, 8C CRS+	20	Each
7100256519	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 25.4 mm x 6.35 mm, 8C CRS+	120	Each
7100088615	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 3.2 mm x 25.4 mm, 6C MED+	16	Each
7010310028	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 3.175 mm x 12.7 mm, 6C MED+	16	Each
7100256509	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 6.35 mm x 25.4 mm, 6C Med+	8	Each
7100256521	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 12.7 mm, 6C Med+	4	Each
7100256514	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 25.4 mm, 2S Fine	4	Each
7100256516	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 25.4 mm, 6C Med+	4	Each
7100256507	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 25.4 mm, 8C CRS+	4	Each
7100256518	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 12.7 mm, 6C Med+	2	Each
7100256522	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 25.4 mm, 6C Med+	2	Each
7100256520	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 25.4 mm, 8C CRS+	2	Each
7100256515	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 25.4mm, 2S Fine	2	Each
7100108778	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 203 mm x 12.7 mm x 12.7 mm, A CRS	4	Each

Wheels

Scotch-Brite™ EXL PRO Unitized Wheel

The Scotch-Brite™ EXL PRO Unitized Wheel is a tough nonwoven abrasive wheel designed for laser braze finishing applications on silicon bronze. This wheel delivers a clean edge and resists smearing, reducing the need for additional clean up and preparation, and resists heat buildup to help deliver a clean and smooth finish.



- Designed to blend and finish silicon bronze parts for laser brazing
- Open web construction resists loading and extends effective service life
- Tough, layered, unitized construction can operate clockwise or counterclockwise directions

Product ID	Product	MOQ	Order Unit
7100133807	Scotch-Brite™ EXL PRO Unitized Wheel, 152 mm x 2.7 mm x 12.7 mm, 8A CRS	10	Each
7100133793	Scotch-Brite™ EXL PRO Unitized Wheel, 203.2 mm x 3.2 mm x 25.4 mm, 8A CRS	10	Each
7100133775	Scotch-Brite™ EXL PRO Unitized Wheel, 203.2 mm x 4.2 mm x 25.4 mm, 8A CRS	10	Each
7100133692	Scotch-Brite™ EXL PRO Unitized Wheel, EX-UW, 8A Coarse, 3 in x 3 mm x 3/8 in, 40 ea/Case	40	Each
7100133703	Scotch-Brite™ EXL PRO Unitized Wheel, EX-UW, 8A Coarse, 3 in x 4.2 mm x 3/8 in, 40 ea/Case	40	Each
7100278221	Scotch-Brite™ EXL PRO Unitized Wheel, EX-UW, 8A Coarse, 203 mm x 4.2 mm x 25.4 mm, 1300 ea/Case	1300	Each

Scotch-Brite™ EXL Unitized Wheel XL-UW

Scotch-Brite™ EXL Unitized Wheel features a soft, conformable consistency that smooths, deburrs and finishes the edges of metal alloys – as well as many plastic composites. Our EXL unitised wheels are available in a variety of densities and grades.



- Wheel edge can be dressed for effective deburring, finishing and polishing of all metal alloys and many plastics and composites
- Tough, layered, unitised construction can operate clockwise or anticlockwise directions
- Densities and grades ranging from soft and conformable to hard and aggressive – to offer utility for a wide variety of applications

Product ID	Product	MOQ	Order Unit
7100256317	Scotch-Brite™ EXL Unitized Wheel XL-UW, 76 mm x 6.35 mm x 6.35 mm, 2A Med	40	Each
7100256412	Scotch-Brite™ EXL Unitized Wheel XL-UW, 76 mm x 12.7 mm x 6.35 mm, 2A Med	20	Each
7100256328	Scotch-Brite™ EXL Unitized Wheel XL-UW, 152 mm x 6.35 mm x 12.7 mm, 2S Fine	8	Each
70000000690	Scotch-Brite™ EXL Unitized Wheel XL-UW, 25mm x 25mm x 4.84mm, 2S FIN	50	Each
7000046104	Scotch-Brite™ EXL Unitized Wheel XL-UW, 152 mm x 6.35 mm x 12.7 mm, 3S FIN	8	Each

Scotch-Brite™ EX3 Deburring Wheel X3-WL

Scotch-Brite™ EX3 Deburring Wheel is a convolute-constructed, hard, durable deburring wheel suited for applications where edge retention is a must. Our wheels perform best when consistently presented with a sharp edge or metal burrs.



- Convolute construction provides a balanced, smooth running wheel
- Specially engineered to condition sharp edges and metal burrs
- Non-woven web runs cool and lessens impact on heat-sensitive materials

Product ID	Product	MOQ	Order Unit
7000046167	Scotch-Brite™ EX3 Deburring Wheel X3-WL, 203 mm x 12.7 mm x 76.2 mm, 9S FIN	4	Each



Wheels

Scotch-Brite™ EX2 Deburring Wheel X2-WL



Scotch-Brite™ EX2 Deburring Wheel is a convolute-constructed wheel that provides mid-range aggressiveness and hardness for deburring, edge radius, blending, polishing, and finishing. Our deburring wheels perform best when consistently presented with a sharp edge or metal burrs.

- Wheel edge can be dressed for effective deburring, finishing and polishing of all metal alloys and many plastics and composites
- Tough, layered, unitised construction can operate clockwise or anticlockwise directions
- Densities and grades ranging from soft and conformable to hard and aggressive offer utility for a wide variety of applications

Product ID	Product	MOQ	Order Unit
7000046098	Scotch-Brite™ EX2 Deburring Wheel X2-WL, 254 mm x 25.4 mm x 127 mm, 9S FIN	2	Each

Scotch-Brite™ EXL Deburring Convolute Wheel



Use Scotch-Brite™ EXL Deburring Wheel, featuring a unique resin system that produces less smearing, reducing clean and prep time. These EXL deburring wheels are available in silicon carbide or aluminium oxide abrasive mineral.

- Solid, dense and conformable wheel produces a professional finish – without undercutting, gouging, or distorting the workpiece
- Effective for all types of metals, composites, and glass, allowing one wheel to perform more tasks
- Convolute construction keeps the wheel running smoothly – producing a consistent, superior finish

Product ID	Product	MOQ	Order Unit
7000046074	Scotch-Brite™ EXL Deburring Wheel XL-WL, 304 mm x 50.8 mm x 127 mm, 9S FIN	1	Each
7000000737	Scotch-Brite™ EXL Deburring Convolute Wheel, XL-WL, 9S Fine, 6 in x 1 in x 1 in, 3 ea/Case	3	Each
7000045967	Scotch-Brite™ EXL Deburring Convolute Wheel, 9S Fine, 8 in x 3/4 in x 3 in, 3 ea/Case	3	Each
7000000738	Scotch-Brite™ EXL Deburring Wheel XL-WL , 203 mm x 25.4 mm x 76 mm, 9S FIN	3	Each
7000046066	Scotch-Brite™ EXL Deburring Wheel XL-WL, 304.8 mm x 12.7 mm x 125 mm, 8S FIN	2	Each

Scotch-Brite™ Deburring Wheel



Scotch-Brite™ Deburring Wheel is an aggressive wheel engineered for a variety of deburring tasks and surfaces. Use our silicon carbide wheels that offers a hard 11 density rating in medium and fine grades, for light to medium edge deburring on carbon steels, stainless steel, titanium and soft metals.

- Hard conformable wheel for efficient burr removal without undercutting the workpiece
- Convolute design for smooth running wheel and consistent results
- Scotch-Brite™ non-woven material resists loading and consistently delivers fresh abrasives for continuous cutting action

Product ID	Product	MOQ	Order Unit
7000028491	Scotch-Brite™ Deburring Wheel DB-WL, 152 mm x 25 mm x 25.4 mm, 7S FIN	3	Each
7000028488	Scotch-Brite™ Deburring Wheel DB-WL, 152 mm x 25 mm x 25.4 mm, 9S FIN	3	Each
7000046089	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 25 mm x 76.2 mm, 7S FIN	3	Each
7000046086	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 25 mm x 76.2 mm, 9S FIN	3	Each
7000028493	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 50 mm x 76.2 mm, 7S FIN	2	Each
7000046088	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 50 mm x 76.2 mm, 9S FIN	2	Each

Wheels

Scotch-Brite™ Finishing Wheel

Scotch-Brite™ Finishing Wheel is constructed using silicon carbide abrasive. Our finishing wheels are convolute constructed and have a combination of mineral grades and soft density making them suitable for final finishing applications.



- Provides uniform grain for final finishing on stainless steel, aluminium, brass, copper, ferrous and non-ferrous metals
- Highly conformable for consistent finishing on contoured, curved and other surfaces
- Moderate aggressiveness and lighter density provide controlled wear for consistent results

Product ID	Product	MOQ	Order Unit
7000028484	Scotch-Brite™ Finishing Wheel FS-WL, 152 mm x 25 mm x 25.4 mm, 2S CRS	3	Each
7000028494	Scotch-Brite™ Finishing Wheel FS-WL, 152 mm x 25 mm x 25.4 mm, 6S FIN	3	Each

Scotch-Brite™ Light Deburring Wheel

Scotch-Brite™ Light Deburring Wheel is a smooth running, convolute-constructed wheel that provides a clean system for light deburring, polishing, and finishing. Our wheels are made for soft construction and smooth operation, requiring less effort by the operator than a harder wheel.



- Provides a clean and economical system for removing fine burrs, resulting in a polished finish
- Conformability offers consistent finishing while keeping fresh abrasive mineral continuously exposed
- Non-woven web runs cool and lessens impact on heat-sensitive materials

Product ID	Product	MOQ	Order Unit
7000000730	Scotch-Brite™ Light Deburring Wheel LD-WL, 152 mm x 25.4 mm x 25.4 mm, 7S FIN	3	Each
7000000732	Scotch-Brite™ Light Deburring Wheel LD-WL, 203 mm x 12.7 mm x 76 mm, 8S FIN	4	Each
7000046052	Scotch-Brite™ Light Deburring Wheel LD-WL, 254 mm x 25.4 mm x 127 mm, 7S FIN	2	Each


Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR

Scotch-Brite™ Roloc™ EXL Unitized Wheel is made with a compressed, non-woven fibre construction and uniform grain distribution. Our unitized wheels are strong and effective in a variety of metal working applications including edge deburring and finishing.



- Strong unitised construction provides effective edge deburring and finishing
- Hard densities offer good edge retention, to help maintain consistent shape and cutting action
- Soft densities offer conformability and flexibility for finishing flat, contoured, or irregular surfaces without damaging the part

Product ID	Product	MOQ	Order Unit
7000045976	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 50 mm x 6 mm, 2S FIN	15	Each
7100000858	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 76 mm x 6 mm, 2A MED	10	Each
7100005209	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 76 mm x 6 mm, 2S FIN	10	Each
7000028469	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 76 mm x 6 mm, 6A MED	40	Each



Brushes

Brushes

Bristle Brushes & Discs

Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS

Scotch-Brite™ Shaft Mounted Bristle Discs are made of plastic filled with 3M™ Cubitron™ abrasive grain, moulded into a disc and mounted on a spindle. Our discs are flexible and conform well for a uniform finish, even in hard to reach areas.



- Shaft mounted for quick and easy change
- Flexible and conformable, to work well on all kinds of irregular surfaces
- Work harder and faster than traditional abrasives without sacrifice to the finish quality

Product ID	Product	MOQ	Order Unit
7000078180	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 50 mm, P80, Yellow, Type C	6	Each
7000078175	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 50 mm, P120, White, Type C	6	Each
7000078179	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 50 mm, P220, Brown, Type C	6	Each
7000078178	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 75 mm, P220, Brown, Type C	6	Each
7000078176	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 76 mm, P80, Yellow, Type C	6	Each
7000078177	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 76 mm, P120, White, Type C	6	Each

Scotch-Brite™ Bristle Disc BD-ZB

Scotch-Brite™ Bristle Disc features ceramic abrasive grain and moulded, flexible bristles that provide more surface contact than wire brushes and maintains abrasive property throughout the life of the disc. Our bristle discs remove paint, stains, adhesives, weld burns, rust, heavy oxides and surface contaminants from large areas.



- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality throughout the life of the disc
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts
- Bristle spacing is ideal for coating removal and other high-loading substances

Product ID	Product	MOQ	Order Unit
7000061507	Berner Bristle Disc, BD-ZB, P80, M14, Yellow, 115 mm	10	Each
7000061352	Berner Roloc Bristle Disc, RD-ZB, P80, TR, Yellow, 50.8 mm	40	Each
7000061353	Berner Roloc Bristle Disc, RD-ZB, P120, TR, White, 50.8 mm	40	Each
7100138287	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P50, Green, M14	640	Each
7100151528	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P80, Yellow	5	Each
7100138288	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P80, Yellow, M14	640	Each
7100151532	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P120, White	5	Each
7100138289	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P120, White, M14	640	Each
7000062861	Scotch-Brite™ Bristle Disc, 4.5 M14-2, P50	5	Each



Brushes

Scotch-Brite™ Radial Bristle Brush Type S BB-ZB

Scotch-Brite™ Radial Bristle Brush uses our own blend of 3M™ Ceramic Abrasive Grain, with aluminium oxide and moulded, flexible but firm bristles which give more surface contact than wire brushes. These brushes stay abrasive for their entire lifespan.



- Moulded, abrasive filled bristles finish, polish, and deburr, more efficiently than wire brushes
- 3M™ Ceramic Abrasive Grain blend gives superior finish quality throughout the life of the disc
- Cleans with minimal pressure

Product ID	Product	MOQ	Order Unit
7000046180	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, 6 Micron, Peach, Type C, With Adaptor	5	Each
7100138300	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, P80, Yellow, Type C, With adapter	5	Each
7100138298	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, P120, White, Type C, With adapter	5	Each
7000021284	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, P400, Blue, Type C, With adapter	5	Each
7100138290	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P36, Brown, Type A, With adapter	5	Each
7100138347	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P50, Green, Type A, With adapter	5	Each
7100138291	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P80, Yellow, Type A, With adapter	5	Each
7100138299	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P220, Red, Type C, With adapter	5	Each
7000046181	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 22 mm x 25.4 mm, 1 Micron, Light green, Type C, With Adaptor	5	Each
7100138337	Scotch-Brite™ Radial Bristle Brush BB-ZB, 193.7 mm x 25.4 mm x 31.8 mm, P80, Yellow, Type C, With adapter	2	Each
7100138338	Scotch-Brite™ Radial Bristle Brush BB-ZB, 193.7 mm x 25.4 mm x 31.8 mm, P120, White, Type C, With adapter	2	Each
7100138335	Scotch-Brite™ Radial Bristle Brush BB-ZB, 193.7 mm x 25.4 mm x 31.8 mm, P220, Red, Type C, With adapter	2	Each
7100138332	Scotch-Brite™ Radial Bristle Brush BB-ZB, 203 mm x 25.4 mm x 31.8 mm, P50, Green, Type S, With adapter	2	Each
7100138333	Scotch-Brite™ Radial Bristle Brush BB-ZB, 203 mm x 25.4 mm x 31.8 mm, P80, Yellow, Type S, With adapter	2	Each
7100138334	Scotch-Brite™ Radial Bristle Brush BB-ZB, 203 mm x 25.4 mm x 31.8 mm, P120, White, Type S, With adapter	2	Each
7100138336	Scotch-Brite™ Radial Bristle Brush BB-ZB, Type C, 193.7 mm x 25.4 mm x 31.8 mm, P400 with Flange	2	Each
7000061533	Scotch-Brite™ Radial Bristle Brush, 75 mm, P120, Type C, White	80	Each

Brushes

Scotch-Brite™ Radial Bristle Disc

Scotch-Brite™ Radial Bristle Disc features 3M Ceramic Abrasive Grain and moulded, flexible bristles for more surface contact than wire brushes and abrasive staying power for the entire disc life. Our fast-running disc removes surface defects including paint, stains, burns and rust from large areas.



- Moulded abrasive-filled bristles strip, deburr, blend, finish, polish, clean and remove coatings
- Get aggressive cutting and consistent finish quality for the entire disc life with 3M Ceramic Abrasive Grain
- Flexible bristles need less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Product	MOQ	Order Unit
7000061351	Berner Roloc Bristle Disc, RD-ZB, P50, TR, Green, 50.8 mm	40	Each
7100138344	Scotch-Brite™ Radial Bristle Disc RB-ZB, 19 mm x 1.58 mm, P80	2100	Each
7000046126	Scotch-Brite™ Radial Bristle Brush, 14.2 mm x 1.58 mm, Type C	192	Each
7000046160	Scotch-Brite™ Radial Bristle BrushRB-ZB, 50 mm x 9.5 mm, 1 Micron, Type C	80	Each
7000046161	Scotch-Brite™ Radial Bristle Disc RB-ZB, 76.2 mm x 9 mm, 6 µm, Type C	80	Each
7000046125	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14 mm x 1.58 mm, P400, Blue, Type C	192	Each
7000000764	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14 mm x 4.23 mm, P120, White, Type C	192	Each
7100002321	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14.28 mm x 1.58 mm, P220, Red	192	Each
7000046127	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14.28 mm x 1.58 mm, P1, Type C	192	Each
7000000766	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, 1 Micron, Light Green, Type C	192	Each
7000000765	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, 6 Micron, Type C	192	Each
7000000757	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, P80, Yellow, Type C	192	Each
7000000758	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, P220, Red, Type C	192	Each
7000000759	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, P400, Blue, Type C	192	Each
7000000760	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, Pumice, Type C	192	Each
7100138342	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19.1 mm x 1.59 mm, P120, White, Type C	192	Each
7100138326	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P36, Brown, Type C	96	Each
7000000761	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P50, Green, Type C	96	Each
7000000762	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P80, Yellow, Type C	96	Each
7000000763	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P120, White, Type C	24	Each
7000046159	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50 mm x 9.53 mm, 6 Micron, Peach, Type C	80	Each
7100138293	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P80, Yellow, Type C	80	Each
7100138294	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P120, White, Type C	80	Each
7100138295	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P220, Red, Type C	80	Each
7000028529	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P400, Blue, Type C	80	Each
7000046158	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, Type C	80	Each
7100138323	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P50, Green, Type C	40	Each
7000000771	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P80, Yellow, Type C	80	Each
7100138297	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P220, Red, Type C	80	Each
7000028532	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P400, Blue, Type C	80	Each
7100007341	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm, 1 Micron, Light Green, Type C	80	Each
7000000749	Scotch-Brite™ Radial Bristle Disc RD-ZB, 76 mm x 9.52 mm, P120, White, Type C	40	Each
7100138296	Scotch-Brite™ Radial Bristle Disc RD-ZB, 76 mm x 9.52 mm, P120, White, Type C	80	Each
7100138324	Scotch-Brite™ Radial Bristle Disc RD-ZB, 76.2 mm x 9.53 mm, P80, Yellow	40	Each
7100135078	Scotch-Brite™ Radial Bristle Disc Thin Bristle, 1 in x 1/8 in 120, 2000 ea/Case	2000	Each

Brushes

Scotch-Brite™ Radial Bristle Disc

Scotch-Brite™ Radial Bristle Disc features 3M Ceramic Abrasive Grain and moulded, flexible bristles for more surface contact than wire brushes and abrasive staying power for the entire disc life. Our fast-running disc removes surface defects including paint, stains, burns and rust from large areas.



- Moulded abrasive-filled bristles strip, deburr, blend, finish, polish, clean and remove coatings
- Get aggressive cutting and consistent finish quality for the entire disc life with 3M Ceramic Abrasive Grain
- Flexible bristles need less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Product	MOQ	Order Unit
7100135079	Scotch-Brite™ Radial Bristle Disc, 1 in x 1/8 in 36, 2000 ea/Case	2000	Each
7100135084	Scotch-Brite™ Radial Bristle Disc, 1 in x 1/8 in 220, 2000 ea/Case	2000	Each
7100135085	Scotch-Brite™ Radial Bristle Disc, 1 in x 1/8 in 400, 2000 ea/Case	2000	Each
7000061534	Scotch-Brite™ Radial Bristle Disc, 75 mm	80	Each
7000061387	Scotch-Brite™ Radial Bristle Disc, 76.2 mm	40	Each

Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB

Scotch-Brite™ Radial Bristle Brush Replacement Disc is made of moulded, flexible bristles filled with 3M™ Ceramic Abrasive Grain. We've designed the firm yet flexible bristles to reach into contours and to give a high quality finish to all surfaces, with minimal pressure.



- Moulded, abrasive-filled bristles surpass wire brushes to strip, deburr, blend, finish, polish and clean
- Extra discs allow for more brush widths
- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality for the disc lifespan

Product ID	Product	MOQ	Order Unit
7100138292	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P36, Type A	80	Each
7100138327	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P50, Green, Type A	2	Pack
7100138194	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P80, Yellow, Type A	80	Each
7100138301	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P80, Yellow, Type C	80	Each
7000021285	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P120, White, Type C	2	Pack
7100138302	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P220, Red, Type C	80	Each
7000144604	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P400, Blue, Type C	80	Each
7100138303	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 193.7 mm, P80, Yellow, Type C	70	Each
7100138304	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 193.7 mm, P120, White, Type C	70	Each
7100138341	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 193.7 mm, P220, Red, Type C	1	Pack
7100138339	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 203 mm, P50, Green, Type S	1	Pack
7100138340	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 203 mm, P80, Type S,	1	Pack
7100038608	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 203.2 mm, P120, Type S,	1	Pack

Brushes

Scotch-Brite™ Roloc™ Bristle Disc RD-ZB

Scotch-Brite™ Roloc™ Bristle Disc comprises of our Ceramic Abrasive Grain, blended with aluminium oxide and moulded, flexible bristles which provide more surface contact than wire brushes and keep their abrasive properties throughout the life of the disc.



- Moulded abrasive filled bristles surpass wire brushes in stripping, deburring, blending, finishing, polishing, cleaning
- Ceramic Abrasive Grain blend provides high degree of finish quality throughout the life of the disc
- Bristle spacing is ideal for coating removal and other high-loading substances

Product ID	Product	MOQ	Order Unit
7100138322	Scotch-Brite™ Roloc™ Bristle Disc , 76 mm P120	4	Carton
7100138320	Scotch-Brite™ Roloc™ Bristle Disc , 76 mm x 15.87 mm, P80	40	Each
7100138319	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25 mm x 15.8 mm, P80, Yellow	80	Each
7000000740	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25.4 mm x 15.8 mm, P50, Green	80	Each
7000000741	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25.4 mm x 15.8 mm, P120, White,	80	Each
7100151882	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm, P50	10	Each
7100151522	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm, P80	10	Each
7100151530	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm, P120	10	Each
7100151531	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 75 mm, P50	5	Each
7100138305	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 76 mm x 15.8mm, P50, Green	840	Each
7100138307	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 76 mm x 15.8mm, P80, Yellow	40	Each
7100138306	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 76 mm x 15.8mm, P120, White	10	Each
7100138285	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Green, 50 mm x 15.8 mm, P50, 07524	40	Each
7100138286	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, White, 50 mm x 15.8 mm, P120, 07528	40	Each
7100138284	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Yellow, 50 mm x 15.8 mm, P80, 07525	40	Each
7100138321	Scotch-Brite™ Roloc™ Bristle Disc, 75 mm x 16 mm, CRS	4	Carton
7100151529	Wuerth Bristle Disc, BD-ZB, P50, M14, Green, 115 mm	5	Each

Scotch-Brite™ Roloc™ Body Man's Bristle Disc

Scotch-Brite™ Roloc™ Body Man's Bristle Disc is made with stiff polymer bristles that are spaced apart to form a radial pattern. Our bristle disc design offers optimal load resistance. The combination of Ceramic Abrasive Grain and polymer bristles makes these discs ideal for soft and hard metals.



- Moulded, abrasive-filled bristles surpass wire brushes to strip, deburr, blend, finish, polish and clean with less pressure
- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality for the disc lifespan
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Product	MOQ	Order Unit
7000000775	Scotch-Brite™ Roloc™ Bristle Disc, RD-ZB, Purple, 50 mm, 36	24	Each

Brushes

3M™ Stripe Off Wheel

3M™ Stripe Off Wheel has a 101.6 mm diameter and 15.88 mm thickness, designed for working on small, hard-to-remove detailing without damaging the surface below. Our wheels are solid, moulded and durable, with a long service life and a maximum of 4,000 RPM.



- Engineered to remove unwanted decals and stripes without damaging the substrate
- Works well for removal of vinyl, tape and graphics
- 101.6 mm diameter and 15.88 mm thickness for working on small, hard-to-remove detailing

Product ID	Product	MOQ	Order Unit
7100150191	3M™ Clean and Strip™ Stripe off wheel, Beige, 100 mm x 16 mm	5	Each

Flap Brushes

Scotch-Brite™ Cut and Polish Flap Brush CP-FB



Use Scotch-Brite™ Cut and Polish Flap Brush as a versatile, high performance alternative to conventional bristle brushes and messy compounds. Our cut and polish flap brushes give you improved consistency and greater control over a number of critical metal prep and finishing tasks.

- Aluminium Oxide mineral cuts fast and sharp for aggressive cleaning and bright finishing
- Available in very fine and medium grades to help achieve desired finishes
- Great for cleaning, deburring, polishing and finishing

Product ID	Product	MOQ	Order Unit
7000077966	Scotch-Brite™ Cut and Polish Flap Brush CP-FB, A MED, 75 mm x 45 mm	10	Each

Scotch-Brite™ Clean and Strip Flap Brush



Use Scotch-Brite™ Clean and Strip Flap Brush to give a uniform cut and finish throughout the life of the product. Our clean and strip flap brushes feature an abrasive mineral bonded to a fibre core.

- Three dimensional web produces consistent results without damaging the workpiece
- Provides a uniform cut and surface finish without 'chatter marks'
- Features an abrasive mineral bonded to a fibre core

Product ID	Product	MOQ	Order Unit
7000091730	Scotch-Brite™ Clean and Strip Flap Brush, 100 mm x 100 mm x 19 mm, A CRS	2	Each

Scotch-Brite™ Shaft Mounted Flap Brush



Scotch-Brite™ Shaft Mounted Flap Brushes are made of flaps of non-woven material mounted on a spindle. Our brushes offer a fine, matt scratch pattern.

- With a fine, matt scratch pattern that produces a finer finish than a combi wheel
- Designed for use on all metals
- Give a uniform finish to work pieces, without leaving chatter marks

Product ID	Product	MOQ	Order Unit
7100093971	Scotch-Brite™ Shaft Mounted Flap Brush PF-ZS, 75 mm x 45 mm x 6 mm, AMED	10	Each

Brushes

Scotch-Brite™ Shaft Mounted Flap Brush

Scotch-Brite™ Shaft Mounted Flap Brushes are made of flaps of non-woven material mounted on a spindle. Our brushes offer a fine, matt scratch pattern.



- With a fine, matt scratch pattern that produces a finer finish than a combi wheel
- Designed for use on all metals
- Give a uniform finish to work pieces, without leaving chatter marks

Product ID	Product	MOQ	Order Unit
7100093973	Scotch-Brite™ Shaft Mounted Flap Brush PF-ZS, 100 mm x 45 mm x 6 mm, AMED	10	Each

Scotch-Brite™ HD Flap Brush

The new non-woven SF-FB is a high density abrasive material suitable for metal finishing and deburring applications.



- Scotch-Brite™ Satin Finish products provide consistent & homogeneous finish results throughout the life of the brush
- Not affecting geometry of the workpiece
- Can be used in automated as well as hand hold tool applications

Product ID	Product	MOQ	Order Unit
7100146027	Scotch-Brite™ Satin Finishing Flap Brush, 110 mm x 100 mm x 19 mm, A CRS High Density, 36 Flaps	6	Each



Sheets & Rolls

Sheets & Rolls

Cloth Sheets & Rolls

Focus

3M™ Cloth Roll 423A

3M™ Cloth Roll 423A is widely used in the metal blending and finishing application. Grades from P120 to P1000. Suitable for manual, robot and automated processes. When used in a belt form, the flexibility makes this product a good choice when using a soft contact wheel or slack of belt.



- J-weight backing
- Silicon Carbide
- Used for Metalworking applications

Product ID	Product	MOQ	Order Unit
7100290085	3M™ Cloth Roll 423A, P120 J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290086	3M™ Cloth Roll 423A, P150 J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290087	3M™ Cloth Roll 423A, P180 J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290088	3M™ Cloth Roll 423A, P240 J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290089	3M™ Cloth Roll 423A, P320 J-weight, 1380 mm x 50 m, 1 Ea/Case	1	Each
7100290091	3M™ Cloth Roll 423A, P600 J-weight, 1380 mm x 50 m, 1 Ea/Case	1	Each
7100290093	3M™ Cloth Roll 423A, P1000 J-weight, 1380 mm x 50 m, 1 Ea/Case	1	Each
7100290090	3M™ Cloth Roll 423A, P400 J-weight, 1380 mm x 50 m, 1 Ea/Case	1	Each

Focus

3M™ Cloth Roll 767F

3M™ Cloth Roll 767F is a high-performance 3M Precision-Shaped Grain abrasive material, it lasts longer and cuts faster than conventional aluminum oxide and alumina zirconia abrasive



- Delivers long-lasting high performance and versatility at a value price
- Contains 3M Precision-Shaped Grain
- Proven to outperform traditional alumina zirconia coated abrasives

Product ID	Product	MOQ	Order Unit
7100261355	3M™ Cloth Roll 767F, 36+ YF-weight, 1321 mm x 45.72 m	1	Roll
7100261361	3M™ Cloth Roll 767F, 60+ YF-weight, 1321 mm x 45.72 m	1	Roll
7100261362	3M™ Cloth Roll 767F, 80+ YF-weight, 1321 mm x 45.72 m	1	Roll
7100261366	3M™ Cloth Roll 767F, 120+ YF-weight, 1321 mm x 45.72 m	1	Roll

Sheets & Rolls

Focus

3M™ Cubitron™ II Cloth Roll 726A

3M™ Cubitron™ II Cloth Roll 726A is widely used in metal blending and finishing application. Grades from 80+ to 400+. Suitable for manual, robot, and automated processes. When used in a belt form, the flexibility makes this product a good choice when using a soft contact wheel or slack of belt.



- J-weight backing
- Precision Shaped Grain abrasive material
- Used for Metalworking applications

Product ID	Product	MOQ	Order Unit
7100290082	3M™ Cubitron™ II Cloth Roll 726A, 240+ J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290083	3M™ Cubitron™ II Cloth Roll 726A, 320+ J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290084	3M™ Cubitron™ II Cloth Roll 726A, 400+ J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290077	3M™ Cubitron™ II Jwt Cloth Roll 726A, 80+ J-weight, 1380mm x 50m, 1 ea/Case	1	Each
7100290079	3M™ Cubitron™ II Jwt Cloth Roll 726A, 150+ J-weight ,1380 mm x 50 m, 1 ea/Case	1	Each
7100290080	3M™ Cubitron™ II Jwt Cloth Roll 726A, 180+ J-weight, 1380 mm x 50 m, 1 ea/Case	1	Each
7100290081	3M™ Cubitron™ II Jwt Cloth Roll 726A, 220+ J-weight, 1380 mm x 50 m, 1 Ea/Case	1	Each
7100290078	3M™ Cubitron™ II Jwt Cloth Roll 726A, 1380mm x 50m, 120+, 1 Ea/Case	1	Each

Non-woven Sheets & Rolls

Scotch-Brite™ Durable Flex Roll



Scotch-Brite™ Durable Flex Roll is an aggressive and long lasting non-woven roll. Our flex rolls are used for deburring, finishing, blending, and cleaning.

- Aggressive and long lasting non-woven roll
- Reinforced low-stretch backing offers good flexibility and great edge durability
- Use for deburring, finishing, blending, and cleaning

Product ID	Product	MOQ	Order Unit
7100182485	Scotch-Brite™ Durable Flex Roll DF-RL, 125 mm x 10 m, A/O VFN	4	Roll
7100182484	Scotch-Brite™ Durable Flex Roll, 100 mm x 10 m, SiC UFN	88	Roll
7100182482	Scotch-Brite™ Durable Flex Roll, 125 mm x 10 m, S UFN	4	Roll
7100182486	Scotch-Brite™ Durable Flex Roll, 150 mm x 10 m, A VFN	4	Roll
7100182483	Scotch-Brite™ Durable Flex Roll, DF-RL, 100 mm x 10 m, A/O VFN	4	Roll

Sheets & Rolls

Scotch-Brite™ 7447 PRO Roll

Scotch-Brite™ 7447 PRO Roll combines flexible fibres with finely graded aluminium oxide particles for a sharp consistent cut. Use our 7447 PRO instead of steel wool, wire brushes, sandpaper and other non-woven products for cleaning or finishing.



- With fast cutting denser mineral coating on fibres compared to 7447, for a uniform scratch
- Very fine grade aluminium oxide abrasive cleans and finishes efficiently
- Long lasting nylon non-woven material resists tearing, loading and rust

Product ID	Product	MOQ	Order Unit
7100288556	Scotch-Brite™ Roll 7447 Pro, AVFN, 100 mm x 10 m, 4 Roll/Case	4	Roll
7100288455	Scotch-Brite™ Roll 7447 Pro, AVFN, 125 mm x 10 m, 3 Roll/Case	3	Roll

Scotch-Brite™ 7448 PRO Roll

Scotch-Brite™ 7448 PRO Roll comprises of durable, precision coated fibres that cut fast and provide consistent finishes. Our unique design of ultra-fine mineral and coated, flexible fibres is perfect for prepping surfaces for paint and primer, general scuffing and hand blending.



- Use for light scuffing and surface prep for better subsequent coating adhesion
- Ideal for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Denser mineral placement than 7448 which allows for uniform scratch and a faster cut rate

Product ID	Product	MOQ	Order Unit
7100288456	Scotch-Brite™ Roll 7448 Pro, SUFN, 100 mm x 10 m, 4 Roll/Case	4	Roll
7100288457	Scotch-Brite™ Roll 7448 Pro, SUFN, 125 mm x 10 m, 3 Roll/Case	3	Roll

Scotch-Brite™ Cut and Polish Sheet 7440

Scotch-Brite™ Cut and Polish Sheet features a tough, tight and dense web that is conformable – allowing it to adapt to unique contours and get into hard to reach areas. Our cut and polish sheets can be used manually or on an in-line sander for metalworking, paint prep or coating and corrosion removal.



- Dense construction allows for aggressive blending, cleaning and polishing on metal surfaces
- Load resistant design assures consistent action across the sheet
- Conformable and soft for an even finish

Product ID	Product	MOQ	Order Unit
7100182601	Scotch-Brite™ Cut and Polish Sheet 7440, 158 mm x 224 mm, A MED, Brown	60	Each

Sheets & Rolls

Scotch-Brite™ Clean and Finish Sheet CF-SH



Scotch-Brite™ Clean and Finish Sheet uses a conformable non-woven web and a variety of mineral types to blend, clean and finish. Our clean and finish sheets are flexible – making them effective for use in hard to reach areas to produce a uniform finish.

- Abrasive mineral adhered to non-woven web are ideal for cleaning, blending, finishing, and light coating and corrosion removal
- Conformable pad gets into corners and over contoured surfaces to produce a uniform finish
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular, or contoured surfaces

Product ID	Product	MOQ	Order Unit
7100182599	Scotch-Brite™ Clean and Finish Sheet CF-SH, 158 mm x 224 mm, A VFN, Green	60	Each

Scotch-Brite™ Clean and Finish Roll CF-RL



Scotch-Brite™ Clean and Finish Roll provides consistent surface conditioning for the life of the product. Our clean and finish roll stock can be cut into any length.

- Roll stock can be cut into any length
- Conformable pad gets into hard-to-reach areas
- Suitable for hand use or on oscillating and dual pad rubbing machines

Product ID	Product	MOQ	Order Unit
7100182496	Scotch-Brite™ Clean and Finish Roll CF-RL, 120 mm x 10 m, A VFN HP	42	Roll
7100182533	Scotch-Brite™ Clean and Finish Roll CF-RL, 930 mm x 10 m, S UFN	6	Roll
7100182820	Scotch-Brite™ Clean and Finish Roll CF-RL, 100 m x 965 mm, A VFN	1	Roll
7100182231	Scotch-Brite™ Clean and Finish Roll CF-RL, 100 mm x 10 m, A VFN	4	Roll
7100182499	Scotch-Brite™ Clean and Finish Roll CF-RL, 100 mm x 10 m, S UFN	4	Roll
7100182457	Scotch-Brite™ Clean and Finish Roll CF-RL, 150 mm x 115 mm, A VFN	4	Roll

Scotch-Brite™ Cut and Polish Roll



Scotch-Brite™ Cut and Polish Roll features a tough, tight and dense web that is conformable – allowing it to adapt to unique contours and get into hard to reach areas. Our cut and polish rolls can be used manually or on an in-line sander for metalworking, paint preparation or coating and corrosion removal.

- Dense construction allows for aggressive blending, cleaning and polishing on metal surfaces
- Load resistant design assures consistent action across the sheet
- Conformable and soft for an even finish

Product ID	Product	MOQ	Order Unit
7100182489	Scotch-Brite™ Cut and Polish Roll CP-RL, 120 mm x 10 m, A MED	32	Roll

Sheets & Rolls

Scotch-Brite™ Wear Resistant Roll

Scotch-Brite™ Wear Resistant Rolls are designed for machine and manual applications. Use our rolls for cleaning, finishing and light deburring.



- Versatile for use on a variety of substrates
- Doesn't alter the geometry of a workpiece
- Use for cleaning, finishing and light deburring

Product ID	Product	MOQ	Order Unit
7100182515	Scotch-Brite™ Wear Resistant Roll WR-RL, 115 mm x 10 m, A MED	4	Roll
7100182517	Scotch-Brite™ Wear Resistant Roll WR-RL, 300 mm x 10 m, A FIN	18	Roll

Scotch-Brite™ General Purpose Sheet

Scotch-Brite™ General Purpose Sheet is an all-purpose web for cleaning, deburring and finishing applications. Our sheets give a controlled, repeatable cut.



- Controlled, repeatable cut
- Consistent finish
- Does not change the geometry of the workpiece

Product ID	Product	MOQ	Order Unit
7100182594	Scotch-Brite™ General Purpose Sheet GP-SH, 158 mm x 224 mm, A FIN	60	Each

Scotch-Brite™ Multi-Flex Sheet Roll MX-SR

Scotch-Brite™ Multi-Flex Sheet is a thin, tough, highly conformable, sharp cutting and non-woven abrasive. Our multi-flex sheets are suitable for cleaning and finishing surfaces by hand.



- Highly conformable, tough, non-woven abrasives
- Sharp cutting
- Suitable for cleaning and finishing surfaces by hand

Product ID	Product	MOQ	Order Unit
7100182456	Scotch-Brite™ Multi-Flex Sheet Roll MX-SR, 100 mm x 200 mm, A VFN, No Hole	4	Roll



Handheld Abrasives

Handheld Abrasives

Hand Pads

Scotch-Brite™ Durable Flex Hand Pad MX-HP

Scotch-Brite™ Durable Flex Hand Pad combines excellent flexibility with effective cutting action and precise hand control. Our hand pads allow you to accomplish tough cleaning jobs or produce fine finishing results.



- Superior alternative to steel wool and other nonwoven products for cleaning or finishing tasks
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular and contoured surfaces
- Non-woven web is load resistant

Product ID	Product	MOQ	Order Unit
7100209414	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 114 mm x 228 mm, A VFN	100	Each
7100209618	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 114 mm x 228 mm, S ULF	100	Each
7100182487	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 200 mm x 100 mm, A VFN, Precut	4	Roll
7100182488	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 200 mm x 100 mm, S UFN, Precut	4	Roll

Scotch-Brite™ Hand Pad 7447

Scotch-Brite™ General Purpose Hand Pad 7447 combines flexibility with effective cutting action and precise hand control. Our hand pad uses fine grade aluminium oxide abrasives which cut fast and fine, to leave a smooth finished surface.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Product ID	Product	MOQ	Order Unit
7000000728	Scotch-Brite™ Hand Pad 7447, 152 mm x 228 mm, A VFN	60	Each
7000027560	Scotch-Brite™ Hand Pad 7447, 152 mm x 228 mm, A VFN, Bulk,	1	Case
7100182554	Scotch-Brite™ Hand Pad 7447, 158 mm x 224 mm, A VFN	60	Each

Scotch-Brite™ Hand Pad 7447+

Scotch-Brite™ Hand Pad 7447+ combines flexibility with effective cutting action and precise hand control. Our pad offers consistently fine finishing results in a variety of tasks, including tough cleaning jobs. The fine grade aluminium oxide abrasives cut fast and fine, leaving a smooth surface.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features very fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber and composites

Product ID	Product	MOQ	Order Unit
7100182588	Scotch-Brite™ Hand Pad 7447+, 158 mm x 224 mm, A VFN	60	Each

Handheld Abrasives

Scotch-Brite™ Hand Pad 7448+

Scotch-Brite™ Ultra Fine Hand Pad 7448+ is designed for conditioning metal surfaces and paint preparation. Unlike fine steel wool, our pads won't shred during use, rust after use, or leave fine metal splinters. They're flexible and long lasting.



- Ultra-fine finishing action outperforms steel wool
- Efficient for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering

Product ID	Product	MOQ	Order Unit
7100182555	Scotch-Brite™ Hand Pad 7448+, 158 mm x 224 mm, S UFN, Grey	60	Each

Scotch-Brite™ Hand Pad 7447 PRO

Scotch-Brite™ Hand Pad 7447 PRO combines flexibility with effective cutting action and precise hand control. Our pad with tightly graded aluminium oxide abrasive particles provides a consistent, uniform scratch for the life of the product. Use it for many different materials and tasks.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features very fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber and composites

Product ID	Product	MOQ	Order Unit
7100023339	Scotch-Brite™ Hand Pad 7447 PRO, 152 mm x 228 mm, VFN	60	Each
7100288524	Scotch-Brite™ Handpad 7447 PRO, AVFN, 158 mm x 224 mm, 60 Ea/Case	60	Each

Scotch-Brite™ Hand Pad 7448 PRO

Scotch-Brite™ Hand Pad 7448 PRO is durable and flexible. It's designed to last and provide easy reach into tight spots. Use our pad instead of steel wool for faster conditioning of metal surfaces and paint preparation compared with conventional non-woven abrasive products.



- Very fine finishing action outperforms steel wool for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering
- Scotch-Brite™ Hand Pad 7448 PRO cuts faster and produces a more consistent finish than conventional non-woven abrasive products

Product ID	Product	MOQ	Order Unit
7100023340	Scotch-Brite™ Hand Pad 7448 PRO, 152 mm x 228 mm, ULF, Grey	1	Each
7100288566	Scotch-Brite™ Handpad 7448 PRO, SUFN, 158 mm x 224 mm, 60 Ea/Case	60	Each

■ Handheld Abrasives

Scotch-Brite™ Heavy Duty Hand Pad 7440

The dense construction of Scotch-Brite™ Heavy Duty Hand Pad 7440 makes it our most aggressive and durable hand pad. The super strong pads cut through contaminants and oxides quickly and easily to break down adhesive coatings during heavy cleaning, deburring, and finishing applications.



- Perform heavy-duty cleaning, deburring and finishing applications with an aggressive, durable pad
- Very high density Scotch-Brite™ pad is super aggressive for quick stock removal
- Durable construction withstands extremely heavy use on the toughest surfaces

Product ID	Product	MOQ	Order Unit
7100080459	Scotch-Brite™ Heavy Duty Hand Pad 7440, 152 mm x 228 mm, CRS	40	Each

Scotch-Brite™ Hand Pad Pre-Cut on a Roll CF-SR

Scotch-Brite™ Hand Pad Pre-Cut on a Roll is made of a very fine grade aluminium oxide abrasive that cuts fast and fine, leaving a smooth, finished surface. Our rolls combine flexibility with an effective cutting action and precise hand control on tough cleaning jobs, or to produce fine finishing results after each use.



- Good alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Cleans, finishes, grains, denibs, and defuzzes
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Product ID	Product	MOQ	Order Unit
7100182225	Scotch-Brite™ Hand Pad Pre-Cut on a Roll CF-SR, 150 mm x 115 mm, S UFN, Grey	4	Roll

3M™ Tack Pad

3M™ Tack Pad leaves no drag marks behind as dust is drawn into the tack pad. Our tack pads leave hands less sticky due to the reduction of adhesive transfer.



- Hands are less sticky due to the reduction of adhesive transfer
- Leaves no drag marks behind
- Smooth transition for spraying primers, base coat or clear coat paints

Product ID	Product	MOQ	Order Unit
7100193601	3M™ Tack Pad, 175 mm x 235 mm, 07910	60	Each



Belts

Belt selection guide by application

Substrate										
Aluminium/brass/bronze					Carbon steel/cast iron			Stainless steel		
Machines*	Robotics	Backstand	Centrefeed/throughfeed	Portable belt	Wide belt	Robotics	Backstand	Centrelless/throughfeed	Portable belt	Stroke sander
Application										
Gate removal/heavy deflashing	994F 984F	994F 984F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Scale removal	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Pipe notching	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Weld grinding, corner radiusing	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Bevelling	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Tube deburring	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Forging skin/casting skin/coating/defect removal	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Milling line/scratch refinement	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Die line removal	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Sheet metal deburring	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F	984F 784F
Intermediate finishing/blending	947A 237AA	784F 337DC	784F 337DC	784F 337DC	947A 237AA	784F 337DC	784F 337DC	784F 337DC	947A 237AA	784F 337DC
Satin finishing/blending	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL/F*	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL/F*	DF-BL SC-BL	DF-BL SC-BL/F*
Weld cleaning	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL/F	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL	DF-BL SC-BL/F	DF-BL SC-BL	DF-BL SC-BL
Fine/pre-plate/pre-polish finishing	307D 217EA	347FC 253FA	384F 237AA	337DC 237AA	307D 307EA	347FC 363FC	337DC 237AA	337DC 237AA	307D 307EA	347FC 363FC
General purpose	384F	384F	384F	384F	384F	384F	384F	384F	384F	384F

* SC-BS for file belt sanders, and SC-BF for match and finish type machines

Belt selection guide by characteristic

HIGH

To help you select the right product for your application we recommend you begin with the below starting product:

- G Grinding – 784F
- R Refining – SC-BL
- F Finishing – 237AA

Application key

- G Grinding
- R Refining
- F Finishing

PRESSURE, REMOVAL RATE, ROUGHNESS

HIGH

FLEXIBILITY, CONFORMABILITY

LOW

3M™ Cubitron™ II 947A
Abrasive Belt

3M™ Cubitron™ II 947D
Abrasive Belt

3M™ 384F Cloth
Abrasive Belt

3M™ Cubitron™ II 981F
Abrasive Belt

3M™ Trizact™ 337DC
Abrasive Belt

3M™ Trizact™ 347FC
Abrasive Belt

3M™ Trizact™ 253FA
Abrasive Belt

Scotch-Brite™ SC-BL
Abrasive Belt

Scotch-Brite™ FN-BC
Abrasive Belt

3M™ Trizact™ 307EA
Abrasive Belt

3M™ Trizact™ 217EA
Abrasive Belt

Start Here

Start Here

3M™ Trizact™ 347FC
Abrasive Belt

3M™ Trizact™ 347FC
Abrasive Belt

3M™ Cubitron™ II 981F
Abrasive Belt

3M™ Cubitron™ II 981F
Abrasive Belt

3M™ Trizact™ 337DC
Abrasive Belt

3M™ Cubitron™ II 981F
Abrasive Belt

3M™ Cubitron™ II 784F
Abrasive Belt

3M™ Cubitron™ II 984F
Abrasive Belt

3M™ Cubitron™ II 994F
Abrasive Belt

Start Here

Start Here

3M™ Cubitron™ II 994F
Abrasive Belt

3M™ Cubitron™ II 967F
Abrasive Belt 24+

3M™ Cubitron™ II 984F
Abrasive Belt

3M™ Cubitron™ II 967F
Abrasive Belt

Start Here

Start Here



What's in this catalogue ?

In this catalogue we have only included our Core Belt Range. These are our stocked items that represent a sub-set of our overall belt offering to the market. This sub-set covers the most common sizes and material requirements.



- 1 Choose the required material from the Configurable Product Code Tables overleaf
- 2 Log-on to bCom and search for the chosen Product Code
- 3 Enter required width, length and quantity values
- 4 Click GET PRICE

There are 1000's of potential belt size and material combinations, all carrying different prices.

To make ordering easy for our customers, we use Configurable Product Codes that represent a variety of material and grade combinations.

These universal product codes can be applied to any available size combination to create a unique price using our bCOM distributor ordering portal - they are listed on the next pages for your reference.





Configurable product codes.



3M™ Conventional Mineral

SAP ID	Material	Grade
7100080482	307D	P120
7100080483	307D	P150
7100080484	307D	P180
7100080485	307D	P220
7100080486	307D	P240
7100080487	307D	P320
7100080488	307D	P400

SAP ID	Material	Grade
7100080489	307D	P600
7100091777	384F	36+
7100091779	384F	50+
7100091799	384F	60+
7100091802	384F	80+
7100091804	384F	120+
7100091806	384F	150+
7100091808	384F	180+
7100091813	384F	220+
7100091815	384F	240+
7100091817	384F	320+
7100091819	384F	400+



3M™ Cubitron™ II Precision-Shaped Grain

SAP ID	Material	Grade
7100093046	723D	100+
7100091835	723D	120+
7100091837	723D	150+
7100091839	723D	180+
7100091841	723D	220+
7100171629	784F	36+
7100091823	784F	50+
7100091825	784F	60+
7100091827	784F	80+
7100091829	784F	120+
7100091831	784F	150+
7100091833	784F	180+

SAP ID	Material	Grade
7100171627	947A	40+
7100023234	947A	60+
7100023179	947A	80+
7100023178	947A	120+
7100091857	967F	24+
7100091859	967F	36+
7100091861	967F	50+
7100091863	967F	60+
7100091865	967F	80+
7100138642	981F	36+
7100138643	981F	40+
7100138645	981F	60+
7100007990	984F	36+
7100007991	984F	60+
7100007992	984F	80+
7100082475	984F	120+
7100247565	984FX	36+
7100047077	994F	36+



Configurable product codes.



3M™ Trizact™ Micro and Macro-replicated

SAP ID	Material	Grade
7100052788	217EA	A6
7100052787	217EA	A16
7100052786	217EA	A30
7100052768	217EA	A45
7100052769	217EA	A65
7100052770	217EA	A80
7100052771	217EA	A100
7100007882	237AA	A6
7100007878	237AA	A16
7100007880	237AA	A30
7100007881	237AA	A45
7100007883	237AA	A65
7100007884	237AA	A80
7100007877	237AA	A100
7100007879	237AA	A160
7100051346	253FA	A6

SAP ID	Material	Grade
7100049039	253FA	A16
7100051853	253FA	A30
7100052775	253FA	A45
7100052778	253FA	A100
7100052733	307EA	A6
7100052732	307EA	A16
7100052731	307EA	A30
7100052730	307EA	A45
7100052729	307EA	A65
7100052728	307EA	A80
7100112315	307EA	A100
7100052831	337DC	A30
7100052826	337DC	A45
7100048818	337DC	A65
7100052827	337DC	A100
7100052828	337DC	A160
7100052829	337DC	A300
7100065454	347FC	A30
7100065455	347FC	A45
7100065456	347FC	A65
7100065457	347FC	A100
7100065458	347FC	A160
7100065459	347FC	A300
7100070052	363FC	A45
7100070054	363FC	A65
7100052841	363FC	A100
7100052840	363FC	A160
7100052839	363FC	A300



Scotch-Brite™ Non-woven

SAP ID	Material	Grade
7100013687	DF-BL	ACRS
7100012444	DF-BL	AFIN
7100013155	DF-BL	AMED
7100253860	FN-BC	AMED
7100156430	SC-BF	ACRS
7100012858	SC-BF	AMED
7100013611	SC-BF	AVFN

SAP ID	Material	Grade
7100013507	SC-BL	ACRS
7100171628	SC-BL	AMED
7100000134	SC-BL	AVFN
7100012618	SC-BL	SSFN
7100012150	SC-BL	SVFN
7100048459	SC-BL	TYPT
7100013534	SC-BS	ACRS
7100012358	SC-BS	AMED
7100012347	SC-BS	AVFN
7100012085	SC-BS	SSFN

Cloth belts

3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belts 984F offer revolutionary performance with 3M Precision Shaped Grain that slices clean through metal. Our 984F belts contain a grinding aid, making it ideal for medium to high pressure applications.



- Minimise operator fatigue as 3M Precision Shaped Grain requires less grinding pressure
- Cool running temperature reduces risk of discolouration and heat related stress cracks
- 3M Precision Shaped Grain fractures into self-sharpening points, cutting exceptionally fast and increasing productivity

Product ID	Product	MOQ	Order Unit
7100218943	3M™ Cubitron™ II Cloth Belt 984F, 10 mm x 305 mm, 80+	100	Each
7000060872	3M™ Cubitron™ II Cloth Belt 984F, 10 mm x 330 mm, 60+	100	Each
7000060879	3M™ Cubitron™ II Cloth Belt 984F, 10 mm x 330 mm, 80+	200	Each
7000060889	3M™ Cubitron™ II Cloth Belt 984F, 12 mm x 330 mm, 60+	100	Each
7000060887	3M™ Cubitron™ II Cloth Belt 984F, 12 mm x 330 mm, 80+	200	Each
7100218990	3M™ Cubitron™ II Cloth Belt 984F, 12 mm x 520 mm, 36+	100	Each
7000060873	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 305 mm, 60+	100	Each
7000060865	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 457 mm, 60+	100	Each
7000060866	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 457 mm, 80+	100	Each
7000060862	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 610 mm, 36+	100	Each
7000060867	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 610 mm, 60+	100	Each
7000060868	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 610 mm, 80+	100	Each
7000060870	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 457 mm, 60+	100	Each
7000060863	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 520 mm, 36+	100	Each
7000060869	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 520 mm, 60+	100	Each
7000060880	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 520 mm, 80+	100	Each
7000060823	3M™ Cubitron™ II Cloth Belt 984F, 25 mm x 4000 mm, 36+	40	Each
7100219014	3M™ Cubitron™ II Cloth Belt 984F, 30 mm x 1250 mm, 80+	40	Each
7000060768	3M™ Cubitron™ II Cloth Belt 984F, 38 mm x 1525 mm, 36+	40	Each
7100218996	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 787 mm, 36+	30	Each
7100218988	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 1000 mm, 36+	30	Each
7100219008	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 1500 mm, 36+	30	Each
7000060748	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2000 mm, 36+	30	Each
7000060848	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2000 mm, 60+	30	Each
7000060849	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2000 mm, 80+	30	Each
7000060741	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2500 mm, 36+	30	Each
7100218978	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2500 mm, 60+	30	Each
7100218982	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2740 mm, 60+	30	Each
7000060743	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 3500 mm, 36+	30	Each
7100218948	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 3500 mm, 60+	30	Each
7100218973	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 3500 mm, 80+	30	Each
7000060754	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 4000 mm, 36+	30	Each
7000060780	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 4000 mm, 60+	30	Each

3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belts 984F offer revolutionary performance with 3M Precision Shaped Grain that slices clean through metal. Our 984F belts contain a grinding aid, making it ideal for medium to high pressure applications.



- Minimise operator fatigue as 3M Precision Shaped Grain requires less grinding pressure
- Cool running temperature reduces risk of discolouration and heat related stress cracks
- 3M Precision Shaped Grain fractures into self-sharpening points, cutting exceptionally fast and increasing productivity

Product ID	Product	MOQ	Order Unit
7100219016	3M™ Cubitron™ II Cloth Belt 984F, 60 mm x 2175 mm, 36+	30	Each
7000060749	3M™ Cubitron™ II Cloth Belt 984F, 60 mm x 3500 mm, 36+	30	Each
7100219021	3M™ Cubitron™ II Cloth Belt 984F, 70 mm x 2000 mm, 60+	30	Each
7100219059	3M™ Cubitron™ II Cloth Belt 984F, 70 mm x 4000 mm, 36+	20	Each
7000060753	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2000 mm, 36+	20	Each
7000060778	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2000 mm, 60+	20	Each
7000060777	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2000 mm, 80+	20	Each
7000060762	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2250 mm, 36+	20	Each
7000060742	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2500 mm, 36+	20	Each
7100219024	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 4000 mm, 36+	20	Each
7000060766	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 3000 mm, 36+	20	Each
7100219005	3M™ Cubitron™ II Cloth Belt 984F, 80 mm x 9000 mm, 80+	20	Each
7000060767	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 1220 mm, 36+	20	Each
7100218981	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2000 mm, 60+	20	Each
7100219022	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2200 mm, 36+	20	Each
7100218972	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2250 mm, 36+	20	Each
7100218969	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2500 mm, 36+	20	Each
7000060776	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2740 mm, 36+	20	Each
7100219000	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 3450 mm, 36+	20	Each
7000060746	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 3500 mm, 36+	20	Each
7100218977	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 9000 mm, 80+	20	Each
7000060773	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 1000 mm, 36+	20	Each
7000060755	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2000 mm, 36+	20	Each
7000060756	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 3000 mm, 36+	20	Each
7100218999	3M™ Cubitron™ II Cloth Belt 984F, 102 mm x 4270 mm, 36+	20	Each
7100218968	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 1000 mm, 36+	10	Each
7100218991	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 2300 mm, 36+	10	Each
7000060757	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 2500 mm, 36+	10	Each
7100218967	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 2800 mm, 36+	10	Each
7100219017	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 9000 mm, 36+	10	Each
7100219011	3M™ Cubitron™ II Cloth Belt 984F, 145 mm x 4000 mm, 36+	10	Each
7100219025	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 1000 mm, 36+	10	Each
7000060751	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2000 mm, 36+	10	Each
7000060775	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2000 mm, 60+	10	Each
7000060789	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2000 mm, 80+	10	Each

3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belts 984F offer revolutionary performance with 3M Precision Shaped Grain that slices clean through metal. Our 984F belts contain a grinding aid, making it ideal for medium to high pressure applications.



- Minimise operator fatigue as 3M Precision Shaped Grain requires less grinding pressure
- Cool running temperature reduces risk of discolouration and heat related stress cracks
- 3M Precision Shaped Grain fractures into self-sharpening points, cutting exceptionally fast and increasing productivity

Product ID	Product	MOQ	Order Unit
7000060822	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2250 mm, 36+	10	Each
7100218966	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2500 mm, 36+	10	Each
7100218980	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2500 mm, 60+	10	Each
7100218975	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2500 mm, 80+	10	Each
7000060788	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 3500 mm, 80+	10	Each
7000060771	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 10700 mm, 36+	6	Each
7000060790	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 3500 m, 60+	10	Each
7000060752	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 3500 mm, 36+	10	Each
7100038905	3M™ Cubitron™ II Cloth Belt 984F, 190 mm x 2360 mm, 80+	10	Each
7000060772	3M™ Cubitron™ II Cloth Belt 984F, 200 mm x 4250 mm, 36+	5	Each
7100218965	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 2000 mm, 36+	10	Each
7100218964	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3000 mm, 36+	10	Each
7100218976	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3000 mm, 80+	10	Each
7100218962	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3500 mm, 36+	5	Each
7100218985	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3500 mm, 60+	10	Each
7100218945	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3500 mm, 80+	10	Each
7100144158	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 16900 mm, 36+	90	Each
7100007990	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 36+	1	Each
7100007991	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 60+	1	Each
7100007992	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 80+	1	Each
7100082475	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 120+	1	Each

Focus

3M™ Cubitron™ II Cloth Belt 984FX Pro

Introducing the new 3M™ Cubitron™ II Cloth Belt 984FX Pro, featuring a re-engineered 3M Precision-Shaped Grain. Designed to give you the performance boost you need, this belt outperforms competitive belts, as well as previous-generation 3M belts. Available in 36+ grit for medium and high-pressure applications like gate grinding and other heavy grinding.



- Re-engineered 3M Precision-Shaped Grain takes legendary speed and life to a new level
- Longest-lasting, fastest-cutting 3M grinding belt helps boost productivity and minimize belt changes in manual and automated applications
- Triangular ceramic grain wears evenly, runs cool and stays sharp through the life of the belt

Product ID	Product	MOQ	Order Unit
7100247565	3M™ Cubitron™ II Cloth Belt 984FX Pro, 36+ YF weight, Config	1	Each

3M™ Cubitron™ II Cloth Belt 947A

3M™ Cubitron™ II Cloth Belt 947A features Precision Shaped Grain on a X-weight, poly-cotton backing. Our 974A belts are resin bonded for improved heat resistance and are recommended to be used dry.



- Precision Shaped Grain cuts exceptionally fast, helping to increase productivity
- Requires less pressure, reducing operator fatigue
- Suitable for dry applications

Product ID	Product	MOQ	Order Unit
7100176940	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 40+	100	Each
7100069960	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 60+	100	Each
7100070629	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 80+	100	Each
7100218984	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 120+	100	Each
7100219058	3M™ Cubitron™ II Cloth Belt 947A, 12 mm x 330 mm, 60+	100	Each
7100219041	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 305 mm, 80+	100	Each
7100026792	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 457 mm, 40+	100	Each
7100026527	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 457 mm, 60+	100	Each
7100026427	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 457 mm, 80+	100	Each
7100026526	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 610 mm, 60+	100	Each
7100026755	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 610 mm, 80+	100	Each
7100026547	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 610 mm, 120+	100	Each
7100028819	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 457 mm, 40+	100	Each
7100027081	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 457 mm, 60+	100	Each
7100027618	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 457 mm, 120+	100	Each
7100026793	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 520 mm, 40+	100	Each
7100026791	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 520 mm, 80+	100	Each
7100218955	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 480 mm, 60+	100	Each
7100218954	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 520 mm, 60+	100	Each
7100047970	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 520 mm, 80+	100	Each
7100218950	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 520 mm, 120+	100	Each
7100218993	3M™ Cubitron™ II Cloth Belt 947A, 50 mm x 450 mm, 120+	30	Each
7100218953	3M™ Cubitron™ II Cloth Belt 947A, 50 mm x 2500 mm, 40+	30	Each
7100219040	3M™ Cubitron™ II Cloth Belt 947A, 60+, 13 mm x 305 mm	100	Each
7100025847	3M™ Cubitron™ II Cloth Belt 947A, 75 mm x 2000 mm, 60+	20	Each
7100026546	3M™ Cubitron™ II Cloth Belt 947A, 75 mm x 2000 mm, 120+	20	Each
7100026426	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 289 mm, 60+	20	Each
7100026670	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 289 mm, 80+	20	Each
7100219001	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 9000 mm, 60+	20	Each
7100219068	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 9000 mm, 80+	20	Each
7100026529	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 9000 mm, 120+	20	Each
7100219007	3M™ Cubitron™ II Cloth Belt 947A, 120 mm x 2000 mm, 120+	10	Each
7100219146	3M™ Cubitron™ II Cloth Belt 947A, 345 mm x 1615 mm, 120+	5	Each
7100171627	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 40+	1	Each
7100023234	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 60+	1	Each
7100023179	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 80+	1	Each
7100023178	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 120+	1	Each

3M™ Cubitron™ II Cloth Belt 784F

3M™ Cubitron™ II Cloth Belt 784F features 3M Precision Shaped Grain. Our cloth belts are a precise mix of shaped ceramic and premium aluminium oxide. They have a flexible J-weight cotton backing and open coat construction. The belts also feature a waterproof backing and grinding aid.



- Up to two times longer life than comparable aluminium oxide belts, resists deterioration from heat
- Consistent, faster results on medium pressure applications
- Conformable for grinding and blending both straight and contoured surfaces

Product ID	Product	MOQ	Order Unit
7100219054	3M™ Cubitron™ II Cloth Belt 784F, 10 mm x 330 mm, 60+	100	Each
7100219053	3M™ Cubitron™ II Cloth Belt 784F, 10 mm x 330 mm, 80+	100	Each
7100218971	3M™ Cubitron™ II Cloth Belt 784F, 12 mm x 330 mm, 60+	100	Each
7100176465	3M™ Cubitron™ II Cloth Belt 784F, 12 mm x 330 mm, 80+	600	Each
7100218959	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 305 mm, 60+	100	Each
7100218935	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 305 mm, 80+	100	Each
7100218942	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 457 mm, 60+	100	Each
7100218934	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 457 mm, 80+	100	Each
7100218941	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 610 mm, 60+	100	Each
7100219038	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 610 mm, 80+	100	Each
7100142081	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 457 mm, 50+	100	Each
7100218938	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 457 mm, 60+	100	Each
7100218937	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 520 mm, 60+	100	Each
7100181788	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 520 mm, 80+	100	Each
7100219049	3M™ Cubitron™ II Cloth Belt 784F, 40 mm x 314 mm, 120+	120	Each
7100219050	3M™ Cubitron™ II Cloth Belt 784F, 50 mm x 2010 mm, 36+	30	Each
7100219030	3M™ Cubitron™ II Cloth Belt 784F, 50 mm x 4000 mm, 36+	30	Each
7100219028	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 36+	20	Each
7100146406	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 60+	20	Each
7100218932	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 80+	20	Each
7100219046	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 120+	20	Each
7100219056	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 289 mm, 60+	20	Each
7100219055	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 289 mm, 80+	20	Each
7100219057	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 2250 mm, 80+	20	Each
7100219071	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 3000 mm, 36+	20	Each
7100144567	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 3150 mm, 50+	20	Each
7100219023	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 3500 mm, 50+	20	Each
7100219043	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 9000 mm, 80+	20	Each
7100219037	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2000 mm, 36+	10	Each
7100218940	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2000 mm, 60+	10	Each
7100219051	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2000 mm, 120+	10	Each
7100219036	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2500 mm, 36+	10	Each
7100218933	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2500 mm, 80+	10	Each
7100218939	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 3000 mm, 60+	10	Each
7100219045	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 3500 mm, 36+	10	Each
7100219013	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 3500 mm, 50+	10	Each

3M™ Cubitron™ II Cloth Belt 784F

3M™ Cubitron™ II Cloth Belt 784F features 3M Precision Shaped Grain. Our cloth belts are a precise mix of shaped ceramic and premium aluminium oxide. They have a flexible J-weight cotton backing and open coat construction. The belts also feature a waterproof backing and grinding aid.



- Up to two times longer life than comparable aluminium oxide belts, resists deterioration from heat
- Consistent, faster results on medium pressure applications
- Conformable for grinding and blending both straight and contoured surfaces

Product ID	Product	MOQ	Order Unit
7100219033	3M™ Cubitron™ II Cloth Belt 784F, 220 mm x 2000 mm, 36+	10	Each
7100219004	3M™ Cubitron™ II Cloth Belt 784F, 220 mm x 2000 mm, 50+	10	Each
7100181358	3M™ Cubitron™ II Cloth Belt 784F, 300 mm x 16900 mm, 36+	10	Each
7100218936	3M™ Cubitron™ II Cloth Belt 784F, 300 mm x 22285 mm, 60+	20	Each
7100219052	3M™ Cubitron™ II Cloth Belt 784F, 1300 mm x 1900 mm, 36+	2	Each
7100171629	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 36+	1	Each
7100091823	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 50+	1	Each
7100091825	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 60+	1	Each
7100091827	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 80+	1	Each
7100091829	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 120+	1	Each
7100091831	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 150+	1	Each
7100091833	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 180+	1	Each

3M™ Cubitron™ II Cloth Belt 994F

3M™ Cubitron™ II Cloth Belt 994F features Precision Shaped Grain on a ZF weight backing. Our 994F belts are ideal for medium to high pressure carbon steel and aluminium applications



- Precision Shaped Grain cuts exceptionally fast, helping to increase productivity
- Requires less pressure, reducing operator fatigue
- Suitable for wet and dry applications

Product ID	Product	MOQ	Order Unit
7000060890	3M™ Cubitron™ II Cloth Belt 994F, 50 mm x 3500 mm, 36+	30	Each
7100047077	3M™ Cubitron™ II Cloth Belt 994F, Config Belt, 36+	1	Each

3M™ Trizact™ Cloth Belt 217EA

3M™ Trizact™ Cloth Belt 217EA uses microreplication technology with micron-graded aluminium oxide particles coated on a J-weight rayon backing. Our belts feature a grinding aid that helps prevent heat build-up, warping and discolouration.



- Flexible J-weight backing flows over contoured surfaces for consistent finishing
- Produces finer finishes than conventional electrostatically coated abrasives
- Ideal for light pressure applications – allows abrasive to break down and maintain cut and produce consistent finishes

Product ID	Product	MOQ	Order Unit
7100052788	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A6	1	Each

3M™ Trizact™ Cloth Belt 217EA

3M™ Trizact™ Cloth Belt 217EA uses microreplication technology with micron-graded aluminium oxide particles coated on a J-weight rayon backing. Our belts feature a grinding aid that helps prevent heat build-up, warping and discolouration.



- Flexible J-weight backing flows over contoured surfaces for consistent finishing
- Produces finer finishes than conventional electrostatically coated abrasives
- Ideal for light pressure applications – allows abrasive to break down and maintain cut and produce consistent finishes

Product ID	Product	MOQ	Order Unit
7100052787	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A16	1	Each
7100052786	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A30	1	Each
7100052768	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A45	1	Each
7100052769	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A65	1	Each
7100052770	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A80	1	Each
7100052771	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A100	1	Each

3M™ Trizact™ Cloth Belt 237AA

3M™ Trizact™ Cloth Belt 237AA uses 3M microreplication technology, where micron graded aluminium oxide particles are coated on an X weight cloth backing for a consistent cut and finish. Our belts feature a grinding aid to help prevent heat build-up, warping and discolouration.



- Self-sharpening pyramids start sharp, stay sharp, and run cooler than conventional abrasives
- Flexible backing for consistent finish over contours
- Ideal for intermediate finishing and fine polishing prior to plating or buffing

Product ID	Product	MOQ	Order Unit
7000060078	3M™ Trizact™ Cloth Belt 237AA, 50 mm x 450 mm, A30	30	Each
7000060076	3M™ Trizact™ Cloth Belt 237AA, 50 mm x 450 mm, A100	30	Each
7100219029	3M™ Trizact™ Cloth Belt 237AA, 50 mm x 2500 mm, A100	30	Each
7000060033	3M™ Trizact™ Cloth Belt 237AA, 75 mm x 2000 mm, A30	20	Each
7000060897	3M™ Trizact™ Cloth Belt 237AA, 75 mm x 2000 mm, A45	20	Each
7000059968	3M™ Trizact™ Cloth Belt 237AA, 75 mm x 2000 mm, A65	20	Each
7100219035	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A16	20	Each
7100219073	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A30	20	Each
7100219066	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A45	20	Each
7100219145	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A65	20	Each
7100219067	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A80	20	Each
7100219061	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A100	20	Each
7100219060	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A160	20	Each
7100219009	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 4000 mm, A100	20	Each
7100218952	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 9000 mm, A80	10	Each
7100218951	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 9000 mm, A100	10	Each
7100219002	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 9000 mm, A160	10	Each
7000059967	3M™ Trizact™ Cloth Belt 237AA, 300 mm x 3500 mm, A30	10	Each
7100007882	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A6	1	Each

3M™ Trizact™ Cloth Belt 237AA

3M™ Trizact™ Cloth Belt 237AA uses 3M microreplication technology, where micron graded aluminium oxide particles are coated on an X weight cloth backing for a consistent cut and finish. Our belts feature a grinding aid to help prevent heat build-up, warping and discolouration.



- Self-sharpening pyramids start sharp, stay sharp, and run cooler than conventional abrasives
- Flexible backing for consistent finish over contours
- Ideal for intermediate finishing and fine polishing prior to plating or buffing

Product ID	Product	MOQ	Order Unit
7100007878	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A16	1	Each
7100007880	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A30	1	Each
7100007881	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A45	1	Each
7100007883	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A65	1	Each
7100007884	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A80	1	Each
7100007877	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A100	1	Each
7100007879	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A160	1	Each

3M™ Trizact™ Cloth Belt 307EA

3M™ Trizact™ Cloth Belt 307EA uses 3M microreplication technology, where micron graded aluminium oxide particles are coated onto a rayon backing, offering a consistent cut and predictable fine finish. Our 307EA belts feature a grinding aid to help prevent heat build-up, warping and discolouration.



- Self-sharpening pyramids start sharp, stay sharp, and run cooler than conventional abrasives
- Flexible backing for consistent finish over contours
- Ideal for intermediate finishing and fine polishing prior to plating or buffing

Product ID	Product	MOQ	Order Unit
7100168938	3M™ Trizact™ Cloth Belt 307EA, 25 mm x 4000 mm, A16	40	Each
7100218983	3M™ Trizact™ Cloth Belt 307EA, 40 mm x 3500 mm, A16	30	Each
7100218961	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 1520 mm, A100	30	Each
7000060356	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 1525 mm, A16	30	Each
7100218974	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 2500 mm, A16	30	Each
7100218960	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 2500 mm, A30	30	Each
7100045155	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 3350 mm, A45	60	Each
7100166994	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 4000 mm, A16	30	Each
7100219020	3M™ Trizact™ Cloth Belt 307EA, 100 mm x 4000 mm, A45	20	Each
7100218956	3M™ Trizact™ Cloth Belt 307EA, 300 mm x 3500 mm, A30	10	Each
7100218957	3M™ Trizact™ Cloth Belt 307EA, 300 mm x 3500 mm, A65	10	Each
7100218922	3M™ Trizact™ Cloth Belt 307EA, 300 mm x 3500 mm, A100	10	Each
7100052733	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A6	1	Each
7100052732	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A16	1	Each
7100052731	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A30	1	Each
7100052730	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A45	1	Each
7100052729	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A65	1	Each
7100052728	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A80	1	Each
7100112315	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A100	1	Each

Belts

3M™ Trizact™ Cloth Belt 363FC

3M™ Trizact™ Cloth Belt 363FC features an aluminium oxide mineral bonded to a YF-weight polyester cloth backing. Our 363FC belts are available in grades A300 to A35.



- Trizact™ abrasives can last up to five times longer than conventional abrasives
- Waterproof polyester YF-weight backing allows users to rinse the belt – reducing clogging of the abrasive
- Resin bond helps to resist thermal and chemical deterioration

Product ID	Product	MOQ	Order Unit
7100219062	3M™ Trizact™ Cloth Belt 363FC, 150 mm x 3500 mm, A65	10	Each
7100070052	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A45	1	Each
7100070054	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A65	1	Each
7100052841	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A100	1	Each
7100052840	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A160	1	Each
7100052839	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A300	1	Each

3M™ Trizact™ Cloth Belt 337DC

3M™ Trizact™ Cloth Belt 337DC is a Trizact™ abrasive belt on an X weight backing. Our belts use premium aluminium oxide mineral and a grinding aid, for consistent finishing in medium pressure metal working applications including scratch refinement, dimensioning and finishing.



- Achieve an excellent finish consistency
- Works well under medium pressure conditions
- Structured patterned abrasive

Product ID	Product	MOQ	Order Unit
7100219074	3M™ Trizact™ Cloth Belt 337DC, 100 mm x 289 mm, A30	60	Each
7100219064	3M™ Trizact™ Cloth Belt 337DC, 100 mm x 289 mm, A65	60	Each
7100218992	3M™ Trizact™ Cloth Belt 337DC, 100 mm x 289 mm, A160	60	Each
7100052831	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A30	1	Each
7100052826	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A45	1	Each
7100048818	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A65	1	Each
7100052827	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A100	1	Each
7100052828	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A160	1	Each
7100052829	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A300	1	Each

Focus

3M™ Cloth Belt 767F

3M™ Cloth Belt 767F is a high-performance abrasive belt built for versatility and value. Powered by 3M Precision-Shaped Grain, it lasts longer and cuts faster than alumina zirconia belts — and it's priced for affordability and everyday use. This combination of performance and value can increase productivity while also helping lower your overall abrasive spend.



- Delivers long-lasting performance and versatility at a value price
- Contains 3M Precision-Shaped Grain, which cuts faster and lasts longer than conventional abrasive grain
- Proven to outperform traditional alumina zirconia belts in cut-rate and life

Product ID	Product	MOQ	Order Unit
7100266289	3M™ Cloth Belt 767F, 36+, Config	1	Each
7100266290	3M™ Cloth Belt 767F, 60+, Config	1	Each
7100266291	3M™ Cloth Belt 767F, 80+, Config	1	Each
7100266292	3M™ Cloth Belt 767F, 120+, Config	1	Each

3M™ Cloth Belt 384F

3M™ Cloth Belt 384F is a general purpose, premium aluminium oxide cloth belt with an extra durable backing. Our belts feature fast-cutting abrasive grains that are resin-bonded to a durable X-weight polyester cloth backing. They are recommended for use on metal substrates and wood.



- Consistent, reliable performance on all substrates
- Waterproof backing holds up for wet and dry applications
- X-weight cloth backing withstands heavy sanding and grinding

Product ID	Product	MOQ	Order Unit
7100091777	3M™ Cloth Belt 384F, Config Belt, 36+	1	Each
7100091779	3M™ Cloth Belt 384F, Config Belt, 50+	1	Each
7100091799	3M™ Cloth Belt 384F, Config Belt, 60+	1	Each
7100091802	3M™ Cloth Belt 384F, Config Belt, 80+	1	Each
7100091804	3M™ Cloth Belt 384F, Config Belt, 120+	1	Each
7100091806	3M™ Cloth Belt 384F, Config Belt, 150+	1	Each
7100091808	3M™ Cloth Belt 384F, Config Belt, 180+	1	Each
7100091813	3M™ Cloth Belt 384F, Config Belt, 220+	1	Each
7100091815	3M™ Cloth Belt 384F, Config Belt, 240+	1	Each
7100091817	3M™ Cloth Belt 384F, Config Belt, P320	1	Each
7100091819	3M™ Cloth Belt 384F, Config Belt, P400	1	Each

Non-woven Belts

Scotch-Brite™ Durable Flex Belt DF-BL

Scotch-Brite™ Durable Flex Belt is the most flexible in our Scotch-Brite surface conditioning belt range, engineered for tough detail work such as deburring, blending and finishing, on a variety of metals. A reinforced low stretch backing and highly durable edge offers aggressive cutting ability.



- Tough non-woven belt for effective deburring blending and cleaning
- Resists chunking and works well on belt sanders with small contact wheels
- Low stretch backing offers aggressive conditioning capability

Product ID	Product	MOQ	Order Unit
7000067914	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 520 mm, A MED	150	Each
7100036130	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 520 mm, A CRS	150	Each
7000067868	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 2500 mm, A MED	50	Each
7000145907	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 520 mm, A MED	50	Each
7100110587	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 450 mm, A FIN	50	Each
7000067874	Scotch-Brite™ Durable Flex Belt DF-BL, 75 mm x 3500 mm, A MED	30	Each
7000067921	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 9000 mm, A MED	8	Each
7000067888	Scotch-Brite™ Durable Flex Belt DF-BL, 150 mm x 625 mm, A MED	25	Each
7100181787	Scotch-Brite™ Durable Flex Belt DF-BL, 300 mm x 610 mm, A CRS	25	Each
7000067882	Scotch-Brite™ Durable Flex Belt DF-BL, 310 mm x 625 mm, A MED	12	Each
7100211890	Scotch-Brite™ Durable Flex Belt DF-BL, 630 mm x 2.62 m, A MED	10	Each
7100254164	Scotch-Brite™ Durable Flex Belt DF-BL, 1120 mm x 2200 mm, A CRS	1	Each
7100254166	Scotch-Brite™ Durable Flex Belt DF-BL, 1120 mm x 2200 mm, A FIN	1	Each
7100254165	Scotch-Brite™ Durable Flex Belt DF-BL, 1120 mm x 2200 mm, A MED	6	Each
7000067873	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 305 mm, A MED	150	Each
7000067935	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 457 mm, A CRS, Brown	75	Each
7000067933	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 457 mm, A FIN, Blue	150	Each
7100219034	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 457 mm, A MED, Red	75	Each
7000067877	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 520 mm, A CRS	150	Each
7000067941	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 610 mm, A CRS, Brown	150	Each
7000067940	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 610 mm, A FIN, Blue	25	Each
7100219015	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 610 mm, A MED, Red	75	Each
7100219018	Scotch-Brite™ Durable Flex Belt DF-BL, 10 mm x 330 mm, A CRS, Brown	75	Each
7100218994	Scotch-Brite™ Durable Flex Belt DF-BL, 10 mm x 330 mm, A FIN, Blue	75	Each
7100219026	Scotch-Brite™ Durable Flex Belt DF-BL, 12 mm x 330 mm, A CRS, Brown	25	Each
7100219042	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm 457 mm, A FIN, Blue	25	Each
7100218947	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A CRS, Brown	25	Each
7100218963	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A MED, Red	25	Each
7100218986	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 610 mm, A CRS, Brown	25	Each
7100219006	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 610 mm, A FIN, Blue	25	Each
7100218979	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 610 mm, A MED, Red	25	Each
7100146031	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 1120 mm, A MED, Red	50	Each
7100101072	Scotch-Brite™ Durable Flex Belt DF-BL, 15 mm x 610 mm, A FIN	150	Each
7100159044	Scotch-Brite™ Durable Flex Belt DF-BL, 15 mm x 615 mm, A MED	150	Each

Scotch-Brite™ Durable Flex Belt DF-BL

Scotch-Brite™ Durable Flex Belt is the most flexible in our Scotch-Brite surface conditioning belt range, engineered for tough detail work such as deburring, blending and finishing, on a variety of metals. A reinforced low stretch backing and highly durable edge offers aggressive cutting ability.



- Tough non-woven belt for effective deburring blending and cleaning
- Resists chunking and works well on belt sanders with small contact wheels
- Low stretch backing offers aggressive conditioning capability

Product ID	Product	MOQ	Order Unit
7000067944	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 457 mm, A CRS, Brown	150	Each
7000067943	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 457 mm, A MED, Red	150	Each
7000067942	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 457mm, A FIN, Blue	150	Each
7100218946	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 520 mm, A CRS, Brown	10	Each
7100201780	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 760 mm, A MED, Red	50	Each
7100143972	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 1500 mm, A MED, Red	1	Each
7100218970	Scotch-Brite™ Durable Flex Belt DF-BL, 25 mm x 457 mm, A FIN, Blue	10	Each
7000067872	Scotch-Brite™ Durable Flex Belt DF-BL, 25 mm x 480 mm, A FIN, Blue	50	Each
7100150663	Scotch-Brite™ Durable Flex Belt DF-BL, 38 mm x 1.525 m, A CRS	50	Each
7100219010	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 1100 mm, A MED, Red	6	Each
7100219027	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 2500 mm, A MED, Red	6	Each
7000067876	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 3500 mm, A FIN	30	Each
7100219003	Scotch-Brite™ Durable Flex Belt DF-BL, 60 mm x 2400 mm , A CRS, Brown	6	Each
7100219048	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 289 mm, A CRS, Brown	5	Each
7100219047	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 289 mm, A FIN, Blue	5	Each
7100219044	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 289 mm, A MED, Red	15	Each
7100111733	Scotch-Brite™ Durable Flex Belt DF-BL, 200 mm x 3.49 m, A MED	15	Each
7100150128	Scotch-Brite™ Durable Flex Belt DF-BL, 300 mm x 3.5 m, A FIN	15	Each
7100098610	Scotch-Brite™ Durable Flex Belt DF-BL, 300 mm x 11140 mm, A MED	4	Each
7100255864	Scotch-Brite™ Durable Flex Belt DF-BL, A MED, Red, 50 mm x 1525 mm, 6 ea/Case	30	Each
7100242873	Scotch-Brite™ Durable Flex Belt DF-BL, A/O Coarse, 25.4 mm x 3759.2 mm	5	Each
7100236019	Scotch-Brite™ Durable Flex Belt DF-BL, ACRS, 200 mm x 3490 mm, 3 ea/Case	15	Each
7100013687	Scotch-Brite™ Durable Flex Belt DF-BL, Config Belt, A CRS, Brown	1	Each
7100012444	Scotch-Brite™ Durable Flex Belt DF-BL, Config Belt, A FIN, Blue	1	Each
7100013155	Scotch-Brite™ Durable Flex Belt DF-BL, Config Belt, A MED, Red	1	Each
7100069562	Scotch-Brite™ Durable Flex Belt, 50 mm x 610 mm, AMED	50	Each
7100149446	Scotch-Brite™ Durable Flex Belt, STA DF-BL, 190 mm x 4.7 m, A MED	8	Each
7100022777	Scotch-Brite™ Durable Flex Roll DF-BL, 317 mm x 25000 mm, A CRS	4	Roll
7100024364	Scotch-Brite™ Durable Flex Roll DF-BL, 317 mm x 25000 mm, A FIN, Blue	4	Roll
7100022778	Scotch-Brite™ Durable Flex Roll DF-BL, 317 mm x 25000 mm, A MED	4	Roll
7000067928	Scotch-Brite™ Surface Conditioning Belt, DF-BL, Maroon, 13 mm x 305 mm, AMED	150	Each

Belts

Scotch-Brite™ Surface Conditioning Low Stretch Belt SC-BL

Scotch-Brite™ Surface Conditioning Low Stretch Belt is our durable, flexible belt with moderate strength for versatile use in cleaning finishing and light deburring. Our belts perform well on contoured and uneven surfaces, offering aggressive cutting without damaging substrates.



- Ideal for low-stretch applications with durable cloth and polyester scrim backing
- Suitable for use on a variety of substrates, from stainless steel to brass
- Available in a variety of minerals, grades and belt types to suit different applications

Product ID	Product	MOQ	Order Unit
7100049823	Scotch-Brite™ Surface Conditioning Low Stretch Belt SC-BL, 10 mm x 330 mm, A MED	25	Each
7000068085	Scotch-Brite™ SC Surface Conditioning Low Stretch Belt SC-BL, 100 mm x 3000 mm, S SFN	50	Each
7000067929	Scotch-Brite™ Surface Conditioning Belt, DF-BL, Brown, 13 mm x 305 mm, ACRS	150	Each
7000068084	Scotch-Brite™ Surface Conditioning Low Stretch Belt SC-BL, 6 mm x 533 mm, A CRS, Brown	150	Each



Abrasive Tools & Accessories

Abrasive Tools & Accessories

Holders & Back-up Pads

3M™ High Performance Ribbed Back-Up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.



- Unique rib pattern
- Resistant to temperatures over 100°C (212° F)
- Use to extend the cut rate and lifespan of 3M™ Cubitron™ II discs

Product ID	Product	MOQ	Order Unit
7100135643	3M™ High Performance Ribbed Back-Up Pad, 115 mm	50	Each
7000105441	3M™ High Performance Ribbed Back-Up Pad, 115 mm, Black	10	Each
7000032409	3M™ High Performance Ribbed Back-Up Pad, 115 mm, Red	10	Each
7000032410	3M™ High Performance Ribbed Back-Up Pad, 125 mm, Red	10	Each
7000105442	3M™ High Performance Ribbed Back-Up Pad, 127 mm, Black	10	Each
7000032411	3M™ High Performance Ribbed Back-Up Pad, 180 mm, Red	10	Each

3M™ Flat Fibre Disc Back-up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.



- Supports 5" diameter x 7/8" centre hole 3M™ Fibre Discs
- Hard rubber construction works with fibre disc backing for consistent support
- Reduces vibration for greater operator comfort

Product ID	Product	MOQ	Order Unit
7100242134	3M™ Flat Fibre Disc Back-up Pad, 150 mm, PN64829	15	Each
7100016545	3M™ High Performance Ribbed Back-Up Pad, 178 mm, PN09921	5	Each
7000061713	3M™ Fibre Disc Back-up Pad, 180 mm, Red, PN64858	10	Each
7000061711	3M™ Flat Fibre Disc Back-up Pad, 115 mm, Flat, Red,	10	Each
7000061712	3M™ Flat Fibre Disc Back-up Pad, 125 mm	10	Each
7100097174	3M™ Flat Fibre Disc Back-up Pad, 125 mm, Low Profile	50	Each
7000008959	3M™ Flat Semi-Flexible Pad, Black, 100 mm x M10-1.5	10	Each
7000105439	3M™ Flat Semi-Flexible Pad, Black, 115 mm x M14	10	Each

Abrasive Tools & Accessories

3M™ Centre Pin Back-Up Pad

3M™ Centre Pin Back-Up Pads are used in conjunction with Scotch-Brite™ Surface Conditioning discs. Our pads don't interfere with work surfaces.



- Quick and easy placement and centring of discs
- Does not interfere with work surface
- Allows disc to be used at usual angle

Product ID	Product	MOQ	Order Unit
7000086469	3M™ Center Pin Back-Up Pad, 100 mm, 5/8	5	Each
7000086456	3M™ Center Pin Back-Up Pad, 100 mm, M10	5	Each
7000086468	3M™ Center Pin Back-Up Pad, 100 mm, M14	5	Each
7000061390	3M™ Center Pin Back-Up Pad, 115 mm, M14	5	Each
7000061389	3M™ Center Pin Back-Up Pad, 125 mm, M14	5	Each
7000086464	3M™ Center Pin Back-Up Pad, 178 mm, M14	5	Each

3M Xtract™ Low Profile Back-up Pad

3M Xtract™ Low Profile Back-up Pads are firm yet flexible to provide versatility for flat sanding applications and are designed to securely hold a 3M Xtract Disc on a random orbital sander (sold separately). Part of the 3M Xtract Series, designed for optimal dust removal, , enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. Use this back-up pad with coarse grades where good leveling is needed.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- One piece threaded shank for low vibration and improved balance
- Low profile firm density foam and blunt 35 degree tapered edge provide durability and an aggressive cut

Product ID	Product	MOQ	Order Unit
7000028147	3M Xtract™ Low Profile Back-up Pad, 76 mm x 12.7 mm x 6mm	10	Each
7100037832	3M Xtract™ Low Profile Back-up Pad, 127 mm x 9.52 mm x 7.93 mm	10	Each
7100027464	3M Xtract™ Low Profile Back-up Pad, 152 mm x 9.52 mm x 7.93 mm	10	Each

3M Xtract™ Low Profile Finishing Back-up Pad

3M Xtract™ Low Profile Finishing Back-up Pad is constructed of soft density foam with a 10 degree blunt tapered edge and is recommended for finishing applications on flat or contoured surfaces. Part of the 3M Xtract™ Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. Use this disc pad with grades 220 and higher 3M Xtract™ Discs (sold separately).



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Low profile soft density beige foam provides flexibility to conform to a variety of complex surface geometries
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7100022038	3M Xtract™ Low Profile Finishing Back-up Pad, 152 mm x 9.52 mm x 15.8 mm, 53 Hole	10	Each
7100009657	3M Xtract™ Low Profile Finishing Back-up Pad, 20290, 127 mm x 17.5 mm x 7.93 mm, 44 HLS	10	Each

Abrasive Tools & Accessories

3M Xtract™ Low Profile Finishing Back-up Pad

3M Xtract™ Low Profile Finishing Back-up Pad is constructed of soft density foam with a 10 degree blunt tape-red edge and is recommended for finishing applications on flat or contoured surfaces. Part of the 3M Xtract™ Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. Use this disc pad with grades 220 and higher 3M Xtract™ Discs (sold separately).

- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Low profile soft density beige foam provides flexibility to conform to a variety of complex surface geometries
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7000118613	3M Xtract™ Low Profile Finishing Back-up Pad, 20425, 152 mm x 17.5 mm x 7.9 mm, 53 HLS	10	Each

3M Xtract™ Back-up Pad

3M Xtract™ Back-up Pads hold a 3M Xtract Disc (sold separately) for applications that require conformability and edge flexibility. Part of the 3M Xtract Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. It has a tapered edge ideal for feather-edging or blending a painted area to match the rest of the workpiece.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Medium density foam provides some conformability for surface sanding
- Tapered edge performs well when flexibility is needed for feather-edging or blending a painted area

Product ID	Product	MOQ	Order Unit
7100273845	3M Xtract™ Back-up Pad, 89052, 127 mm, Extra Hard, Black, 10 ea/Case	10	Each
7100273863	3M Xtract™ Back-up Pad, 89053, 152 mm, Extra Hard, Black, 10 ea/Case	10	Each
7100270476	3M Xtract™ Back-up Pad, 89409, 152 mm, Hard, Red, 10 ea/Case	10	Each
7100273463	3M Xtract™ Back-up Pad, 89410, 127 mm, Hard, Red, 10 ea/Case	10	Each
7100278691	3M Xtract™ Back-up Pad, 89925, 5 in x 11/16 in 5/16 in-24 External	1	Each

3M™ Soft Interface Disc Pad

3M™ Soft Interface Disc Pad is made of 12.7 mm soft density durable foam which increases its conformability when used with a 3M Clean Sanding Backup Pad. Our disc pads allow the user to follow contours and get in closer to most edges while maximising dust extraction.



- Made from a soft, durable foam
- Helps with following contours and getting in closer to most edges while maximising dust extraction
- Reduces cutting edge

Product ID	Product	MOQ	Order Unit
7100006170	3M™ Clean Sanding Soft Interface Disc Pad, 5 in x 1/2 in x 3/4 in MultiHole, PN20278,	10	Each
7100009658	3M™ Soft Interface Disc Pad, 127 mm x 12.5 mm	10	Each

Abrasive Tools & Accessories

3M™ Hookit™ Disc Pad

The 3M™ Hookit™ Disc Pad is designed to securely hold a 3M Hookit sanding or finishing disc and our Finesse-it™ buffing pad, to a variety of hand-held sanding tools. It features a 45° tapered edge to allow the sanded area to be feather-edged or more easily blended.



- With 'J' hooks to securely hold a 3M™ Hookit™ disc or 3M™ Finesse-it™ buffing pad
- Use with a random orbital sander, rotary sander, or right angle grinder
- The 3M Hookit system offers easy removal and reuse

Product ID	Product	MOQ	Order Unit
7100032853	3M Xtract™ Standard Back-up Pad, 05876, 152 mm x 19 mm x 7.93 mm, External 6 Holes, 10 ea/Case	10	Each
7000028168	3M™ Hookit™ D/F Disc Pad 20242, 3 in x 4 in x 1/2 in 4 Holes, 10 ea/Case, Restricted	10	Each
7100041340	3M™ Hookit™ Disc Pad , 152 mm x 19 mm	10	Each
7000028353	3M™ Hookit™ Disc Pad, 947, 177 mm x 25.4 mm, 5/8,	1	Each
710001985	3M™ Hookit™ Disc Pad, 76 mm	5	Each
7000028220	3M™ Hookit™ Disc Pad, 76 mm x 12.7 mm, 1/4-20 External	5	Each
7100034710	3M™ Hookit™ Disc Pad, 127 mm x 12.5 mm, 5/16 External	5	Each
7100041215	3M™ Hookit™ Disc Pad, 127 mm x 15.9 mm, 15.9-279 mm Internal	5	Each
7100032506	3M™ Hookit™ Disc Pad, 127 mm x 19 mm, 5/16 External, 5 Hole,	10	Each
7100027274	3M™ Hookit™ Disc Pad, 127 mm x 19 mm, 5/16 External	10	Each
7000045702	3M™ Hookit™ Disc Pad, 178 mm, M14	1	Each

3M™ Hookit™ Roloc™ Disc Pad

3M™ Hookit™ Roloc™ Disc Pad features hook material attached to soft neoprene foam. Our disc pads must be used with the proper Roloc hardware.



- Contains soft neoprene foam
- Features hook material
- Can be used on disc sanders and mini random orbital sanders

Product ID	Product	MOQ	Order Unit
7100056128	3M™ Hookit™ Roloc™ Disc Pad 28655, 1-1/4 in x 5/16 in, 10 per inner 20 per case	20	Each
7000045755	3M™ Hookit™ Roloc™ Disc Pad, 27 mm x 8 mm	20	Each

3M™ Hookit™ Disc Hand Pad

3M™ Hookit™ Disc Hand Pads are made with medium density foam for conformability. Our hand pads have a moulded shape or a 25.4 mm wide strap for holding by the operator.



- Reduces finger marks when hand sanding
- Made with medium density foam for conformability
- Ideal for use in applications involving paint preparation

Product ID	Product	MOQ	Order Unit
7000028331	3M™ Hookit™ Disc Hand Pad, 76 mm	10	Each
7100005515	3M™ Hookit™ Disc Hand Pad, 127 mm x 6,3 mm	20	Each

Abrasive Tools & Accessories

3M™ Hookit™ Clean Sanding Hook Saver

Use 3M™ Hookit™ Clean Sanding Hook Saver to protect the hooks on a new Hookit™ Disc Pad. Our inexpensive attachment device replaces a disc pad to help create greater cost efficiencies.



- Use in place of an expensive disc pad during applications
- Protect hooks on a new Hookit™ Disc Pad
- Get an inexpensive attachment device

Product ID	Product	MOQ	Order Unit
7000045011	3M Xtract™ Disc Pad Hook Saver 20443, 127 x 19.1 mm, 31 Holes, 20 ea/Case	20	Each
7000045251	3M™ Clean Sanding Disc Pad Hook Saver, 76 mm	20	Each
7000042703	3M™ Clean Sanding Disc Pad Hook Saver, 150 mm, 52 Holes, 20446	20	Each

3M™ Hookit™ Clean Sanding Disc Pad

3M™ Hookit™ Clean Sanding Disc Pad is a red foam pad designed for use with a 3M™ Random Orbital Sander to increase abrasive life and achieve high efficiency dust pickup. Use our disc pads as part of a total 3M system solution for highly efficient vacuum sanding applications.



- Multi hole design pattern helps to keep work environments cleaner
- Clean Sanding Solution promotes greater operator and task efficiency
- Hookit™ system for easy attachment and removal

Product ID	Product	MOQ	Order Unit
7000028151	3M™ Hookit™ Clean Sanding Disc Pad, 75 mm x 100 mm x 12 mm, Red Foam, 33 Hole, PN20435	10	Each
7000119342	3M™ Hookit™ Clean Sanding Pad 28531, 70 mm x 198 mm x 12.7 mm 33 Holes Red Foam, 5 per case	5	Each
7100025357	3M™ Hookit™ Clean Sanding Pad, 70 mm x 198 mm x 12.7 mm, Herringbone, PN28784	5	Each
7010360095	3M™ Hookit™ Clean Sanding Soft Disc Pad, 20428, 76 mm x 19 mm x 6.35 mm, External 6 Holes, 10 ea/Case	10	Each

3M™ Hookit™ Centre Water Feed Disc Hand Pad

3M™ Hookit™ Centre Water Feed Disc Hand Pad has a feed system that dispenses water for wet sanding of plastics, paint, fiberglass and other materials. Our water feed disc hand pads are available in both contoured and bullet shapes.



- Provides longer abrasive life due to water flushing residue off the sanding disc – keeping it from loading
- Firm, yellow foam distributes pressure evenly across the abrasive surface
- Designed for use with 76mm x 22.23mm Hookit™ Microfinishing film discs or Hookit Wetordry™ discs

Product ID	Product	MOQ	Order Unit
7000000601	3M™ Hookit™ Back-Up Pad, Yellow, 76 mm x 22 mm, Centre Hole	10	Each
7000045712	3M™ Hookit™ Center Water Feed Disc Hand Pad 88741, 2 in x 5/8 in, 10 ea/Case	10	Each

Abrasive Tools & Accessories

3M™ Hookit™ Low Profile Disc Pad

3M™ Hookit™ Low Profile Disc Pad is a firm yet flexible disc, designed to offer versatility for flat sanding applications. Our innovative pads are made of firm density foam, with a 15° blunt tapered edge for added durability. They're ideal for aggressive flat sanding applications.



- Holder enables use of 3M™ Hookit™ discs (sold separately) on a disc sander, rotary sander, or random orbital sander
- New one piece threaded shank reduces vibration and improves balance
- Low profile firm density foam is well-suited for flat sanding applications

Product ID	Product	MOQ	Order Unit
7100026249	3M™ Hookit™ Low Profile Disc Pad 20352, 5 in x 3/8 in x 5/16-24 External, 10 ea/Case	10	Each

3M™ Hookit™ Low Profile Finishing Disc Pad

3M™ Hookit™ Low Profile Finishing Disc Pad is an 11/16" soft density foam with a 15° blunt tapered edge. Our disc pads are designed for use with a 5" 3M Hookit disc* for expert finishing of flat or contoured surfaces where dust evacuation is not needed.



*Sold separately

- Low profile flexible 11/16" soft density yellow pad reduces loading
- 15° tapered edge is ideal for final finishing on flat or contoured surfaces
- Use with 5" 3M™ Hookit™ disc (sold separately)

Product ID	Product	MOQ	Order Unit
7100028484	3M™ Hookit™ D/F Low Profile Finishing Disc Pad, 125 mm x 17 mm, 6/16-24 External	10	Each
7100035324	3M™ Hookit™ Low Profile Finishing Disc Pad, 5 in x 11/16 in 5/16-24 External	10	Each

3M™ Roloc™+ Holder

3M™ Roloc™+ Holder is a rugged, plastic holder, designed to support all Roloc products, including discs and combo wheels. Our holder features a deeper internal thread to accept products with Roloc buttons.



- Supports all Roloc™ products
- A deeper internal thread accepts products with Roloc™ buttons
- Rugged and hardwearing design

Product ID	Product	MOQ	Order Unit
7000033538	3M™ Roloc™+ Holder, No 4, 75 mm	5	Each

Abrasive Tools & Accessories

3M™ Disc Pad Holder

3M™ Disc Pad Holder allows you to quickly and easily change Scotch-Brite™ abrasive discs during multi-step projects. Our disc pad holders are available in a range of sizes, foam densities and attachment options.



- Allows quick and easy disc attachment and removal during multi-step processing
- Options available for right angle grinders and random orbital sanders
- Choose from solid or foam surfaces for custom sanding and grinding control

Product ID	Product	MOQ	Order Unit
7000028500	3M™ Disc Pad Holder 915, 127 mm x 3 mm x 9 mm	1	Each
7000068111	3M™ Disc Pad Holder, 178 mm, M14	5	Each

3M™ Interface Pad

The 3M™ Interface Pad is our 1/2-inch thick, medium density foam pad that provides additional surface conformability when used with a 3M™ Hookit™ backup pad on a 3M™ Random Orbital Sander. The additional conformability helps when sanding critical surfaces with fine grade abrasives, after leveling and refining sanding steps are complete, but before final surface finishing steps.



- Medium density foam provides additional flexibility on contours
- Ideal for sanding curves, angles and contours
- Applies effortlessly between Hookit™ discs and Hookit™ back-up pads for quick changeouts

Product ID	Product	MOQ	Order Unit
7100009701	3M™ Clean Sanding Interface Disc Pad 28323, 5 in x 1/2 in x 3/4 in 31 Holes, 10 ea/Case	10	Each

Power Sanders

3M™ Disc Sander

3M™ Disc Sanders feature a lightweight, compact design and comfortable grip with an ergonomic 97° head that helps reduce wrist strain more than 90° models. Our sanders are ideal for small-scale grinding and deburring applications as well as paint prep and weld burn clean up.



- Precision-balanced motor supports light grinding and deburring
- Lightweight, compact design and comfortable grip with 3M™ Gripping Material generate less vibration and noise, and allows for greater operator control
- Ergonomic 97° head helps reduce wrist strain over 90° models

Product ID	Product	MOQ	Order Unit
7100083998	3M™ Disc Sander, 2 in .3 HP 20,000 RPM 6 mm Collet	1	Each
7100083511	3M™ Disc Sander, 2 in, 0.5 hp, 6mm Collet	1	Each
7100083997	3M™ Disc Sander, 50 mm, 0.3HP,20.000 RPM, 6 mm Collet	18	Each
7100083278	3M™ Disc Sander, 50 mm, 0.5HP, 20.000 RPM, 6 mm Collet	1	Each
7000060285	3M™ Disc Sander, 50 mm, Pistol grip	1	Each
7100142459	3M™ Disc Sander, 75 mm, 1 HP,15.000 RPM, 6 mm Collet	1	Each
7000060284	3M™ Disc Sander, 64874, Pistol Grip, 76.2 mm	1	Each

Abrasive Tools & Accessories

3M™ Elite Self-Generated Vacuum Random Orbital Sander

3M™ Elite Self-Generated Vacuum Random Orbital Sanders are built with powerful, precision balanced air driven motors and a durable lightweight aluminium housing. Our sanders have a self-generated vacuum (SGV) and deliver dust free performance and a swirl-free finish, in high production industrial environments where dust extraction is required.



- Features powerful, precision balanced air driven motors and durable lightweight aluminium housing
- 3M™ Clean Sanding Filter Bag gives superior HEPA-rated dust collection locking dust away
- Rotates in two simultaneous overlapping oval patterns producing a scratch and swirl free finish

Product ID	Product	MOQ	Order Unit
7100010670	3M™ Self-Generated Vacuum Random Elite Orbital Sander, 76 mm, 2.5 mm orbit	1	Each
7000060298	3M™ Self-Generated Vacuum Random Elite Orbital Sander, 76 mm, 5 mm orbit	1	Each

3M™ Self-Generated Vacuum Random Orbital Sander

3M™ Elite Self-Generated Vacuum Random Orbital Sander (SGV) is designed to deliver a swirl-free finish in high production industrial environments requiring dust extraction. Our sanders enhance 3M abrasive performance and incorporate 3M™ Clean Sanding Filter Bags – for effective dust removal.



- Precision-balanced steel workings run smoothly with less vibration, ideal for high production industrial environments
- Get comfort and control during prolonged use – with improved durability, ergonomics and noise level
- Pneumatic power exceeds the capability of standard electric sanders, supplying hours of continual use

Product ID	Product	MOQ	Order Unit
7000060301	3M™ Self-Generated Vacuum Random Orbital Sander, 70 mm x 198 mm, 3 mm orbit	1	Each

3M™ Non-Vacuum Random Orbital Sander Elite Series

3M™ Elite Non-Vacuum Random Orbital Sander combines durable, grip featuring 3M™ Gripping Material lightweight construction with a powerful precision balanced motor for professional performance and a swirl free finish. Our sander is great for high production industrial environments where dust extraction is not required.



- Powerful motor and precision balanced steel working offer optimal performance in high production industrial environments
- Ergonomic engineering with built in extended curve wrist support for lightweight performance
- Recessed lever platform eliminates pinch and pressure points on operator's palm

Product ID	Product	MOQ	Order Unit
7000060294	3M™ Non-Vacuum Random Orbital Sander Elite Series, 70 mm x 198 mm, 3 mm Orbit	1	Each
7000060286	3M™ Non-Vacuum Random Orbital Sander Elite Series, 75 mm, 4.76 mm Orbit	1	Each
7000060288	3M™ Non-Vacuum Random Orbital Sander Elite Series, 76 mm, 2.5 mm orbit	1	Each

Abrasive Tools & Accessories

3M™ Random Orbital Sander Elite Series

3M™ Elite Central-Vacuum-Ready Random Orbital Sanders deliver a professional performance with maximised dust extraction capabilities. Our vacuum-ready sanders help deliver a quality finish in high-production industrial environments where dust extraction is required.



- Ideal for high production industrial environments where dust extraction is required
- Increased comfort with ergonomic features such as curved wrist rest and recessed lever platform
- Rubber grip with 3M Gripping Material improves operator control and reduces vibration

Product ID	Product	MOQ	Order Unit
7000060297	3M™ Central Vacuum Random Orbital Sander Elite Series, 70 mm x 198 mm, 3.2 mm orbit	1	Each
7000032227	3M™ Central Vacuum Random Orbital Sander Elite Series, 76 mm, 2.5 mm orbit	1	Each
7000060295	3M™ Central Vacuum Random Orbital Sander Elite Series, 76 mm, 5 mm orbit	1	Each

3M Xtract™ Pneumatic Random Orbital Sander

The 3M Xtract™ Pneumatic Random Orbital Sander is a key component of the 3M Xtract™ sanding system. Along with 3M Xtract™ Net Discs and the 3M Xtract™ Portable Dust Extractor, this powerful 0.28 HP (209W) sander helps enable virtually dust-free sanding.



- Vacuum-ready for use with 3M Xtract™ Portable Dust Extractor or central vacuum system
- Self-Generated Vacuum provides a compact vacuum solution
- Non-vacuum options available

Product ID	Product	MOQ	Order Unit
7100258884	3M Xtract™ Pneumatic Random Orbital Sander, 88941, 125 mm, Central Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100258886	3M Xtract™ Pneumatic Random Orbital Sander, 88942, 125 mm, Central Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258885	3M Xtract™ Pneumatic Random Orbital Sander, 88943, 125 mm, Central Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258887	3M Xtract™ Pneumatic Random Orbital Sander, 88944, 125 mm, Central Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100264073	3M Xtract™ Pneumatic Random Orbital Sander, 88945, 125 mm, Self-Generated Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100264068	3M Xtract™ Pneumatic Random Orbital Sander, 88946, 125 mm, Self-Generated Vacuum, 5 mm Orbit, 1 per case	1	Each
7100264239	3M Xtract™ Pneumatic Random Orbital Sander, 88947, 125 mm, Self-Generated Vacuum, 8 mm Orbit, 1 per case	1	Each
7100264069	3M Xtract™ Pneumatic Random Orbital Sander, 88948, 125 mm, Self-Generated Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100259232	3M Xtract™ Pneumatic Random Orbital Sander, 88953, 150 mm, Central Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100258801	3M Xtract™ Pneumatic Random Orbital Sander, 88954, 150 mm, Central Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258707	3M Xtract™ Pneumatic Random Orbital Sander, 88955, 150 mm, Central Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258799	3M Xtract™ Pneumatic Random Orbital Sander, 88956, 150 mm, Central Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100264077	3M Xtract™ Pneumatic Random Orbital Sander, 88957, 150 mm, Self-Generated Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100264079	3M Xtract™ Pneumatic Random Orbital Sander, 88958, 150 mm, Self-Generated Vacuum, 5 mm Orbit, 1 per case	1	Each

Abrasive Tools & Accessories

3M Xtract™ Pneumatic Random Orbital Sander

The 3M Xtract™ Pneumatic Random Orbital Sander is a key component of the 3M Xtract™ sanding system. Along with 3M Xtract™ Net Discs and the 3M Xtract™ Portable Dust Extractor, this powerful 0.28 HP (209W) sander helps enable virtually dust-free sanding.



- Vacuum-ready for use with 3M Xtract™ Portable Dust Extractor or central vacuum system
- Self-Generated Vacuum provides a compact vacuum solution
- Non-vacuum options available

Product ID	Product	MOQ	Order Unit
7100264078	3M Xtract™ Pneumatic Random Orbital Sander, 88959, 150 mm, Self-Generated Vacuum, 8 mm Orbit, 1 per case	1	Each
7100264070	3M Xtract™ Pneumatic Random Orbital Sander, 88960, 150 mm, Self-Generated Vacuum, 9.5 mm Orbit, 1 per case	1	Each

3M Xtract™ Electric Random Orbital Sander

New to the 3M line up, ergonomic design combined with a powerful motor.



- Ergonomic, lightweight design
- Soft touch grip with molded-in grip features
- Powerful 350W motor

Product ID	Product	MOQ	Order Unit
7100263555	3M Xtract™ Electric Random Orbital Sander, 88835, 125 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type E	1	Each
7100263558	3M Xtract™ Electric Random Orbital Sander, 88837, 150 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type E	1	Each
7100263559	3M Xtract™ Electric Random Orbital Sander, 88839, 125 mm, Central Vacuum, 2.5 mm Orbit, 240V, Plug Type E	1	Each
7100263549	3M Xtract™ Electric Random Orbital Sander, 88841, 150 mm, Central Vacuum, 2.5 mm Orbit, 240V, Plug Type E	1	Each
7100263525	3M Xtract™ Electric Random Orbital Sander, 88843, 125 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type G	1	Each
7100263554	3M Xtract™ Electric Random Orbital Sander, 88845, 150 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type G	1	Each
7100263528	3M Xtract™ Electric Random Orbital Sander, 88847, 125 mm, Central Vacuum, 2.5 mm Orbit, 240V, Plug Type G	1	Each
7100263530	3M Xtract™ Electric Random Orbital Sander, 88849, 150 mm, Central Vacuum, 2.5 mm Orbit, 240V, Plug Type G	1	Each
7100263533	3M Xtract™ Electric Random Orbital Sander, 88851, 125 mm, Central Vacuum, 5 mm Orbit, 110V, Plug Type EN60309	1	Each
7100263534	3M Xtract™ Electric Random Orbital Sander, 88853, 150 mm, Central Vacuum, 5 mm Orbit, 110V, Plug Type EN60309	1	Each
7100263546	3M Xtract™ Electric Random Orbital Sander, 88855, 125 mm, Central Vacuum, 2.5 mm Orbit, 110V, Plug Type EN60309	1	Each
7100263547	3M Xtract™ Electric Random Orbital Sander, 88857, 150 mm, Central Vacuum, 2.5 mm Orbit, 110V, Plug Type EN60309	1	Each

Abrasive Tools & Accessories

3M™ Elite Orbital Sander

3M™ Elite Orbital Sander combines powerful, precision balanced motors with durable lightweight aluminium housings. Our sander is ergonomically designed to reduce user fatigue – for hours of comfortable operation.



- Powerful, precision balanced motors with durable lightweight aluminium housings give hours of comfortable operation
- Extended curved wrist rest provides additional leverage and reduces stress on wrist and hand
- Rubber grip contains 3M™ Gripping Material for a stronger grip and more control with less effort

Product ID	Product	MOQ	Order Unit
7100028629	3M™ Elite Orbital Sander, 32 mm	1	Each

3M™ Palm-Style Mini Random Orbital Sander

3M™ Palm-Style Mini Random Orbital Sander is lightweight, and compact. Our palm-style mini random orbital sanders have a Roloc™ fixing to accept the full range of Finesse-it™ Roloc sanding backup pads. Includes 3M Roloc 02345 with Stikit™ face.



- Compact, palm-style sander
- Lightweight for easier control and reduced operator fatigue
- Accepts the full range of Finesse-it™ Roloc™ sanding backup pads

Product ID	Product	MOQ	Order Unit
7000032165	3M™ Air-Powered Mini-Random Orbital Sander, 31.75 mm x 4.76 mm, NIB	1	Each

3M™ Pistol Grip Disc Sander

Our line of air-powered 3M™ Disc Sander, Pistol Grip tools are designed with operator comfort in mind and run any 3M™ Roloc™ product 3" or less with an RPM rating of at least 15,000. They are ideal for intermittent use on non-production spot sanding and finishing applications as well as paint prep and weld burn clean-up, and the pistol grip and 97 degree head provides improved operator comfort.



- Precision-balanced 0.45 hp motor and comfortable molded grip decrease vibration and noise
- Lightweight tool is ideal for intermittent use on spot duty light sanding and finishing applications
- 97 degree head enables a more natural wrist position on vertical surfaces for greater operator comfort

Product ID	Product	MOQ	Order Unit
7000045299	3M™ Pistol Grip Disc Sander 28547, 3 in, 1 per case	1	Each

3M™ Pneumatic Random Orbital Sander

Lightweight and rugged, the 3M™ Pneumatic Random Orbital Sander is designed with a high power-to-weight ratio to help you get more work done in less time and with less strain.



- Power tool is lighter and more comfortable to use
- Guard-free design for better visibility and ease-of-use
- Lighter weight, smaller size and vibration-reducing side handle for improved operator comfort

Product ID	Product	MOQ	Order Unit
7100258879	3M™ Pneumatic Random Orbital Sander, 88936, 125 mm, Non-Vacuum, 2.5 mm Orbit, 1 per case	1	Each

Abrasive Tools & Accessories

3M™ Pneumatic Random Orbital Sander

Lightweight and rugged, the 3M™ Pneumatic Random Orbital Sander is designed with a high power-to-weight ratio to help you get more work done in less time and with less strain.



- Power tool is lighter and more comfortable to use
- Guard-free design for better visibility and ease-of-use
- Lighter weight, smaller size and vibration-reducing side handle for improved operator comfort

Product ID	Product	MOQ	Order Unit
7100258878	3M™ Pneumatic Random Orbital Sander, 88937, 125 mm, Non-Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258882	3M™ Pneumatic Random Orbital Sander, 88939, 125 mm, Non-Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258883	3M™ Pneumatic Random Orbital Sander, 88940, 125 mm, Non-Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100258787	3M™ Pneumatic Random Orbital Sander, 88949, 152 mm, Non-Vacuum, 3/32 in Orbit	1	Each
7100258652	3M™ Pneumatic Random Orbital Sander, 88950, 150 mm, Non-Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258651	3M™ Pneumatic Random Orbital Sander, 88951, 150 mm, Non-Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258800	3M™ Pneumatic Random Orbital Sander, 88952, 150 mm, Non-Vacuum, 9.5 mm Orbit, 1 per case	1	Each

Power Grinders

3M™ Electric Angle Grinder



3M™ Electric Angle Grinder is designed for use with 3M abrasives and accessories to create a comprehensive system to achieve a more professional finish in less processing time. Our electric angle grinder has a powerful 1900 watt motor and an ergonomic handle to reduce vibration and enhance operator comfort.

- HIGH-POWERED GRINDING: High torque and high rotational speed in a lightweight, powerful and versatile tool
- DESIGNED FOR OPERATOR COMFORT: Ergonomic design features a low-vibration handle and speed control for different jobs
- MAXIMISE PRODUCTIVITY TO MINIMISE PROCESSING TIME: Designed for use with 3M abrasives and accessories

Product ID	Product	MOQ	Order Unit
7100281561	3M™ Electric Angle Grinder 14112, 125 mm, Variable Speed, Plug Type J, 1 ea/case	54	Each
7100281321	3M™ Electric Angle Grinder 14144, 115 mm, Plug Type G, 1 ea/case	1	Each
7100249666	3M™ Electric Angle Grinder, 1900W, 115 mm, Plug Type E, 14253	1	Each
7100249665	3M™ Electric Angle Grinder, 1900W, 125 mm, Plug Type E, 14273	1	Each
7100289510	3M™ Electric Angle Grinder, Kit, 73846, 115 mm, 1900W, w/982CX Slotted Disc (25) & Ribbed BUP, 1 Kit/Case	1	Kit
7100289436	3M™ Electric Angle Grinder, Kit, 73981, 125 mm, 1900W, w/982CX Slotted Disc (25) & Ribbed BUP, 1 Kit/Case	1	Kit
7100249667	3M™ Electric Angle Grinder, Variable Speed, 1900W, 115 mm, Plug Type E, 14281	1	Each
7100249668	3M™ Electric Angle Grinder, Variable Speed, 1900W, 125 mm, Plug Type E, 14291	1	Each

Abrasive Tools & Accessories

Dust Extraction Systems

3M Xtract™ Portable Dust Extractor

The innovative 3M Xtract™ Portable Dust Extractor allows for maximum dust extraction, right at your side. Easily connect compatible electric or pneumatic 3M Xtract™ Random Orbital sanders for on-demand vacuum dust extraction. Includes high-collection HEPA filters to help keep your work environment virtually dust-free.



- Powerful industrial vacuum unit connects to 3M Xtract™ Random Orbital Sanders to remove dust from the work surface
- Automatic on/off compatibility with pneumatic and electric sanders
- Compact, sturdy design stands up to harsh industrial conditions

Product ID	Product	MOQ	Order Unit
7100259732	3M Xtract™ Portable Dust Extractor, 64159, 240V, Plug Type E, 1 per case	1	Each
7100260424	3M Xtract™ Portable Dust Extractor, 64193, 110 V, Plug Type EN60309, 1 per case	1	Each

3M Xtract™ Filter Bag

Using our 3M Xtract™ Filter Bag helps achieve maximum utility from your 3M Xtract Clean Sanding Discs because we designed 3M Xtract Clean Sanding products work together as a system to deliver superior results. Take portable, lightweight dust management to the next level by using a Filter Bag together with a powerful 3M Xtract Self-Generated Vacuum Random Orbital Sander (disc and tools sold separately).



- Part of the 3M Xtract™ Series, designed for optimal dust removal. Thorough dust collection enhances the performance of 3M Xtract Discs (sold separately)
- Filter is rated for optimal work environment
- Large and Extra Large sizes save time because operators can change bags less frequently

Product ID	Product	MOQ	Order Unit
7100296134	3M Xtract™ Filter Bag, 65968, Extra Large, Non-HEPA	20	Each
7100296135	3M Xtract™ Filter Bag, Large, 10/inner, 50 ea/Case	50	Each



Product Index

Product ID	Page
7000000392	19
7000000393	19
7000000402	19
7000000403	19
7000000404	19
7000000405	19
7000000406	19
7000000407	20
7000000601	110
7000000690	64
7000000704	45
7000000728	82
7000000730	66
7000000732	66
7000000737	65
7000000738	65
7000000740	72
7000000741	72
7000000749	70
7000000750	46
7000000751	46
7000000752	45
7000000753	46
7000000754	46
7000000755	46
7000000756	46
7000000757	70
7000000758	70
7000000759	70
7000000760	70
7000000761	70
7000000762	70
7000000763	70
7000000764	70
7000000765	70
7000000766	70
7000000771	70
7000000775	72
7000008959	106
7000021279	45
7000021280	45
7000021284	69
7000021285	71
7000027560	82
7000028142	28
7000028143	28
7000028147	107
7000028151	110
7000028168	109
7000028191	19
7000028192	19
7000028193	20
7000028194	19
7000028195	19
7000028196	19
7000028197	19
7000028198	19
7000028199	20

Product ID	Page
7000028200	20
7000028201	19
7000028203	19
7000028204	19
7000028220	109
7000028331	109
7000028353	109
7000028469	66
7000028484	66
7000028488	65
7000028491	65
7000028493	65
7000028494	66
7000028500	112
7000028501	46
7000028506	46
7000028507	45
7000028508	46
7000028509	46
7000028516	35
7000028517	35
7000028518	35
7000028529	70
7000028532	70
7000032165	116
7000032227	114
7000032409	106
7000032410	106
7000032411	106
7000033538	111
7000034236	28
7000042703	110
7000042733	46
7000044902	42
7000044904	42
7000045011	110
7000045132	19
7000045159	20
7000045160	20
7000045161	20
7000045166	42
7000045167	42
7000045168	42
7000045171	42
7000045172	42
7000045173	42
7000045175	42
7000045176	42
7000045177	42
7000045186	20
7000045187	20
7000045188	20
7000045230	19
7000045233	42
7000045234	19
7000045251	110
7000045299	116
7000045702	109

Product ID	Page
7000045712	110
7000045755	109
7000045887	45
7000045888	45
7000045967	65
7000045976	66
7000046009	48
7000046010	48
7000046014	34
7000046018	31
7000046019	31
7000046034	32
7000046052	66
7000046066	65
7000046074	65
7000046086	65
7000046088	65
7000046089	65
7000046091	32
7000046098	65
7000046104	64
7000046108	46
7000046110	46
7000046111	46
7000046112	46
7000046113	46
7000046114	46
7000046125	70
7000046126	70
7000046127	70
7000046131	35
7000046132	35
7000046149	46
7000046158	70
7000046159	70
7000046160	70
7000046161	70
7000046167	64
7000046180	69
7000046181	69
7000046214	32
7000046218	47
7000046219	47
7000046220	47
7000046221	47
7000046224	33
7000046244	33
7000046245	33
7000046246	33
7000046247	33
7000046248	33
7000046249	33
7000046250	47
7000046251	47
7000046263	33
7000046264	33
7000046272	33
7000059967	97

Product ID	Page
7000059968	97
7000060033	97
7000060076	97
7000060078	97
7000060284	112
7000060285	112
7000060286	113
7000060288	113
7000060294	113
7000060295	114
7000060297	114
7000060298	113
7000060301	113
7000060356	98
7000060741	91
7000060742	92
7000060743	91
7000060746	92
7000060748	91
7000060749	92
7000060751	92
7000060752	93
7000060753	92
7000060754	91
7000060755	92
7000060756	92
7000060757	92
7000060762	92
7000060766	92
7000060767	92
7000060768	91
7000060771	93
7000060772	93
7000060773	92
7000060775	92
7000060776	92
7000060777	92
7000060778	92
7000060780	91
7000060788	93
7000060789	92
7000060790	93
7000060822	93
7000060823	91
7000060848	91
7000060849	91
7000060862	91
7000060863	91
7000060865	91
7000060866	91
7000060867	91
7000060868	91
7000060869	91
7000060870	91
7000060872	91
7000060873	91
7000060879	91
7000060880	91

Product Index

Product ID	Page
7000060887	91
7000060889	91
7000060890	96
7000060897	97
7000061351	70
7000061352	68
7000061353	68
7000061387	71
7000061389	107
7000061390	107
7000061507	68
7000061533	69
7000061534	71
7000061711	106
7000061712	106
7000061713	106
7000062861	68
7000067868	101
7000067872	102
7000067873	101
7000067874	101
7000067876	102
7000067877	101
7000067882	101
7000067888	101
7000067914	101
7000067921	101
7000067928	102
7000067929	103
7000067933	101
7000067935	101
7000067940	101
7000067941	101
7000067942	102
7000067943	102
7000067944	102
7000067980	30
7000068084	103
7000068085	103
7000068111	112
7000068116	46
7000068117	46
7000068118	45
7000077904	49
7000077928	49
7000077940	30
7000077966	73
7000078175	68
7000078176	68
7000078177	68
7000078178	68
7000078179	68
7000078180	68
7000086456	107
7000086464	107
7000086468	107
7000086469	107
7000091730	73

Product ID	Page
7000091751	30
7000094866	34
7000104357	22
7000104359	23
7000104360	23
7000104361	23
7000104365	23
7000104366	23
7000104367	23
7000104368	22
7000104371	23
7000104372	23
7000104373	23
7000104374	23
7000104375	23
7000104376	23
7000104377	23
7000104378	23
7000104379	23
7000105439	106
7000105441	106
7000105442	106
7000118429	42
7000118430	42
7000118613	108
7000119342	110
7000119599	41
7000119602	41
7000119605	41
7000119606	41
7000119607	41
7000119608	41
7000120932	32
7000121082	47
7000121083	47
7000144562	19
7000144604	71
7000145907	101
7010029932	41
7010029933	41
7010029934	41
7010029935	41
7010029936	28
7010029938	28
7010029939	28
7010029944	28
7010295274	48
7010300879	38
7010300983	48
7010308138	20
7010310028	63
7010310029	63
7010329036	34
7010329346	48
7010329496	63
7010360095	110
7010361116	43

Product ID	Page
7010365693	63
7010412238	34
7100000858	66
7100001473	42
7100001474	42
7100001475	42
7100001985	109
7100002321	70
7100005209	66
7100005515	109
7100006170	108
7100007009	46
7100007318	47
7100007341	70
7100007877	98
7100007878	98
7100007879	98
7100007880	98
7100007881	98
7100007882	97
7100007883	98
7100007884	98
7100007990	93
7100007991	93
7100007992	93
7100009310	47
7100009657	107
7100009658	108
7100009701	112
7100010261	28
7100010263	28
7100010670	113
7100011144	23
7100011310	23
7100011569	23
7100012444	102
7100013155	102
7100013687	102
7100016545	106
7100016753	28
7100019197	47
7100022038	107
7100022777	102
7100022778	102
7100023178	94
7100023179	94
7100023234	94
7100023339	83
7100023340	83
7100024364	102
7100025343	23
7100025357	110
7100025847	94
7100026188	23
7100026189	23
7100026249	111
7100026426	94
7100026427	94

Product ID	Page
7100026526	94
7100026527	94
7100026529	94
7100026546	94
7100026547	94
7100026670	94
7100026755	94
7100026791	94
7100026792	94
7100026793	94
7100027081	94
7100027274	109
7100027464	107
7100027618	94
7100028484	111
7100028629	116
7100028668	28
7100028819	94
7100029968	47
7100032506	109
7100032853	109
7100034710	109
7100035324	111
7100036130	101
7100037832	107
7100038608	71
7100038905	93
7100041215	109
7100041340	109
7100045070	25
7100045071	25
7100045072	25
7100045073	25
7100045155	98
7100046325	26
7100046326	26
7100046327	27
7100046328	27
7100047077	96
7100047970	94
7100048019	47
7100048818	99
7100049823	103
7100052728	98
7100052729	98
7100052730	98
7100052731	98
7100052732	98
7100052733	98
7100052768	97
7100052769	97
7100052770	97
7100052771	97
7100052786	97
7100052787	97
7100052788	96
7100052826	99



Product Index

Product ID	Page
7100052827	99
7100052828	99
7100052829	99
7100052831	99
7100052839	99
7100052840	99
7100052841	99
7100053413	62
7100053414	62
7100053418	63
7100053421	63
7100056128	109
7100064174	26
7100064175	25
7100064176	26
7100064177	25
7100064178	25
7100064179	26
7100064270	25
7100064271	25
7100064272	27
7100064273	27
7100064274	27
7100065918	25
7100068024	20
7100069562	102
7100069960	94
7100070052	99
7100070054	99
7100070629	94
7100076898	43
7100076925	43
7100076926	43
7100076933	43
7100076934	43
7100077039	43
7100077040	43
7100077047	43
7100077620	28
7100077621	28
7100077622	28
7100077623	28
7100077624	28
7100077625	28
7100077626	28
7100077975	28
7100078152	41
7100078153	41
7100078154	41
7100078155	41
7100078156	41
7100078157	41
7100078158	41
7100078159	41
7100078180	41
7100078181	41
7100080459	84
7100081365	48

Product ID	Page
7100081366	48
7100081367	48
7100081368	48
7100081369	34
7100082475	93
7100083278	112
7100083511	112
7100083512	62
7100083997	112
7100083998	112
7100084760	28
7100085514	39
7100088615	63
7100091777	100
7100091779	100
7100091799	100
7100091802	100
7100091804	100
7100091806	100
7100091808	100
7100091813	100
7100091815	100
7100091817	100
7100091819	100
7100091823	96
7100091825	96
7100091827	96
7100091829	96
7100091831	96
7100091833	96
7100093971	73
7100093973	74
7100093978	48
7100093991	34
7100097174	106
7100098610	102
7100099091	21
7100099092	20
7100099093	21
7100099094	21
7100099095	21
7100099237	21
7100099238	21
7100099240	21
7100099241	21
7100099243	21
7100099245	21
7100099247	21
7100099249	20
7100099250	20
7100099252	21
7100099254	21
7100099256	21
7100099257	21
7100099258	21
7100099260	21
7100099264	20
7100099284	21

Product ID	Page
7100099545	20
7100099546	21
7100099576	21
7100099787	21
7100099788	21
71001009791	21
7100100885	43
7100100942	43
7100100961	44
7100100962	44
7100100964	44
7100100966	44
7100100974	44
7100100976	43
7100100979	44
7100100981	44
7100100982	44
7100100986	44
7100100989	43
7100100999	43
7100101072	101
7100105326	63
7100105847	22
7100105848	22
7100105849	22
7100105850	22
7100105851	22
7100105852	22
7100105853	22
7100105854	22
7100105855	22
7100105856	22
7100105857	22
7100105858	22
7100105859	22
7100105860	22
7100105861	22
7100105862	22
7100105863	22
7100105864	22
7100105865	22
7100105866	22
7100105867	22
7100106678	26
7100106714	26
7100106716	25
7100106717	25
7100106742	26
7100106764	26
7100106766	26
7100106768	26
7100108778	63
7100109110	48
7100109111	34
7100109130	48
7100110587	101
7100110912	63
7100111238	25

Product ID	Page
7100111733	102
7100112315	98
7100112980	39
7100113075	39
7100113076	39
7100113080	39
7100113096	39
7100113107	39
7100113109	39
7100113110	39
7100113111	39
7100113113	38
7100113114	39
7100113117	39
7100113118	38
7100113120	39
7100113121	39
7100113126	39
7100113137	39
7100113139	39
7100113142	39
7100113143	39
7100113145	38
7100126838	42
7100133692	64
7100133703	64
7100133775	64
7100133793	64
7100133807	64
7100135078	70
7100135079	71
7100135084	71
7100135085	71
7100135643	106
7100138194	71
7100138284	72
7100138285	72
7100138286	72
7100138287	68
7100138288	68
7100138289	68
7100138290	69
7100138291	69
7100138292	71
7100138293	70
7100138294	70
7100138295	70
7100138296	70
7100138297	70
7100138298	69
7100138299	69
7100138300	69
7100138301	71
7100138302	71
7100138303	71
7100138304	71
7100138305	72
7100138306	72

Product Index

Product ID	Page
7100138307	72
7100138319	72
7100138320	72
7100138321	72
7100138322	72
7100138323	70
7100138324	70
7100138326	70
7100138327	71
7100138332	69
7100138333	69
7100138334	69
7100138335	69
7100138336	69
7100138337	69
7100138338	69
7100138339	71
7100138340	71
7100138341	71
7100138342	70
7100138344	70
7100138347	69
7100139207	56
7100139209	56
7100139211	56
7100139216	56
7100139217	56
7100139218	56
7100139219	56
7100139227	56
7100139229	56
7100139232	56
7100139234	56
7100139235	56
7100139238	56
7100139240	56
7100140055	57
7100140056	57
7100140057	57
7100140058	57
7100140059	57
7100140060	57
7100141045	56
7100141056	56
7100141067	56
7100141069	56
7100141070	56
7100141075	56
7100141083	57
7100141086	57
7100141089	57
7100141096	57
7100141099	57
7100141123	57
7100141692	25
7100142081	95

Product ID	Page
7100142459	112
7100142572	19
7100142581	19
7100143972	102
7100144158	93
7100144567	95
7100145316	25
7100145362	25
7100145363	25
7100145403	26
7100145404	25
7100145405	26
7100145407	27
7100145430	26
7100145431	26
7100145433	25
7100145436	26
7100145452	25
7100145455	25
7100145460	25
7100145462	27
7100145469	27
7100145477	26
7100146027	74
7100146031	101
7100146406	95
7100149169	20
7100149176	20
7100149446	102
7100149527	20
7100149536	20
7100149538	20
7100149797	20
7100150128	102
7100150191	73
7100150663	102
7100151522	72
7100151528	68
7100151529	72
7100151530	72
7100151531	72
7100151532	68
7100151882	72
7100159044	101
7100166525	26
7100166994	98
7100168938	98
7100169949	39
7100169950	39
7100169959	39
7100169962	39
7100171627	94
7100171629	96
7100173790	45
7100173795	44
7100175138	29
7100175139	29
7100175140	29

Product ID	Page
7100175196	26
7100175521	44
7100176347	29
7100176348	29
7100176374	29
7100176465	95
7100176940	94
7100179815	45
7100181358	96
7100181787	101
7100181788	95
7100182225	84
7100182231	79
7100182456	80
7100182457	79
7100182482	77
7100182483	77
7100182484	77
7100182485	77
7100182486	77
7100182487	82
7100182488	82
7100182489	79
7100182496	79
7100182499	79
7100182515	80
7100182517	80
7100182533	79
7100182554	82
7100182555	83
7100182579	34
7100182588	82
7100182594	80
7100182599	79
7100182601	78
7100182637	34
7100182820	79
7100187013	40
7100187014	40
7100187015	40
7100187016	40
7100187017	40
7100190717	40
7100190718	40
7100190719	40
7100190720	40
7100190721	40
7100190722	40
7100190723	40
7100190724	40
7100190725	40
7100190726	40
7100191877	29
7100192330	29
7100192331	29
7100192332	29
7100192333	29
7100192334	29

Product ID	Page
7100192335	29
7100192336	29
7100192337	30
7100192338	30
7100192339	29
7100192340	29
7100192341	30
7100192704	44
7100192705	44
7100192706	44
7100192707	29
7100192708	29
7100192709	29
7100192710	29
7100192711	29
7100192712	45
7100192733	45
7100192734	45
7100192735	30
7100192736	29
7100192737	30
7100192738	30
7100192739	29
7100193601	84
7100196538	24
7100196539	24
7100196540	23
7100196789	24
7100196790	24
7100196791	24
7100196792	24
7100196793	24
7100196794	24
7100196797	24
7100196798	24
7100196799	24
7100196800	24
7100196812	24
7100196813	24
7100196815	24
7100196816	23
7100196817	24
7100196818	23
7100196819	24
7100196820	24
7100196821	24
7100197061	24
7100197431	24
7100200101	31
7100200718	32
7100200772	32
7100200773	32
7100200774	32
7100200775	32
7100201780	102
7100204458	27
7100204459	27
7100204460	27



Product Index

Product ID	Page
7100204463	27
7100206144	27
7100206145	27
7100209414	82
7100209618	82
7100211074	38
7100211890	101
7100214038	58
7100214085	58
7100214087	58
7100214088	58
7100214089	58
7100218922	98
7100218932	95
7100218933	95
7100218934	95
7100218935	95
7100218936	96
7100218937	95
7100218938	95
7100218939	95
7100218940	95
7100218941	95
7100218942	95
7100218943	91
7100218945	93
7100218946	102
7100218947	101
7100218948	91
7100218950	94
7100218951	97
7100218952	97
7100218953	94
7100218954	94
7100218955	94
7100218956	98
7100218957	98
7100218959	95
7100218960	98
7100218961	98
7100218962	93
7100218963	101
7100218964	93
7100218965	93
7100218966	93
7100218967	92
7100218968	92
7100218969	92
7100218970	102
7100218971	95
7100218972	92
7100218973	91
7100218974	98
7100218975	93
7100218976	93
7100218977	92
7100218978	91

Product ID	Page
7100218979	101
7100218980	93
7100218981	92
7100218982	91
7100218983	98
7100218984	94
7100218985	93
7100218986	101
7100218988	91
7100218990	91
7100218991	92
7100218992	99
7100218993	94
7100218994	101
7100218996	91
7100218999	92
7100219000	92
7100219001	94
7100219002	97
7100219003	102
7100219004	96
7100219005	92
7100219006	101
7100219007	94
7100219008	91
7100219009	97
7100219010	102
7100219011	92
7100219013	95
7100219014	91
7100219015	101
7100219016	92
7100219017	92
7100219018	101
7100219020	98
7100219021	92
7100219022	92
7100219023	95
7100219024	92
7100219025	92
7100219026	101
7100219027	102
7100219028	95
7100219029	97
7100219030	95
7100219033	96
7100219034	101
7100219035	97
7100219036	95
7100219037	95
7100219038	95
7100219040	94
7100219041	94
7100219042	101
7100219043	95
7100219044	102
7100219045	95
7100219046	95

Product ID	Page
7100219047	102
7100219048	102
7100219049	95
7100219050	95
7100219051	95
7100219052	96
7100219053	95
7100219054	95
7100219055	95
7100219056	95
7100219057	95
7100219058	94
7100219059	92
7100219060	97
7100219061	97
7100219062	99
7100219064	99
7100219066	97
7100219067	97
7100219068	94
7100219071	95
7100219073	97
7100219074	99
7100219145	97
7100219146	94
7100222628	38
7100222629	38
7100222630	38
7100222757	38
7100226878	40
7100226879	40
7100226884	40
7100226885	40
7100226886	40
7100226887	40
7100226888	40
7100226890	40
7100226891	40
7100226892	40
7100233438	33
7100233439	31
7100233440	31
7100233441	31
7100233442	30
7100233604	33
7100233605	31
7100233606	32
7100233607	32
7100233608	31
7100233609	31
7100233610	31
7100233611	30
7100233614	33
7100233623	31
7100233774	31
7100233775	31
7100233776	31
7100233777	31

Product ID	Page
7100233778	30
7100233779	32
7100233780	31
7100233781	31
7100233782	31
7100233783	33
7100233793	31
7100233794	32
7100233795	31
7100233796	31
7100233797	32
7100233799	33
7100233800	33
7100233801	33
7100233803	31
7100233804	32
7100233805	31
7100233806	31
7100233807	30
7100233808	32
7100233809	32
7100233810	31
7100233811	32
7100233812	31
7100233813	31
7100233814	31
7100233816	32
7100233817	33
7100233818	33
7100233819	33
7100234021	31
7100234022	31
7100234024	31
7100234044	31
7100234045	31
7100234046	33
7100234047	31
7100234048	31
7100236019	102
7100239219	23
7100239223	24
7100239224	24
7100240279	24
7100242134	106
7100242873	102
7100242885	18
7100242886	18
7100242965	18
7100242966	18
7100242967	18
7100244497	40
7100244890	40
7100244891	40
7100244892	40
7100245353	40
7100246096	18
7100246422	25
7100246524	25

Product Index

Product ID	Page
7100246525	26
7100246533	25
7100246534	25
7100246535	25
7100247565	93
7100248337	25
7100248339	25
7100249319	27
7100249320	27
7100249321	27
7100249322	27
7100249427	27
7100249431	27
7100249443	27
7100249473	27
7100249665	117
7100249666	117
7100249667	117
7100249668	117
7100249781	53
7100250109	53
7100250113	53
7100250114	52
7100250115	52
7100250116	52
7100250117	52
7100250118	52
7100250119	52
7100250120	52
7100250475	53
7100250476	53
7100250477	53
7100250478	53
7100250479	53
7100250480	53
7100250481	53
7100251153	53
7100251156	53
7100251161	53
7100251162	53
7100251163	53
7100251165	52
7100251166	53
7100251167	52
7100251168	52
7100251169	53
7100251170	52
7100251171	52
7100251172	52
7100251173	52
7100251177	52
7100251178	52
7100251179	53
7100251180	53
7100251181	53
7100251183	53
7100251184	52
7100251185	52

Product ID	Page
7100251187	53
7100251188	53
7100251189	52
7100251190	52
7100251191	52
7100251194	53
7100251195	53
7100251196	52
7100251200	53
7100251201	53
7100251204	52
7100251205	52
7100251206	52
7100251949	53
7100251950	52
7100251951	52
7100251952	52
7100254164	101
7100254165	101
7100254166	101
7100254484	52
7100254485	52
7100254493	53
7100254496	53
7100254713	51
7100254714	51
7100254715	51
7100254723	52
7100254724	52
7100254725	51
7100254754	51
7100255864	102
7100256317	64
7100256328	64
7100256410	63
7100256411	62
7100256412	64
7100256507	63
7100256508	63
7100256509	63
7100256513	63
7100256514	63
7100256515	63
7100256516	63
7100256517	63
7100256518	63
7100256519	63
7100256520	63
7100256521	63
7100256522	63
7100258651	117
7100258652	117
7100258707	114
7100258787	117
7100258799	114
7100258800	117
7100258801	114
7100258878	117

Product ID	Page
7100258879	116
7100258882	117
7100258883	117
7100258884	114
7100258885	114
7100258886	114
7100258887	114
7100259232	114
7100259732	118
7100260424	118
7100261355	76
7100261361	76
7100261362	76
7100261366	76
7100263525	115
7100263528	115
7100263530	115
7100263533	115
7100263534	115
7100263546	115
7100263547	115
7100263549	115
7100263554	115
7100263555	115
7100263558	115
7100263559	115
7100263628	18
7100263629	18
7100264068	114
7100264069	114
7100264070	115
7100264073	114
7100264077	114
7100264078	115
7100264079	114
7100264089	50
7100264090	49
7100264091	49
7100264092	49
7100264138	51
7100264139	50
7100264141	50
7100264142	51
7100264150	49
7100264151	51
7100264152	50
7100264156	51
7100264159	50
7100264161	50
7100264163	50
7100264164	49
7100264165	49
7100264166	51
7100264167	50
7100264168	50
7100264169	49
7100264170	49
7100264171	50

Product ID	Page
7100264172	49
7100264173	51
7100264174	50
7100264193	50
7100264194	51
7100264195	50
7100264196	50
7100264197	49
7100264198	50
7100264199	51
7100264203	49
7100264204	50
7100264239	114
7100264427	49
7100264428	50
7100264429	51
7100264438	50
7100266289	100
7100266290	100
7100266291	100
7100266292	100
7100270476	108
7100270872	50
7100271028	49
7100271030	50
7100272016	50
7100272236	49
7100272237	51
7100273463	108
7100273845	108
7100273863	108
7100274222	36
7100274223	37
7100274224	37
7100274225	36
7100274226	36
7100274227	35
7100274228	37
7100274229	37
7100274270	36
7100274271	37
7100274272	36
7100274273	35
7100274274	36
7100274275	35
7100274277	37
7100274279	35
7100274660	35
7100274661	36
7100274662	37
7100274663	36
7100274664	36
7100274665	36
7100274666	37
7100274667	36
7100274668	37
7100274669	36
7100274670	36

Product Index

Product ID	Page
7100274671	37
7100274704	37
7100274705	35
7100274706	36
7100275253	37
7100275255	36
7100275256	36
7100275258	37
7100275259	36
7100275260	36
7100275261	35
7100275836	36
7100275837	36
7100275838	37
7100275844	37
7100275845	37
7100275899	36
7100276268	36
7100278221	64
7100278691	108
7100281321	117
7100281561	117
7100288455	78
7100288456	78
7100288457	78
7100288524	83
7100288556	78
7100288566	83
7100289436	117
7100289510	117
7100290077	77
7100290078	77
7100290079	77
7100290080	77
7100290081	77
7100290082	77
7100290083	77
7100290084	77
7100290085	76
7100290086	76
7100290087	76
7100290088	76
7100290089	76
7100290090	76
7100290091	76
7100290093	76
7100296134	118
7100296135	118
7100303829	61
7100303830	61
7100303831	61
7100303832	61
7100303861	62
7100303963	60
7100303971	59
7100303972	59
7100303973	59
7100303974	59

Product ID	Page
7100303975	59
7100303979	60
7100303980	60
7100303981	60
7100303982	60
7100303983	60
7100303993	61
7100303994	61
7100303995	61
7100303996	61
7100303997	61
7100303998	61
7100303999	61
7100304000	62
7100304003	62
7100304056	61
7100304120	61
7100304121	62
7100304123	62
7100304124	62
7100304127	61
7100304304	61
7100304305	61
7100304306	61
7100305148	58
7100305445	58
7100305446	58
7100305447	58
7100305448	58
7100305449	59
7100305450	59
7100305453	60
7100312955	60



© 3M 2023. All rights reserved.