



3M EMEA

# Product catalogue 2024

Abrasive Systems

Valid from 01.04.2024

The information in this catalogue is current at the date of publication. Products availability may be amended by 3M from time to time. 3M is not liable in case of any errors or omissions.



# ■ Table of Contents

## Discs

Fibre Grinding Discs	18
Flap Discs	24
Net Discs	27
Film Discs	30
Cloth Discs	34
Paper Discs	38
Non-woven Discs	40
Quick Change Discs	49

## Wheels

Cut-off & Grinding Wheels	60
Deburring & Finishing Wheels	67

## Brushes

Bristle Brushes & Discs	74
Flap Brushes	80

## Sheets & Rolls

Non-woven Sheets & Rolls	84
--------------------------	----

## Handheld Abrasives

Hand Pads	88
-----------	----

## Belts

Cloth belts	95
Non-woven Belts	107

# ■ Table of Contents

## **Abrasive Tools & Accessories**

Holders & Back-up Pads	112
Power Sanders	119
Power Grinders	124
Dust Extraction Systems	125



# 3M™ Abrasive technologies



**Cubitron™ 3**  
Performance Abrasives



# A new era of abrasive performance is here.

Introducing 3M re-engineered Precision-Shaped Grain, boosting the speed and life of 3M™ Cubitron™ Performance Abrasives to new heights. This advancement prioritises operator safety, maximises sustainability, and amplifies time and labour efficiency.

3M™ Cubitron™ 3 Fibre Disc 1182C, 36+

Up to

# 60%

- **Faster sustained cut rate**
- **More total material removed**

vs. 3M™ Cubitron™ II Fibre Disc 982C, 36+



## Enhanced mineral orientation

## Re-shaping the way work gets done.

**3M** | **Cubitron™ 3**  
Performance Abrasives

### Our latest 3M Precision-Shaped Grain




Re-engineered precision-shaped ceramic triangular grain using a proprietary breakthrough in grain shape. This helps increase productivity and lower overall grinding costs.

### 3M Precision-Shaped Grain

3M pioneered the first precision-shaped grain using 3M microreplication technology to form consistent sharp peaks that easily “slice” through metal—cutting cooler, faster, and lasting longer than conventional abrasive grain.

### Conventional ceramic abrasive

Conventional ceramic abrasive grain tends to “plough” through metal, causing heat to build up in the workpiece and abrasive, resulting in a slower cut and shorter abrasive life compared to our latest precision-shaped grain.





# 3M™ Abrasive technologies



## Cubitron™ 3

Performance Abrasives

# Transforming work for over 40 years with pioneering abrasive grain technology.

For over 40 years, 3M™ Cubitron™ Performance Abrasives have always delivered maximum productivity, but now the best have gotten even better! Introducing 3M™ Cubitron™ 3 Performance Abrasives - the next generation of awesome.

Our new product line uses groundbreaking advancements in precision-shaped grain to deliver 3X the performance in life and cut rate than ever before\*. Discover the difference with 3M™ Cubitron™ 3 Performance Abrasives and experience improvements in all areas of your shop through productivity, worker safety and sustainability.

Our portable bonded wheels have evolved.



Productivity



Worker Safety



Sustainability



**CUBITRON™ II**  
Industrial Abrasives



**Cubitron™ 3**  
Performance Abrasives

Launched in 2012, this was the first range of portable bonded wheels using 3M's precision-shaped triangular grain abrasives.

**This range will now be replaced by our latest and best offering.**



Significantly raising the benchmark for cut rate and product life in heavy grinding and cutting applications.

We've re-engineered precision-shaped ceramic triangular grain using proprietary breakthroughs in molecular bonding technology.



\*Vs 3M™ Cubitron™ II


# 3M™ Abrasive technologies







# 3M™ Abrasive technologies




*The science of smooth*

Scotch-Brite™ line of surface conditioning abrasives includes a variety of non-woven synthetic fibre webs suitable for a wide range of applications. Are well-suited for cleaning, blending, deburring, finishing and polishing, and improve surfaces without significantly changing the shape or dimension of the workpiece. Scotch-Brite abrasives run cool, and resist loading due to their open web construction, reducing the risk of part discolouration and warping.

## Scotch-Brite™ Non-woven technology. Prepared for perfection.

A tough, non-woven nylon web impregnated with resin and mineral throughout its structure

- ▶ Spring-like action produces smooth, burr-free surface
- ▶ Easy to use, less rework, fewer rejects






3M™ Abrasive technologies

Trizact™



## 3M™ Abrasive technologies

# Trizact™



*The science of finishing*

Micro and macro-replicated abrasives. Using another proprietary technology, Trizact™ abrasives derive from 3M's vast experience in the art of microreplication. Unlike conventional abrasives, which are constructed from randomly spaced and irregular-shaped minerals, the uniform configuration of Trizact abrasives helps deliver a more consistent finish with higher cut rates, and cooler grinding and finishing temperatures. The fast, fine, consistent finishes made possible with Trizact abrasives help reduce reject rates and improve worker productivity.

### The science of consistent finishes

Derived from patented 3M microreplication technology, 3M™ Trizact™ Abrasives consist of precisely-shaped three-dimensional structures distributed uniformly over the substrate.

- ▶ Uniform configuration for consistent performance
- ▶ Faster cut
- ▶ Multi-layer mineral

Conventional abrasives start out sharp, but dull quickly.



The three-dimensional structures of 3M™ Trizact™ Abrasives contain multiple layers of mineral. As these structures wear, fresh, sharp mineral is constantly exposed to the workpiece, resulting in faster, more consistent cutting throughout the life of the belt.








Discs



# Cubitron™ 3

Performance Abrasives



## Produce more. With less.

### 3M™ Cubitron™ 3 Fibre Discs

Breakthroughs in technology that are redefining the limits of cut rate and total stock removal, with a focus on prioritising productivity, safety, sustainability, and optimising automation.



3M™ Cubitron™ 3 Fibre Discs 1182C, 36+ and 1187C, 36+



# 3M™ Cubitron™ 3 Fibre Disc 1182C, 36+

## Faster cut rate


Long lasting and faster cutting fibre discs help increase productivity and your bottom line

## Total material removed

Fewer changeouts needed and less downtime

## Less operator fatigue

Designed to cut with less pressure



More parts per disc




Faster throughput



Cool cutting


## Carbon steel grinding

Up to  
**26%**  
Faster initial cut rate\*




Carbon Steel: the 'initial cut rate' claim is determined from averaging the cut/cycle from cycles 1-2 (first two minutes of grinding). Each cycle on the test method is 1 minute of grinding time. Error bars represent the results with a 95% confidence level.

Up to  
**36%**  
Faster sustained cut rate\*



Carbon Steel: the 'sustained cut rate' claim is determined from averaging the cut/cycle from cycles 7-20 (which is 14 minutes of grinding). Error bars represent the results with a 95% confidence level.

Up to  
**34%**  
More total material removed\*



Carbon Steel: the 'total material removed' claim is determined by averaging the amount of metal ground over the entire test method (30 cycles or 30 minutes of grinding). Error bars represent the results with a 95% confidence level.

\*Compared to Competitive Shaped Grain Product A. Results are based on an automated, 30-minute, high pressure test on 1018 steel using 180mm 36+ grit fibre discs and 3M™ Disc Pad Face Plate Ribbed 80514 on a servo motor.

# 3M™ Cubitron™ 3 Fibre Disc 1187C, 36+

## Faster cut rate

Long lasting and faster cutting fibre discs help increase productivity and your bottom line

## Total material removed

Fewer changeouts needed and less downtime

## Less operator fatigue

Designed to cut with less pressure

## Grinding aid

Reduces the risk of discoloration from thermal damage in heat sensitive metals



More parts per disc




Faster throughput



Cool cutting


## Stainless steel grinding

Up to  
**43%**  
Faster initial cut rate\*




Stainless Steel: the 'initial cut rate' claim is determined from averaging the cut/cycle from cycles 1-2 (first two minutes of grinding). Each cycle on the test method is 1 minute of grinding time. Error bars represent the results with a 95% confidence level.

Up to  
**61%**  
Faster sustained cut rate\*



Stainless Steel: the 'sustained cut rate' claim is determined from averaging the cut/cycle from cycles 3-6 (which is 4 minutes of grinding). Error bars represent the results with a 95% confidence level.

Up to  
**52%**  
More total material removed\*



Stainless Steel: the 'total material removed' claim is determined by averaging the amount of metal ground over the entire test method (10 cycles or 10 minutes of grinding). Error bars represent the results with a 95% confidence level.

\*Compared to Competitive Shaped Grain Product A. Results are based on an automated, 10-minute, high pressure test on 304 steel using 180mm 36+ grit fibre discs and 3M™ Disc Pad Face Plate Ribbed 80514 on a servo motor.





**Xtract**<sup>™</sup>  
Clean Sanding

**Go for  
performance.  
Leave the dust  
behind.**

**3M Xtract<sup>™</sup> Cubitron<sup>™</sup> II  
Net Disc 710W**

**The first high-performance sanding  
system from 3M.**



**3M Xtract<sup>™</sup> Cubitron<sup>™</sup> II  
Net Disc 710W**

Premium patterned product

- Unique hole pattern
- Up to 97% dust extraction
- Industry-leading cut-rate
- Designed to require less pressure



## Fibre Grinding Discs

### Focus

### 3M™ Cubitron™ 3 Fibre Disc 1182C

The 3M™ Cubitron™ 3 Fibre Disc 1182C features re-engineered 3M Precision Shaped Grain — taking the legendary speed and life of 3M™ Cubitron™ Performance Abrasives to a whole new level. These product benefits include allowing for increased productivity and lower overall grinding costs vs. other fiber discs and depressed center grinding wheels when grinding mild or carbon steels. Delivering up to 60% more total material removed compared to the 3M™ Cubitron™ II Fibre Disc 982C, 36+, this long-lasting fibre disc has a fast cut rate with high stock removal across a wide range of application pressures. Additionally, this disc is designed to help reduce exposure to hand-arm vibration, increase throughput, and complete more parts-per-disc when tackling medium to high-pressure grinding applications.



- **RE-ENGINEERED 3M PRECISION-SHAPED GRAIN:** Uses Re-Engineered Precision Shaped Grain, a proprietary technology designed with sharp, angular structures that continuously fracture to form sharp points to wear evenly, run cool, and optimize mineral breakdown
- **A WHOLE NEW CUT LEVEL:** Delivers up to 51% faster initial cut rate and up to 61% faster sustained cut rate compared to the 3M™ Cubitron™ II Fibre Disc 982C, 36+
- **BUILT TOUGH:** A stiff fiber backing and strong resin bond provide durability and tear resistance for heavy grinding applications, such as medium to high-pressure grinding, weld removal, and beveling — including robotic operations

Product ID	Product	MOQ	Order Unit
7100309905	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 100 mm x 16 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100309799	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 114 mm x 22 mm, Die 450E, 25/Bag, 100 ea/Case	100	Each
7100308530	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 115 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100308531	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 125 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100309793	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 127 mm x 22 mm, Die 500P, 25/Bag, 100 ea/Case	100	Each
7100309790	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 150 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100309904	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 177.8 mm x 22.23 mm, 25/Bag, 100 ea/Case	100	Each
7100309794	3M™ Cubitron™ 3 Fibre Disc 1182C, 36+, 180 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each

## 3M™ Cubitron™ 3 Fibre Disc 1187C

3M™ Cubitron™ 3 Fibre Disc 1187C offers significant gains in productivity on medium to heavy-duty operations thanks to the exceptionally high-performing 3M new Precision-Shaped Grain combined with a stiff fiber backing. This disc achieves a higher cut-rate, greater durability, and longer life than other fiber discs — all with less grinding pressure.



- **RE-ENGINEERED 3M PRECISION-SHAPED GRAIN:** Uses Re-Engineered Precision Shaped Grain, a proprietary technology designed with sharp, angular structures that continuously fracture to form sharp points to wear evenly, run cool, and optimize mineral breakdown
- **A WHOLE NEW CUT LEVEL:** Delivers up to 53% faster initial cut rate and up to 43% faster sustained cut rate compared to the 3M™ Cubitron™ II Fibre Disc 987C, 36+
- **COOL CUTTING:** Features a grinding aid and requires less pressure to use, enabling predictable wear while helping to reduce metal discoloration and the risk of stress cracks on heat-sensitive alloys, such as stainless steel, and non-ferrous metals

Product ID	Product	MOQ	Order Unit
7100309798	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 100 mm x 16 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100309788	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 114 mm x 22 mm, Die 450E, 25/Bag, 100 ea/Case	100	Each
7100309789	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 115 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100310794	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 125 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100308532	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 127 mm x 22 mm, Die 500P, 25/Bag, 100 ea/Case	100	Each
7100309787	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 150 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each
7100309906	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 178 mm x 22 mm, Die 700BB, 25/Bag, 100 ea/Case	100	Each
7100309795	3M™ Cubitron™ 3 Fibre Disc 1187C, 36+, 180 mm x 22 mm, Slotted, 25/Bag, 100 ea/Case	100	Each

# Discs

## 3M™ Cubitron™ II Fibre Disc 982C

3M™ Cubitron™ II Fibre Disc 982C outperforms conventional ceramic industrial abrasive discs. Our discs feature 3M Precision Shaped Grain technology, offering up to twice the cut rate, durability and lifespan of conventional discs with less grinding pressure required.



- 3M Precision Shaped Grain technology cuts exceptionally fast with less pressure, outperforming all conventional ceramic industrial abrasive discs
- Lasts up to twice as long as conventional discs
- Get significantly longer disc life, completing more parts per disc with fewer disc changes required

Product ID	Product	MOQ	Order Unit
7000000402	3M™ Cubitron™ II Fibre Disc 982C, 100 mm x 16 mm, 36+	100	Each
7000000403	3M™ Cubitron™ II Fibre Disc 982C, 100 mm x 16 mm, 60+	100	Each
7000000404	3M™ Cubitron™ II Fibre Disc 982C, 100 mm x 16 mm, 80+	100	Each
7000028192	3M™ Cubitron™ II Fibre Disc 982C, 115 mm x 22 mm, 36+, Slotted	100	Each
7000028194	3M™ Cubitron™ II Fibre Disc 982C, 115 mm x 22 mm, 60+, Slotted	100	Each
7000028196	3M™ Cubitron™ II Fibre Disc 982C, 115 mm x 22 mm, 80+, Slotted	100	Each
7000000392	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 36+	100	Each
7000028191	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100142581	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 36+, Slotted	20	Kit
7000028195	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 60+, Slotted	100	Each
7000028197	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 80+, Slotted	100	Each
7100142572	3M™ Cubitron™ II Fibre Disc 982C, 125 mm x 22 mm, 80+, Slotted	10	Kit
7000045230	3M™ Cubitron™ II Fibre Disc 982C, 150 mm x 22 mm, 36+, Slotted	100	Each
7000045234	3M™ Cubitron™ II Fibre Disc 982C, 150 mm x 22 mm, 60+	100	Each
7000028198	3M™ Cubitron™ II Fibre Disc 982C, 177 mm x 22 mm, 60+	100	Each
7000028201	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 36+, Slotted	100	Each
7000000393	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 36+, Slotted	100	Each
7000028203	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 60+, Slotted	100	Each
7000028204	3M™ Cubitron™ II Fibre Disc 982C, 178 mm x 22 mm, 80+, Slotted	100	Each
7000045132	3M™ Cubitron™ II Fibre Disc 982C, 230 mm x 22 mm, 36+	25	Each
7000144562	3M™ Cubitron™ II Fibre Disc 982C, 230 mm x 22 mm, 36+, Slotted	100	Each



## 3M™ Cubitron™ II Fibre Disc 987C

3M™ Cubitron™ II Fibre Disc 987C gives a higher cut rate, greater durability and longer life than other fibre discs and grinding discs. Our discs use 3M Precision Shaped Grain combined with a stiff fibre backing for increased productivity on medium to heavy duty operations.



- Engineered to cut faster and last longer than competitive ceramic products
- Stiff fibre backing and strong resin bond provide durability and tear resistance during heavyweight applications
- Contains 3M Precision Shaped Grain which runs significantly cooler and longer than rival products, completing more parts per disc for less disc changes

Product ID	Product	MOQ	Order Unit
7000000405	3M™ Cubitron™ II Fibre Disc 987C, 100mm x 16mm, 36+	100	Each
7000000406	3M™ Cubitron™ II Fibre Disc 987C, 100mm x 16mm, 60+	100	Each
7000000407	3M™ Cubitron™ II Fibre Disc 987C, 100mm x 16mm, 80+	100	Each
7100149169	3M™ Cubitron™ II Fibre Disc 987C, 115 mm , 36+	100	Each
7100149527	3M™ Cubitron™ II Fibre Disc 987C, 115 mm , 60+	100	Each
7100149538	3M™ Cubitron™ II Fibre Disc 987C, 115 mm , 80+	100	Each
7000045159	3M™ Cubitron™ II Fibre Disc 987C, 115 mm x 22 mm, 36+, Slotted	100	Each
7000045160	3M™ Cubitron™ II Fibre Disc 987C, 115 mm x 22 mm, 60+, Slotted	100	Each
7000045161	3M™ Cubitron™ II Fibre Disc 987C, 115 mm x 22 mm, 80+, Slotted	100	Each
7100068024	3M™ Cubitron™ II Fibre Disc 987C, 115 mm, 60+	25	Each
7100149536	3M™ Cubitron™ II Fibre Disc 987C, 125 mm , 60+	100	Each
7100149797	3M™ Cubitron™ II Fibre Disc 987C, 125 mm , 80+	100	Each
7000028193	3M™ Cubitron™ II Fibre Disc 987C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100149176	3M™ Cubitron™ II Fibre Disc 987C, 125 mm, 36+	100	Each
7000028199	3M™ Cubitron™ II Fibre Disc 987C, 125mm x 22mm, 60+, Slotted	100	Each
7000028200	3M™ Cubitron™ II Fibre Disc 987C, 125mm x 22mm, 80+, Slotted	100	Each
7000045188	3M™ Cubitron™ II Fibre Disc 987C, 178 mm x 22 mm, 36+, Slotted	100	Each
7000045186	3M™ Cubitron™ II Fibre Disc 987C, 178 mm x 22 mm, 60+, Slotted	100	Each
7000045187	3M™ Cubitron™ II Fibre Disc 987C, 178 mm x 22 mm, 80+, Slotted	100	Each
7010308138	3M™ Cubitron™ II Fibre Disc 987C, TN Quick Change, 7 in, 60+, 25 per inner, 100, per case	100	Each

# Discs

## 3M™ Fibre Disc 782C

3M™ Fibre Disc 782C is a fibre disc engineered for an ultra-rapid cut on carbon steel. These discs feature our advanced abrasive technology, 3M Precision Shaped Grain. Their stiff fibre backing and strong resin bond provides durability and tear resistance.



These discs are compatible with 3M disc pad face plates and hubs (sold separately).

- Cuts carbon steel rapidly
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100099264	3M™ Fibre Disc 782C, 100 mm x 16 mm, 36+, Slotted	100	Each
7100099249	3M™ Fibre Disc 782C, 100 mm x 16 mm, 60+, Slotted	100	Each
7100099092	3M™ Fibre Disc 782C, 100 mm x 16 mm, 80+, Slotted	100	Each
7100099545	3M™ Fibre Disc 782C, 115 mm x 22 mm, 36+, Slotted	100	Each
7100099250	3M™ Fibre Disc 782C, 115 mm x 22 mm, 60+, Slotted	100	Each
7100099093	3M™ Fibre Disc 782C, 115 mm x 22 mm, 80+, Slotted	100	Each
7100099576	3M™ Fibre Disc 782C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100099094	3M™ Fibre Disc 782C, 125 mm x 22 mm, 60+, Slotted	100	Each
7100099095	3M™ Fibre Disc 782C, 125 mm x 22 mm, 80+, Slotted	100	Each
7100099284	3M™ Fibre Disc 782C, 180 mm x 22 mm, 36+, Slotted	100	Each
7100099091	3M™ Fibre Disc 782C, 180 mm x 22 mm, 60+, Slotted	100	Each
7100099237	3M™ Fibre Disc 782C, 180 mm x 22 mm, 80+, Slotted	100	Each

## 3M™ Fibre Disc 787C

3M™ Fibre Disc 787C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear resistance. They're constructed with a grinding aid and are engineered for ultra-rapid cut.



- Cuts hard and fast to grind metals like stainless steel and high nickel alloys
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100099238	3M™ Fibre Disc 787C, 100 mm x 16 mm, 36+, Slotted	100	Each
7100099258	3M™ Fibre Disc 787C, 100 mm x 16 mm, 60+, Slotted	100	Each
7100099252	3M™ Fibre Disc 787C, 100 mm x 16 mm, 80+, Slotted	100	Each
7100099241	3M™ Fibre Disc 787C, 100 mm x 16 mm, 120+, Slotted	100	Each
7100099787	3M™ Fibre Disc 787C, 115 mm x 22 mm, 36+, Slotted	100	Each
7100099260	3M™ Fibre Disc 787C, 115 mm x 22 mm, 60+, Slotted	100	Each
7100099254	3M™ Fibre Disc 787C, 115 mm x 22 mm, 80+, Slotted	100	Each
7100099791	3M™ Fibre Disc 787C, 115 mm x 22 mm, 120+, Slotted	100	Each
7100099788	3M™ Fibre Disc 787C, 125 mm x 22 mm, 36+, Slotted	100	Each
7100099245	3M™ Fibre Disc 787C, 125 mm x 22 mm, 60+, Slotted	100	Each
7100099256	3M™ Fibre Disc 787C, 125 mm x 22 mm, 80+, Slotted	100	Each
7100099546	3M™ Fibre Disc 787C, 125 mm x 22 mm, 120+, Slotted	100	Each
7100099257	3M™ Fibre Disc 787C, 180 mm x 22 mm, 36+, Slotted	100	Each
7100099247	3M™ Fibre Disc 787C, 180 mm x 22 mm, 60+, Slotted	100	Each
7100099240	3M™ Fibre Disc 787C, 180 mm x 22 mm, 80+, Slotted	100	Each
7100099243	3M™ Fibre Disc 787C, 180 mm x 22 mm, 120+, Slotted	100	Each

## Flap Discs

### 3M™ Cubitron™ II Flap Disc 969F

3M™ Cubitron™ II Flap Disc 969F is made with layers of abrasive material. Our flap discs are unique in design and feature a fast cutting abrasive material on flaps of tough polyester cloth. These discs come with a grinding aid and semi-flexible, Y-weight, backing gives each flap excellent strength.



- Abrasive flap design provides a soft and smooth cut on rounded or irregular surfaces
- Flaps wear down to expose fresh abrasive mineral, assuring a fast and consistent cut
- Cubitron™ II abrasive cuts exceptionally fast, helping increase productivity

Product ID	Product	MOQ	Order Unit
7100105847	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 40+, Conical	10	Each
7100105859	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 40+, Flat	10	Each
7100105848	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 60+, Conical	10	Each
7100105860	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 60+, Flat	10	Each
7100105849	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 80+, Conical	10	Each
7100105861	3M™ Cubitron™ II Flap Disc 969F, 115 mm, 80+, Flat	10	Each
7100105850	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 40+, Conical	10	Each
7100105862	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 40+, Flat	10	Each
7100105851	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 60+, Conical	10	Each
7100105863	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 60+, Flat	10	Each
7100105852	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 80+, Conical	10	Each
7100105864	3M™ Cubitron™ II Flap Disc 969F, 125 mm, 80+, Flat	10	Each
7100105853	3M™ Cubitron™ II Flap Disc 969F, 150 mm, 40+, Conical	15	Each
7100105854	3M™ Cubitron™ II Flap Disc 969F, 150 mm, 60+, Conical	15	Each
7100105855	3M™ Cubitron™ II Flap Disc 969F, 150 mm, 80+, Conical	15	Each
7100105856	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 40+, Conical	10	Each
7100105865	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 40+, Flat	10	Each
7100105857	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 60+, Conical	10	Each
7100105866	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 60+, Flat	10	Each
7100105858	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 80+, Conical	10	Each
7100105867	3M™ Cubitron™ II Flap Disc 969F, 178 mm, 80+, Flat	10	Each



## 3M™ Cubitron™ II Flap Disc 967A

3M™ Cubitron™ II Flap Disc 967A delivers superior cut rates in low to medium-high pressure applications. Our discs are ideal for flat surfaces or outside edgework, especially where final finish and gouge resistance are important.



- Engineered to cut faster and last longer than competitive ceramic products with 3M Precision Shaped Grain
- Cool operating temperature decreases metal discolouration/oxidation and heat related stress cracks
- Flap discs grind and blend in a single step meaning they can replace bonded wheels and fibre discs

Product ID	Product	MOQ	Order Unit
7000104357	3M™ Cubitron™ II Flap Disc 967A, 100 mm, Conical, G40, PN65049	700	Each
7000104368	3M™ Cubitron™ II Flap Disc 967A, 100 mm, G40, PN65063	700	Each
7000104359	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 40+, Conical	10	Each
7000104371	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 40+, Flat	10	Each
7000104360	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 60+, Conical	10	Each
7000104372	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 60+, Flat	10	Each
7000104361	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 80+, Conical	10	Each
7000104373	3M™ Cubitron™ II Flap Disc 967A, 115 mm, 80+, Flat	10	Each
7100011310	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 40+, Conical	10	Each
7000104374	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 40+, Flat	10	Each
7100011144	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 60+, Conical	10	Each
7000104375	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 60+, Flat	10	Each
7100011569	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 80+, Conical	10	Each
7000104376	3M™ Cubitron™ II Flap Disc 967A, 125 mm, 80+, Flat	10	Each
7100026188	3M™ Cubitron™ II Flap Disc 967A, 150 mm, 40+, Conical	15	Each
7100026189	3M™ Cubitron™ II Flap Disc 967A, 150 mm, 60+, Conical	15	Each
7100025343	3M™ Cubitron™ II Flap Disc 967A, 150 mm, 80+, Conical	15	Each
7000104365	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 40+, Conical	10	Each
7000104377	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 40+, Flat	10	Each
7000104366	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 60+, Conical	10	Each
7000104378	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 60+, Flat	10	Each
7000104367	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 80+, Conical	10	Each
7000104379	3M™ Cubitron™ II Flap Disc 967A, 178 mm, 80+, Flat	10	Each

## 3M™ Flap Disc 769F

3M™ Flap Disc 769F is our long-lasting, high-performance abrasive flap disc featuring 3M™ Precision-Shaped Grain and a durable polyester backing.



- Delivers long-lasting high-performance and versatility
- Cuts faster and lasts longer than conventional abrasive grain thanks to 3M™ Precision-Shaped Grain
- Proven to outperform traditional alumina zirconia flap discs

Product ID	Product	MOQ	Order Unit
7100239219	3M™ Flap Disc 769F, 40+, Y-weight, T29, 150 mm x 22.23 mm	20	Each
7100196818	3M™ Flap Disc 769F, 115 mm, 40+, Conical	10	Each
7100196540	3M™ Flap Disc 769F, 115 mm, 40+, Flat	10	Each
7100196816	3M™ Flap Disc 769F, 115 mm, 60+, Conical	10	Each
7100196817	3M™ Flap Disc 769F, 115 mm, 60+, Flat	10	Each
7100196789	3M™ Flap Disc 769F, 115 mm, 80+, Conical	10	Each
7100196820	3M™ Flap Disc 769F, 115 mm, 80+, Flat	10	Each
7100196539	3M™ Flap Disc 769F, 115 mm, 120+, Conical	100	Each
7100196819	3M™ Flap Disc 769F, 115 mm, 120+, Flat	10	Each
7100196812	3M™ Flap Disc 769F, 125 mm, 40+, Conical	10	Each
7100196813	3M™ Flap Disc 769F, 125 mm, 40+, Flat	10	Each
7100196797	3M™ Flap Disc 769F, 125 mm, 60+, Conical	10	Each
7100196799	3M™ Flap Disc 769F, 125 mm, 60+, Flat	10	Each
7100196791	3M™ Flap Disc 769F, 125 mm, 80+, Conical	10	Each
7100196790	3M™ Flap Disc 769F, 125 mm, 80+, Flat	10	Each
7100196815	3M™ Flap Disc 769F, 125 mm, 120+, Conical	10	Each
7100196821	3M™ Flap Disc 769F, 125 mm, 120+, Flat	10	Each
7100197061	3M™ Flap Disc 769F, 180 mm, 40+, Conical	5	Each
7100196538	3M™ Flap Disc 769F, 180 mm, 40+, Flat	5	Each
7100196798	3M™ Flap Disc 769F, 180 mm, 60+, Conical	5	Each
7100196800	3M™ Flap Disc 769F, 180 mm, 60+, Flat	5	Each
7100196794	3M™ Flap Disc 769F, 180 mm, 80+, Conical	5	Each
7100197431	3M™ Flap Disc 769F, 180 mm, 80+, Flat	5	Each
7100196793	3M™ Flap Disc 769F, 180 mm, 120+, Conical	5	Each
7100196792	3M™ Flap Disc 769F, 180 mm, 120+, Flat	5	Each
7100239223	3M™ Flap Disc 769F, 28716, 60+ Y-weight, T29, 150 mm x 22.23 mm	20	Each
7100240279	3M™ Flap Disc 769F, 28901, 80+ Y-weight, T29, 150 mm x 22.23 mm	20	Each
7100239224	3M™ Flap Disc 769F, 28919, 120+ Y-weight, T29, 150 mm x 22.23 mm	20	Each

## Net Discs

### 3M Xtract™ Cubitron™ II Net Disc 710W

Dust extraction meets industry-leading cut-rate in 3M Xtract™ Cubitron™ II Net Disc 710W. This premium sanding disc features a unique abrasive pattern on a net backing that allows for virtually dust-free sanding, with legendary 3M™ Precision-Shaped Grain technology. You'll finish more parts per disc with less dust in the environment, boosting productivity without sacrificing worker health.



- Premium net disc allows for virtually dust-free sanding
- 3M™ Precision-Shaped Grain arranged in a unique pattern delivers industry-leading cut-rate and long life
- Part of the 3M Xtract™ Series, the ultimate in dust removal and performance

Product ID	Product	MOQ	Order Unit
7100254713	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 80+	500	Each
7100254714	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 120+	500	Each
7100254715	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 150+	500	Each
7100254754	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 180+	500	Each
7100254725	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 220+	500	Each
7100254723	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 240+	500	Each
7100254724	3M Xtract™ Cubitron™ II Net disc 710W, 34 mm, No hole, 320+	500	Each
7100250115	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 80+	300	Each
7100250114	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 120+	300	Each
7100250120	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 150+	300	Each
7100250119	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 180+	300	Each
7100250118	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 220+	300	Each
7100250117	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 240+	300	Each
7100250116	3M Xtract™ Cubitron™ II Net disc 710W, 75 mm, No hole, 320+	300	Each
7100251170	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 80+	300	Each
7100251171	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 120+	300	Each
7100251172	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 150+	300	Each
7100251173	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 180+	300	Each
7100251950	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 220+	300	Each
7100251167	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 240+	300	Each
7100251165	3M Xtract™ Cubitron™ II Net disc 710W, 125 mm, No hole, 320+	300	Each
7100251206	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 80+	300	Each
7100251205	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 120+	300	Each
7100251204	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 150+	300	Each
7100251177	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 180+	300	Each
7100251178	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 220+	300	Each
7100251951	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 240+	300	Each
7100251168	3M Xtract™ Cubitron™ II Net disc 710W, 150 mm, No hole, 320+	300	Each
7100251196	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 80+	300	Each
7100251189	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 120+	300	Each
7100251190	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 150+	300	Each
7100251191	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 180+	300	Each



## 3M Xtract™ Cubitron™ II Net Disc 710W

Dust extraction meets industry-leading cut-rate in 3M Xtract™ Cubitron™ II Net Disc 710W. This premium sanding disc features a unique abrasive pattern on a net backing that allows for virtually dust-free sanding, with legendary 3M™ Precision-Shaped Grain technology. You'll finish more parts per disc with less dust in the environment, boosting productivity without sacrificing worker health.



- Premium net disc allows for virtually dust-free sanding
- 3M™ Precision-Shaped Grain arranged in a unique pattern delivers industry-leading cut-rate and long life
- Part of the 3M Xtract™ Series, the ultimate in dust removal and performance

Product ID	Product	MOQ	Order Unit
7100251952	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 220+	300	Each
7100251184	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 240+	300	Each
7100251185	3M Xtract™ Cubitron™ II Net disc 710W, 203 mm, No hole, 320+	300	Each
7100254485	3M Xtract™ Cubitron™ II Net disc 710W Multi-pack, 125 mm, No hole, 2×80+ 2×120+ 2×180+ 2×320+	100	Kit
7100254484	3M Xtract™ Cubitron™ II Net disc 710W Multi-pack, 150 mm, No hole, 2×80+ 2×120+ 2×180+ 2×320+	100	Kit

## 3M Xtract™ Net Disc 310W

Strike the balance of dust extraction and abrasive performance with 3M Xtract™ Net Disc 310W. This Advanced Series sanding disc features a net backing that enables virtually dust-free sanding, with fast-cutting, long-lasting 3M™ Precision-Shaped Grain technology. These technologies allow you to boost productivity without sacrificing worker health.



- Advanced Series net disc delivers virtually dust-free sanding at a value price
- Features 3M™ Precision-Shaped Grain mixed with premium aluminum oxide abrasive for a fast cut and long life
- Part of the 3M Xtract™ Series, the ultimate in dust removal and performance

Product ID	Product	MOQ	Order Unit
7100254493	3M Xtract™ Net Disc 310W, 28966, 2×80+, 2×120+, 2×180+, 2×320+, 125 mm x NH, 10 per inner, 100 per case, Job Multi-pack	100	Kit
7100254496	3M Xtract™ Net Disc 310W, 29262, 2×80+, 2×120+, 2×180+, 2×320+, 150 mm x NH, 10 per inner, 100 per case, Job Multi-pack	100	Kit
7100251195	3M Xtract™ Net Disc 310W, 33636, 320, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251194	3M Xtract™ Net Disc 310W, 33645, 240, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251201	3M Xtract™ Net Disc 310W, 33721, 220, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251200	3M Xtract™ Net Disc 310W, 33988, 180, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100249781	3M Xtract™ Net Disc 310W, 33996, 150, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251188	3M Xtract™ Net Disc 310W, 34008, 120, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251187	3M Xtract™ Net Disc 310W, 34055, 80, 203 mm x NH, 50 per inner, 500 per case	500	Each
7100251183	3M Xtract™ Net Disc 310W, 53279, 80+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251166	3M Xtract™ Net Disc 310W, 53295, 120+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251949	3M Xtract™ Net Disc 310W, 53375, 150+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251161	3M Xtract™ Net Disc 310W, 53382, 180+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251179	3M Xtract™ Net Disc 310W, 53433, 220+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251180	3M Xtract™ Net Disc 310W, 53445, 240+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100251181	3M Xtract™ Net Disc 310W, 53519, 320+, 150 mm x NH, 50 per inner, 300 per case	300	Each
7100250109	3M Xtract™ Net Disc 310W, 53612, 80+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251169	3M Xtract™ Net Disc 310W, 53736, 120+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251162	3M Xtract™ Net Disc 310W, 53822, 150+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251163	3M Xtract™ Net Disc 310W, 53880, 180+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251156	3M Xtract™ Net Disc 310W, 54044, 220+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100251153	3M Xtract™ Net Disc 310W, 54057, 240+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100250113	3M Xtract™ Net Disc 310W, 54158, 320+, 125 mm x NH, 50 per inner, 500 per case	500	Each
7100250481	3M Xtract™ Net Disc 310W, 54323, 80+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250480	3M Xtract™ Net Disc 310W, 54356, 120+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250478	3M Xtract™ Net Disc 310W, 54422, 150+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250479	3M Xtract™ Net Disc 310W, 54656, 180+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250477	3M Xtract™ Net Disc 310W, 54684, 220+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250476	3M Xtract™ Net Disc 310W, 54731, 240+, 75 mm x NH, 50 per inner, 500 per case	500	Each
7100250475	3M Xtract™ Net Disc 310W, 54779, 320+, 75 mm x NH, 50 per inner, 500 per case	500	Each

## Film Discs

### 3M Xtract™ Cubitron™ II Film Disc 775L

3M Xtract™ Cubitron™ II Film Disc 775L features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Featuring 3M Precision Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “ploughing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast and lasts up to 6x as long as conventional abrasives. The film backing delivers outstanding tear resistance, flexibility and a consistent, uniform finish on a variety of substrates.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Revolutionary 3M™ Precision Shaped Grain technology provides fast cut and long life
- Cuts up to 2x as fast as conventional abrasives

Product ID	Product	MOQ	Order Unit
7100106717	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 150+	250	Each
7100111238	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 180+	250	Each
7100106716	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 220+	250	Each
7100145460	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 240+	250	Each
7100145433	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 320+	250	Each
7100145452	3M Xtract™ Cubitron™ II Film Disc 775L, 76 mm, 400+	250	Each
7100045070	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 80+ 500LG, 50 per inner, 250 per case	250	Each
7100045071	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 120+ 500LG, 50 per inner, 250 per case	250	Each
7100064175	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 150+ 500LG, 50 per inner, 250 per case	250	Each
7100064177	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 180+ 500LG, 50 per inner, 250 per case	250	Each
7100064270	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 220+, 500LG, 50 per inner, 250 per case	250	Each
7100145362	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 240+ 500LG, 50 per inner, 250 per case	250	Each
7100145363	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 320+ 500LG, 50 per inner, 250 per case	250	Each
7100145404	3M Xtract™ Cubitron™ II Film Disc 775L, 127 mm, 400+ 500LG, 50 per inner, 250 per case	250	Each
7100045072	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 80+, 600LG	250	Each
7100045073	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 120+	250	Each
7100065918	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 150+	250	Each
7100064178	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 180+	250	Each
7100064271	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 220+	250	Each
7100145316	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 240+	250	Each
7100141692	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 320+	250	Each
7100145455	3M Xtract™ Cubitron™ II Film Disc 775L, 152 mm, 400+	250	Each
7100246422	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 80+, PN17775	250	Each
7100246524	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 120+, PN59938	250	Each
7100248339	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 150+, PN33568	250	Each
7100248337	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 180+, PN73495	250	Each
7100246533	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 220+, PN94374	250	Each
7100246535	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 240+, PN42667	500	Each
7100246534	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 320+, PN46340	250	Each



## 3M Xtract™ Cubitron™ II Film Disc 775L

3M Xtract™ Cubitron™ II Film Disc 775L features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Featuring 3M Precision Shaped Ceramic Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “ploughing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast and lasts up to 6x as long as conventional abrasives. The film backing delivers outstanding tear resistance, flexibility and a consistent, uniform finish on a variety of substrates.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Revolutionary 3M™ Precision Shaped Grain technology provides fast cut and long life
- Cuts up to 2x as fast as conventional abrasives

Product ID	Product	MOQ	Order Unit
7100246525	3M Xtract™ Cubitron™ II Film Disc 775L, 203 mm, Clean Sand, 400+, PN11458	250	Each

## 3M™ Cubitron™ II Hookit™ Film Disc 775L

3M™ Cubitron™ II Hookit™ Film Disc 775L features 3M Precision Shaped Ceramic Grain a revolutionary advancement in abrasive technology. Our film discs can cut up to twice as fast and last up to six times as long as normal abrasives.



- Contains 3M Precision Shaped Grain which cuts up to twice as fast and lasts up to six times as long as other abrasives
- Film backing provides greater tear resistance and edge retention
- Ideal for a variety of applications focused primarily on stock removal

Product ID	Product	MOQ	Order Unit
7100106678	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, Clean Sand, 80+	250	Each
7100106714	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, Clean Sand, 120+	250	Each
7100106742	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 80+	250	Each
7100106764	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 120+	250	Each
7100106768	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 180+	250	Each
7100106766	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 220+	250	Each
7100145430	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 240+	250	Each
7100145431	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 320+	250	Each
7100145477	3M™ Cubitron™ II Hookit™ Film Disc 775L, 76 mm, No Hole, 400+	250	Each
7100046325	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 80+	250	Each
7100046326	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 120+	250	Each
7100064174	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 150+	250	Each
7100064176	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 180+	250	Each
7100064179	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 220+	250	Each
7100145403	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 240+	250	Each
7100145405	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 320+	250	Each
7100145436	3M™ Cubitron™ II Hookit™ Film Disc 775L, 127 mm, No Hole, 400+	250	Each
7100175196	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.52 mm, 17 Hole, 150+	250	Each
7100166525	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.52 mm, 17 Holes, 220+	250	Each

## 3M™ Cubitron™ II Hookit™ Film Disc 775L

3M™ Cubitron™ II Hookit™ Film Disc 775L features 3M Precision Shaped Ceramic Grain a revolutionary advancement in abrasive technology. Our film discs can cut up to twice as fast and last up to six times as long as normal abrasives.



- Contains 3M Precision Shaped Grain which cuts up to twice as fast and lasts up to six times as long as other abrasives
- Film backing provides greater tear resistance and edge retention
- Ideal for a variety of applications focused primarily on stock removal

Product ID	Product	MOQ	Order Unit
7100206145	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.53 mm, 17 Hole, 120+	250	Each
7100206144	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm x 9.53 mm, 17 Holes, 80+ C-Weight, Die 600FG	250	Each
7100046327	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 80+	250	Each
7100046328	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 120+	250	Each
7100064273	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 150+	250	Each
7100064272	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 180+	250	Each
7100064274	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 220+	250	Each
7100145407	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 240+	250	Each
7100145462	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 320+	250	Each
7100145469	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152 mm, No Hole, 400+	250	Each
7100204458	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 180+	250	Each
7100204460	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 240+	250	Each
7100204463	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 320+	250	Each
7100204459	3M™ Cubitron™ II Hookit™ Film Disc 775L, 152.4 mm x 9.53 mm, 17 Hole, 400+	250	Each
7100249321	3M™ Cubitron™ II Hookit™ Film Disc 775L, 18469, 203 mm, No Hole, 240+, Die 800L, 50 per inner, 250 per case	250	Each
7100249320	3M™ Cubitron™ II Hookit™ Film Disc 775L, 23109, 203 mm, No Hole, 220+, Die 800L, 50 per inner, 250 per case	250	Each
7100249431	3M™ Cubitron™ II Hookit™ Film Disc 775L, 26148, 180+, 8 in x NH, Die 800L, 50 per inner, 250 per case	250	Each
7100249319	3M™ Cubitron™ II Hookit™ Film Disc 775L, 31592, 203 mm, No Hole, 80+, Die 800L, 50 per inner, 250 per case	250	Each
7100249473	3M™ Cubitron™ II Hookit™ Film Disc 775L, 33163, 203 mm, No Hole, 120+, Die 800L, 50 per inner, 250 per case	250	Each
7100249443	3M™ Cubitron™ II Hookit™ Film Disc 775L, 33667, 203 mm, No Hole, 400+, Die 800L, 50 per inner, 250 per case	250	Each
7100249427	3M™ Cubitron™ II Hookit™ Film Disc 775L, 50343, 203 mm, No Hole, 150+, Die 800L, 50 per inner, 250 per case	250	Each
7100249322	3M™ Cubitron™ II Hookit™ Film Disc 775L, 83297, 203 mm, No Hole, 320+, Die 800L, 50 per inner, 250 per case	250	Each

## 3M Xtract™ Film Disc 360L

3M Xtract™ Film Disc 360L features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Advanced Series Abrasives from 3M are designed to deliver an unbeatable combination of performance and value.




- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Open coat and load-resistant coating prevents clogging to optimize cut and product life
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7100084760	3M Xtract™ Film Disc 360L, 76 mm, 300LG, P400	500	Each
7100010261	3M Xtract™ Film Disc 360L, 76 mm, 300LG, P600	500	Each
7100010263	3M Xtract™ Film Disc 360L, 76 mm, 300LG, P1000	500	Each
7010029938	3M Xtract™ Film Disc 360L, 127 mm, 500LG, P600	500	Each
7010029936	3M Xtract™ Film Disc 360L, 127 mm, P240	500	Each
7100028668	3M Xtract™ Film Disc 360L, 127 mm, P280, 500LG	500	Each
7010029939	3M Xtract™ Film Disc 360L, 127 mm, P800	500	Each
7100077620	3M Xtract™ Film Disc 360L, 152 mm, P220	500	Each
7100077621	3M Xtract™ Film Disc 360L, 152 mm, P240	500	Each
7010029944	3M Xtract™ Film Disc 360L, 152 mm, P280	500	Each
7100077622	3M Xtract™ Film Disc 360L, 152 mm, P320	500	Each
7100077623	3M Xtract™ Film Disc 360L, 152 mm, P400	500	Each
7100077624	3M Xtract™ Film Disc 360L, 152 mm, P500	500	Each
7100077625	3M Xtract™ Film Disc 360L, 152 mm, P600	500	Each
7100077626	3M Xtract™ Film Disc 360L, 152 mm, P800	500	Each
7100077975	3M Xtract™ Film Disc 360L, 152 mm, P1000	500	Each

## 3M™ Trizact™ Hookit™ Film Disc Roll 466LA

3M™ Trizact™ Finesse-it™ Film Disc Roll 466LA uses our own microreplication technology, where micron-graded silicon carbide particles are formed into tiny pyramids of abrasive mineral and then coated on a non-compressible polyester backing.



- With sharp Microreplicated 3M™ Trizact™ abrasives for predictable and consistent finishes
- Ideal for the 3M two-step paint defect repair process for automotive finishes
- Available in a convenient disc roll form

Product ID	Product	MOQ	Order Unit
7000034236	3M™ Trizact™ Abrasive Disc 466LA, 31.7 mm, P3000	1000	Each
7000028142	3M™ Trizact™ Hookit™ Abrasive Disc 466LA, Grey, 35 mm, A5	1	Each
7000028143	3M™ Trizact™ Hookit™ Abrasive Disc 466LA, Purple, 35 mm, A7	2000	Each
7100016753	3M™ Trizact™ Hookit™ Film Disc Roll 466LA, 34.92 mm x NH, A3	2000	Each



## Cloth Discs

### 3M™ Cubitron™ II Hookit™ Cloth Disc 784F

3M™ Cubitron™ II Hookit™ Cloth Disc 784F features 3M Precision-Shaped Grain for longer life and a faster, more consistent cut than aluminum oxide discs. A precise mix of shaped ceramic and premium aluminum oxide delivers optimal cut in medium pressure grinding and blending applications. The disc also features a waterproof backing and grinding aid.



- 3M Precision-Shaped Grain blend provides up to 2x longer life than comparable aluminum oxide discs
- Proprietary mineral provides consistent, faster results on medium pressure applications, increasing production rate
- Reduces changeouts and downtime in finishing applications

Product ID	Product	MOQ	Order Unit
7100222630	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 36+ YF-weight, 5 in x NH, Die 500X, 25 discs per inner, 200 per case	200	Each
7100222629	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 50+ YF-weight, 5 in x NH, Die 500X, 25 per inner, 200 per case	1000	Each
7100211074	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 60+ YF-weight, 5 in x NH, 25 discs per inner, 200 per case	200	Each
7100222628	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 80+ YF-weight, 5 in x NH, Die 500X, 25 per inner, 200 per case	200	Each
7100222757	3M™ Cubitron™ II Hookit™ Cloth Disc 784F, 120+ XF-weight, 5 in x NH, Die 500X, 25 per inner, 200 per case	200	Each

### 3M™ Cubitron™ II Hookit™ Cloth D/F Disc 947A

3M™ Cubitron™ II Hookit™ Cloth Disc 947A is a cloth disc featuring 3M Precision Shaped Grain. Our cloth discs are constructed on a durable X-weight poly-cloth backing for high performance on a wide range of metals.



- Cuts hard and fast to slice through metals
- 3M Precision Shaped Grain yields higher cut rates
- Delivers consistent performance on a wide range of metals

Product ID	Product	MOQ	Order Unit
7100113118	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, 3-Hole, 40+	200	Each
7100113145	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, 3-Hole, 80+	200	Each
7100113113	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, 3-Hole, 120+	200	Each
7100113114	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 40+	200	Each
7100113109	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 60+	200	Each
7100113126	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 80+	200	Each
7100113117	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 76 mm, No Hole, 120+	200	Each
7100169959	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 40+	200	Each
7100169950	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 60+	200	Each
7100169962	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 80+	200	Each
7100169949	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 115 mm, No Hole, 120+	200	Each
7100113110	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 40+	200	Each
7100113096	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 60+	200	Each
7100113111	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 80+	200	Each
7100113075	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, 5-Hole, 120+	200	Each

# Discs

## 3M™ Cubitron™ II Hookit™ Cloth D/F Disc 947A

3M™ Cubitron™ II Hookit™ Cloth Disc 947A is a cloth disc featuring 3M Precision Shaped Grain. Our cloth discs are constructed on a durable X-weight poly-cloth backing for high performance on a wide range of metals.

- Cuts hard and fast to slice through metals
- 3M Precision Shaped Grain yields higher cut rates
- Delivers consistent performance on a wide range of metals



Product ID	Product	MOQ	Order Unit
7100113120	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 40+	200	Each
7100113137	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 60+	200	Each
7100112980	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 80+	200	Each
7100085514	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 127 mm, No Hole, 120+	200	Each
7100113143	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, 6-Hole, 40+	200	Each
7100113076	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, 6-Hole, 60+	200	Each
7100113107	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, 6-Hole, 80+	200	Each
7100113121	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 40+	200	Each
7100113142	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 60+	200	Each
7100113080	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 80+	200	Each
7100113139	3M™ Cubitron™ II Hookit™ Cloth Disc 947A, 152 mm, No Hole, 120+	200	Each

## 3M Xtract™ Cubitron™ II Cloth Disc 900DZ

3M Xtract™ Cubitron™ II Cloth Disc 900DZ features a 3M proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. The innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy and convenient. Featuring ceramic 3M Precision-Shaped Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast as conventional abrasives. The J-weight cloth backing delivers outstanding tear resistance, durability and a consistent, uniform finish on a variety of substrates.



- **COVERS A WIDE RANGE OF APPLICATIONS:** Versatile disc handles applications from finishing and sanding to grinding and de-flashing
- **DESIGNED FOR CLEAN SANDING:** 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity and provide a cleaner work environment
- **VERSATILE PERFORMANCE:** Disc performs well on aluminum, fiberglass, gelcoat, hard and soft woods

Product ID	Product	MOQ	Order Unit
7100284886	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 40+ J-weight, 76 mm, Die 300LG, 50/Case, 250 ea/Case	250	Each
7100284662	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 40+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100284769	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 40+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100284565	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 40+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100284341	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 60+ J-weight, 76 mm, Die 300LG, 50/Case, 250 ea/Case	250	Each
7100284216	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 60+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each

## 3M Xtract™ Cubitron™ II Cloth Disc 900DZ

3M Xtract™ Cubitron™ II Cloth Disc 900DZ features a 3M proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. The innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy and convenient. Featuring ceramic 3M Precision-Shaped Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast as conventional abrasives. The J-weight cloth backing delivers outstanding tear resistance, durability and a consistent, uniform finish on a variety of substrates.



- **COVERS A WIDE RANGE OF APPLICATIONS:** Versatile disc handles applications from finishing and sanding to grinding and de-flashing
- **DESIGNED FOR CLEAN SANDING:** 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity and provide a cleaner work environment
- **VERSATILE PERFORMANCE:** Disc performs well on aluminum, fiberglass, gelcoat, hard and soft woods

Product ID	Product	MOQ	Order Unit
7100284218	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 60+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100284340	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 60+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100284521	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 80+ J-weight, 76 mm, Die 300LG, 50/Case, 250 ea/Case	250	Each
7100284531	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 80+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100284530	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 80+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100284518	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 80+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100284266	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 120+ J-weight, 76 mm, Die 300LG, 50/Case, 250 ea/Case	250	Each
7100284520	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 120+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100284508	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 120+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100284343	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 120+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100284506	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 150+ J-weight, 76 mm, Die 300LG, 50/Case, 250 ea/Case	250	Each
7100284353	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 150+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100284342	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 150+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100284344	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 150+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100282513	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 180+ J-weight, 76 mm, Die 300LG, 50/Inner, 250 ea/Case	250	Each
7100282219	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 180+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100281804	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 180+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100281803	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 180+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each



## 3M Xtract™ Cubitron™ II Cloth Disc 900DZ

3M Xtract™ Cubitron™ II Cloth Disc 900DZ features a 3M proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract™ Series, designed for optimal dust removal. The innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy and convenient. Featuring ceramic 3M Precision-Shaped Grain, a revolutionary advancement in abrasive technology. The triangular shaped ceramic mineral is designed to slice through the substrate, rather than gouging or “plowing” like conventional abrasives, resulting in a disc that cuts up to 2x as fast as conventional abrasives. The J-weight cloth backing delivers outstanding tear resistance, durability and a consistent, uniform finish on a variety of substrates.



- **COVERS A WIDE RANGE OF APPLICATIONS:** Versatile disc handles applications from finishing and sanding to grinding and de-flashing
- **DESIGNED FOR CLEAN SANDING:** 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity and provide a cleaner work environment
- **VERSATILE PERFORMANCE:** Disc performs well on aluminum, fiberglass, gelcoat, hard and soft woods

Product ID	Product	MOQ	Order Unit
7100282510	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 220+ J-weight, 76 mm, Die 300LG, 50/Inner, 250 ea/Case	250	Each
7100281811	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 220+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100281806	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 220+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100281810	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 220+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100284356	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 320+ J-weight, 76 mm, Die 300LG, 50/Case, 250 ea/Case	250	Each
7100284268	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 320+ J-weight, 127 mm, Die 500LG, 50/Case, 250 ea/Case	250	Each
7100284271	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 320+ J-weight, 152 mm, Die 600LG, 50/Case, 250 ea/Case	250	Each
7100284267	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 320+ J-weight, 203 mm, Die 800LG, 50/Case, 250 ea/Case	1000	Each
7100301568	3M Xtract™ Cubitron™ II Cloth Disc 900DZ, 65996, 40 + to 320+, J-weight, 5 in, Die 500LG	20	Pack

## Paper Discs

### 3M™ Cubitron™ II Hookit™ Disc 950U

3M™ Cubitron™ II Hookit™ Disc 950U is an abrasive disc designed to deliver high performance in body-in-white applications. It's powered by fast-cutting, long-lasting 3M Precision-Shaped Grain in a super-open-coat construction that resists loading with sanding swarf. The E-weight paper backing is specially designed for sanding metal.



- Ideal for prepping and repairing flat surfaces, including body-in-white applications
- Super-open-coat construction for reduced loading allowing metal and paint particles to escape
- 3M™ Precision-Shaped Grain delivers a consistent, high cut-rate and long life

Product ID	Product	MOQ	Order Unit
7100244892	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 80+	250	Each
7100244891	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 120+	250	Each
7100244890	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 150+	250	Each
7100245353	3M™ Cubitron™ II Hookit™ Disc 950U, 125 mm, 8+1 Festool HL, Die 500KE, 180+	250	Each
7100190726	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 60+	250	Each
7100190724	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 80+	250	Each
7100190722	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 120+	250	Each
7100190725	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 150+	250	Each
7100190723	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 5-Hole, 180+	250	Each
7100244497	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, 8+1 Festool HL, Die 500KE, 60+	250	Each
7100187017	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 60+	250	Each
7100187016	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 80+	250	Each
7100187015	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 120+	250	Each
7100187014	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 150+	250	Each
7100187013	3M™ Cubitron™ II Hookit™ Disc 950U, 127 mm, No Hole, 180+	250	Each
7100226878	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 60+	250	Each
7100226892	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 80+	250	Each
7100226879	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 120+	250	Each
7100226891	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 150+	250	Each
7100226890	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 15-Hole, 180+	250	Each
7100226887	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 60+	250	Each
7100226884	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 80+	250	Each
7100226886	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 120+	250	Each
7100226885	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 150+	250	Each
7100226888	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, 17-Hole, 180+	250	Each
7100190718	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 60+	1	Each
7100190719	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 80+	250	Each
7100190721	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 120+	250	Each
7100190720	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 150+	250	Each
7100190717	3M™ Cubitron™ II Hookit™ Disc 950U, 152 mm, No Hole, 180+	250	Each

## 3M Xtract™ Paper Disc 236U

3M Xtract™ Paper Disc 236U features a 3M™ proprietary multi-hole pattern for improved dust extraction in finishing applications. Part of the 3M Xtract Series, designed for optimal dust removal. Our innovative multi-hole pattern extracts dust better than 5- or 6-hole products — increasing cut and dramatically increasing disc life. The design does not need to align with the disc pad holes, making switching the discs fast, easy, and convenient. Advanced Series Abrasives from 3M are designed to deliver an unbeatable combination of performance and value. Open coat construction and a load-resistant coating further prevent clogging.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Open coat and load-resistant coating prevents clogging to optimize cut and product life
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7000119599	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P80	250	Each
7000119602	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P150	50	Each
7000119605	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P240	250	Each
7000119606	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P320	250	Each
7000119607	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P400, C-Weight	50	Each
7000119608	3M Xtract™ Paper Disc 236U, 76 mm, 300LG, P500, C-Weight	50	Each
7010029935	3M Xtract™ Paper Disc 236U, 127 mm, 500LG, P500	50	Each
7010029932	3M Xtract™ Paper Disc 236U, 127 mm, P240	250	Each
7010029933	3M Xtract™ Paper Disc 236U, 127 mm, P320	250	Each
7010029934	3M Xtract™ Paper Disc 236U, 127 mm, P400	250	Each
7100078157	3M Xtract™ Paper Disc 236U, 152 mm, 600LG, P220	50	Each
7100078181	3M Xtract™ Paper Disc 236U, 152 mm, 600LG, P500	50	Each
7100078180	3M Xtract™ Paper Disc 236U, 152 mm, 600LG, P400, C-Weight	50	Each
7100078152	3M Xtract™ Paper Disc 236U, 152 mm, P80, C-Weight	250	Each
7100078153	3M Xtract™ Paper Disc 236U, 152 mm, P100	50	Each
7100078154	3M Xtract™ Paper Disc 236U, 152 mm, P120	250	Each
7100078155	3M Xtract™ Paper Disc 236U, 152 mm, P150	50	Each
7100078156	3M Xtract™ Paper Disc 236U, 152 mm, P180	50	Each
7100078158	3M Xtract™ Paper Disc 236U, 152 mm, P240	50	Each
7100078159	3M Xtract™ Paper Disc 236U, 152 mm, P320	50	Each



## Non-woven Discs

### Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192708	Scotch-Brite™ Clean and Strip XT Pro Disc XA-ZS, 75 mm x 25 mm x 6mm, S XCRS, Purple	10	Each
7100192711	Scotch-Brite™ Clean and Strip XT Pro Disc XA-ZS, 100 mm x 25 mm x 6 mm, S XCRS, Purple	10	Each
7100192333	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 115 mm x 22 mm, S XCRS, Purple	10	Each
7100192334	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 178 mm x 22 mm, S XCRS, Purple	10	Each
7100176374	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 100 mm x 13 mm, S XCRS, Purple	30	Each
7100176347	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 150 mm x 13 mm, S XCRS, Purple	20	Each
7100176348	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 200 mm x 13 mm, S XCRS, Purple	12	Each
7100192330	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 115 mm x 22 mm, S XCRS, Purple	10	Each
7100192331	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x 22 mm, S XCRS, Purple	10	Each
7100192335	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x M14, S XCRS, Purple	10	Each
7100192332	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 178 mm x 22 mm, S XCRS, Purple	10	Each
7100192707	Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 75 mm x 13 mm x 6mm, S XCRS, Purple	10	Each
7100192709	Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 100 mm x 13 mm x 6 mm, S XCRS, Purple	10	Each
7100192710	Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 150 mm x 13 mm x 8 mm, S XCRS, Purple	6	Each

### Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion, while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines to the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192736	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XB-ZS, 75 mm x 25 mm x 6 mm, A XCRS, Green	10	Each
7100192739	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XB-ZS, 100 mm x 25 mm x 6 mm, A XCRS, Green	10	Each
7100192339	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DB, 115 mm x 22 mm, A XCRS, Green	10	Each
7100192340	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DB, 178 mm x 22 mm, A XCRS, Green	10	Each
7100175138	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 100 mm x 13 mm, A XCRS, Green	30	Each
7100175139	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 150 mm x 13 mm, A XCRS, Green	20	Each
7100191877	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 150mm x 22mm, A XCRS, Green	20	Each
7100175140	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-DC, 200 mm x 13 mm, A XCRS, Green	12	Each
7100192336	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 115 mm x 22 mm, A XCRS, Green	10	Each

# Discs

## Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion, while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines to the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192337	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 125 mm x 22 mm, A XCRS, Green	10	Each
7100192341	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 125 mm x M14, A XCRS, Green	10	Each
7100192338	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-RD, 178 mm x 22 mm, A XCRS, Green	10	Each
7100192735	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-ZS, 75 mm x 13 mm x 6 mm, A XCRS, Green	10	Each
7100192737	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-ZS, 100 mm x 13 mm x 6 mm, A XCRS, Green	10	Each
7100192738	Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc XC-ZS, 150 mm x 13 mm x 8 mm, A XCRS, Green	6	Each

## Scotch-Brite™ Fiber Backed Clean and Strip Disc

Scotch-Brite™ Fibre Backed Clean and Strip Disc is specially engineered to effectively clean welds, remove rust and strip paint. Our extra coarse grade open web discs provide a smooth running loading resistant wheel and fibre backing for a superb finish in soft or aggressive applications.



- Reach into tight corners for complete cleaning, stripping and surface preparation
- Cover a bigger surface area than with wire brushes
- Uses extra coarse grade silicon carbide for aggressive cutting and a finer finish than with wire brushes

Product ID	Product	MOQ	Order Unit
7000091751	Scotch-Brite™ Fiber Backed Clean and Strip Disc CS-DB, 200 mm x 250 mm x 76.2 mm, A CRS	1	Each
7000077940	Scotch-Brite™ Fiber Backed Clean and Strip Disc CS-DB, 115 mm x 63 mm x 22 mm, A CRS	10	Each
7000067980	Scotch-Brite™ Fiber Backed Clean and Strip Disc, 115 mm	10	Each

## Scotch-Brite™ Surface Conditioning Disc SC-DH

Scotch-Brite™ Surface Conditioning Disc is a durable, non-woven disc for use as the first step in cleaning, blending, deburring, and finishing. Our discs perform well on contoured or uneven surfaces, without undercutting or damaging the base material.



- Variety of abrasive grades and sizes offer an ideal starting point for cleaning, finishing, blending, and light deburring
- Open web material runs cool and resists loading for prolonged operation
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7100233611	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 10 mm, A CRS	200	Each
7100233778	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 10 mm, A MED	200	Each
7100233807	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 10 mm, A VFN	200	Each
7100233442	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x NH, A CRS	20	Each

## Scotch-Brite™ Surface Conditioning Disc SC-DH

Scotch-Brite™ Surface Conditioning Disc is a durable, non-woven disc for use as the first step in cleaning, blending, deburring, and finishing. Our discs perform well on contoured or uneven surfaces, without undercutting or damaging the base material.



- Variety of abrasive grades and sizes offer an ideal starting point for cleaning, finishing, blending, and light deburring
- Open web material runs cool and resists loading for prolonged operation
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7100233796	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x NH, A MED	20	Each
7100234024	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 10 mm, A CRS	200	Each
7100233810	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 10 mm, A MED	600	Each
7100234021	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 10 mm, A VFN	100	Each
7100234022	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x NH, S SFN	20	Each
7100233441	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm x 10 mm, A CRS	1500	Each
7100233782	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm x 10 mm, A MED	160	Each
7100233814	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm x No Hole, A MED	20	Each
7100233610	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 10 mm, A CRS	100	Each
7100233775	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, A MED	20	Each
7100233793	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x NH, S SFN	120	Each
7100233805	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x No Hole, A VFN	20	Each
7100234047	Scotch-Brite™ Surface Conditioning Disc SC-DH, 1200 mm x No Hole, A MED	5	Each
7100234048	Scotch-Brite™ Surface Conditioning Disc SC-DH, 1220 mm, No Hole, A CRS	5	Each
7100234044	Scotch-Brite™ Surface Conditioning Disc SC-DH, 1220 mm, No Hole, A VFN	5	Each
7100233605	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, A CRS, Brown	22	Each
7100233780	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, A MED, Red	22	Each
7100233781	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, A VFN, Blue	22	Each
7100200101	Scotch-Brite™ Surface Conditioning Disc SC-DH, 100 mm x 16 mm, No Slot, A CRS,	40	Each
7100233608	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A CRS, Brown	20	Each
7100233774	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A CRS, Brown	20	Each
7100233812	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A MED, Red	20	Each
7100233795	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x 22 mm, A VFN, Blue	20	Each
7100233813	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm x No Hole, S SFN	20	Each
7000046019	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A CRS, Brown	50	Each
7000046018	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A MED, Red	50	Each
7100233776	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A MED, Red	20	Each
7100233439	Scotch-Brite™ Surface Conditioning Disc SC-DH, 115 mm, No Hole, A VFN, Blue	20	Each
7100233609	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 22 mm, A CRS, Brown	20	Each
7100233803	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 22 mm, A MED, Red	20	Each
7100234045	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm x 22 mm, A VFN	20	Each
7100233623	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm, No Hole, A CRS, Brown	20	Each
7100233806	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm, No Hole, A MED, Red	20	Each
7100233440	Scotch-Brite™ Surface Conditioning Disc SC-DH, 125 mm, No Hole, A VFN, Blue	20	Each
7100233777	Scotch-Brite™ Surface Conditioning Disc SC-DH, 150 mm, No Hole, A VFN, Blue	20	Each

## Scotch-Brite™ Surface Conditioning Disc SC-DH

Scotch-Brite™ Surface Conditioning Disc is a durable, non-woven disc for use as the first step in cleaning, blending, deburring, and finishing. Our discs perform well on contoured or uneven surfaces, without undercutting or damaging the base material.



- Variety of abrasive grades and sizes offer an ideal starting point for cleaning, finishing, blending, and light deburring
- Open web material runs cool and resists loading for prolonged operation
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7100233794	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, A CRS, Brown	20	Each
7100233809	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, A VFN, Blue	20	Each
7100200772	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm x 22 mm, No Slot, A CRS,	10	Each
7100233606	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm, No Hole, A CRS, Brown	20	Each
7100233804	Scotch-Brite™ Surface Conditioning Disc SC-DH, 178 mm, No Hole, A MED, Red	20	Each

## Scotch-Brite™ SE Surface Conditioning Disc SE-DB

Scotch-Brite™ SE Surface Conditioning Disc combines an aggressive non-woven disc for heavy duty deburring and finishing, with a convenient hook and loop attachment system. Our disc uses aluminium oxide abrasive for a fast cut and fibre that conforms well to help preserve edges and contoured surfaces.



- For faster cutting and longer life than SC Surface Conditioning discs in heavy duty deburring and finishing
- High and fast cutting disc that conforms well to help preserve edges
- Secure hook and loop attachment and conformability offers aggressive cutting without damaging base material

Product ID	Product	MOQ	Order Unit
7100233797	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 100 mm x NH, A CRS	25	Each
7100233779	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 115 mm x No Hole, A CRS	20	Each
7000120932	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 127 mm x 22 mm	50	Each
7100233808	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 150 mm x NH, A CRS	380	Each
7100200775	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 178 mm x 22 mm, 4 Slot, A CRS	40	Each
7100233816	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 178 mm x No Hole, A CRS	120	Each
7000046034	Scotch-Brite™ SE Surface Conditioning Disc SE-DH, 114 mm, No Hole, A MED	50	Each
7000046091	Scotch-Brite™ SE Surface Conditioning Disc SE-DH, 127 mm, No Hole, A MED	50	Each
7100233811	Scotch-Brite™ SE Surface Conditioning Disc, SE-DH, A CRS, 100 mm x 16 mm	330	Each
7000046214	Scotch-Brite™ SE Surface Conditioning Disc SE-BS, 114 mm, No Hole, A FIN	50	Each
7100233607	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 115 mm x 22 mm, A CRS	20	Each
7100200774	Scotch-Brite™ SE Surface Conditioning Disc SE-DB, 178 mm x 22 mm, A CRS	40	Each
7100200773	Scotch-Brite™ Surface Conditioning Disc SE-DB, Maroon, 115 mm x 22 mm, 4 Slot, A CRS	40	Each
7100200718	Scotch-Brite™ Surface Conditioning Disc SE-DB, Maroon, 125 mm x 22 mm, 4 Slots, A CRS	40	Each



## Scotch-Brite™ Surface Conditioning Disc SL-DH

Scotch-Brite™ SL Surface Conditioning Disc is a durable, aggressive non-woven abrasive disc for weld refinement applications. Our discs blend and finish consistently, often in one step.



- Use a flexible disc for blending and finishing
- Get a fast cutting disc
- Reduce steps by combining weld blending with finishing steps

Product ID	Product	MOQ	Order Unit
7100233614	Scotch-Brite™ Surface Conditioning Disc SL-DH, Heavy Duty, 100 mm x 16 mm, A CRS	22	Each
7100233783	Scotch-Brite™ Surface Conditioning Disc SL-DH, Heavy Duty, 178 mm x 22 mm, A CRS	100	Each
7100233801	Scotch-Brite™ Surface Conditioning Disc SL-DH, Super Duty, 100 mm x 16 mm, A CRS	22	Each
7100233438	Scotch-Brite™ Surface Conditioning Disc SL-DH, Super Duty, 125 mm x 22 mm, A CRS	20	Each
7100233800	Scotch-Brite™ Surface Conditioning Disc SL-DH, Super Duty, 178 mm x 22 mm, A CRS	100	Each
7100233819	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm x 22 mm, A CRS HD	20	Each
7100234046	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm x 22 mm, A CRS SD	20	Each
7000046272	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm x 22 mm, A MED	50	Each
7100233817	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm, No Hole, A CRS HD	20	Each
7000046224	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm, No Hole, A CRS SD	50	Each
7100233818	Scotch-Brite™ Surface Conditioning Disc SL-DH, 115 mm, No Hole, A CRS SD	20	Each
7100233604	Scotch-Brite™ Surface Conditioning Disc SL-DH, 125 mm x 22 mm, A CRS HD	20	Each
7100233799	Scotch-Brite™ Surface Conditioning Disc SL-DH, 125 mm, No Hole, A CRS SD	20	Each

## Scotch-Brite™ Light Grinding and Blending Disc GB-DH

Scotch-Brite™ Light Grinding and Blending Disc uses a ceramic abrasive grain blend, which offers a high cut rate for optimal weld grinding and blending in mild-steel applications. Our discs effectively blend and refine a grade 36 scratch, or finer.



- Grind and blend in a single step
- 3M ceramic aluminium oxide abrasives offer a fast and consistent cut over the disc life
- Durable to resist edge wear. Can be folded, stacked or rolled for effective cleaning or conditioning on flat, irregular or contoured surfaces

Product ID	Product	MOQ	Order Unit
7000046244	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 114 mm x 22 mm, Heavy Duty	50	Each
7000046263	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 115 mm x 22 mm, Heavy Duty	50	Each
7000046264	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 115 mm x 22 mm, Super Duty	50	Each
7000046245	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 127 mm x 22 mm, Heavy Duty	50	Each
7000046247	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 127 mm x 22 mm, Super Duty	50	Each
7000046248	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 178 mm x 22 mm, Heavy Duty	25	Each
7000046249	Scotch-Brite™ Light Grinding and Blending Disc GB-DH, 178 mm x 22 mm, Heavy Duty	25	Each
7000046246	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc , 101 mm x 15 mm, A CRS	100	Each

# Discs

## Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD

Our Scotch-Brite™ Deburr and Finish PRO Unitized Disc is a new disc designed to make a variety of metalworking applications easier and more efficient for industrial professionals. Typically, abrasives excel in one area: deburring, finishing or blending. This multi-purpose disc is unique, because it's engineered to do all three.



- Unitized production enhances abrasive durability and strength, helping prolong service life
- 3M precision-shaped grain is engineered to cut fast and sharp, enabling quicker burr removal
- Open coat construction permits dust and debris to escape, minimizing loading

Product ID	Product	MOQ	Order Unit
7010412238	Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD, 114 mm x 22 mm, 2S FIN	10	Each
7100109111	Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD, 114 mm x 22 mm, 8C CRS+	5	Each
7100081369	Scotch-Brite™ Deburr and Finish PRO Unitized Disc DP-UD, 114 mm x 22 mm, MED	5	Each

## Scotch-Brite™ Clean and Strip Disc

Scotch-Brite™ Clean and Strip Disc is designed to effectively clean welds, remove rust and strip paint. Our extra coarse grade open web discs provide a smooth running loading-resistant wheel, which is ideal for removing soft coatings.



- Reach into tight corners for complete cleaning, stripping and surface preparation
- Cover a bigger surface area than with wire brushes
- Uses extra coarse grade silicon carbide for aggressive cutting and a finer finish than with wire brushes

Product ID	Product	MOQ	Order Unit
7100093991	Scotch-Brite™ Clean and Strip Disc CG-DB, 178 mm x 22 mm, S XCRS	10	Each
7100182579	Scotch-Brite™ Clean and Strip Disc CG-DC, 200 mm x 13 mm, Blue, S XCRS	12	Each
7100182637	Scotch-Brite™ Clean and Strip Disc CS-RD, 150 mm x 13 mm, Blue	20	Each

## Scotch-Brite™ Cut and Polish Disc

Scotch-Brite™ Cut and Polish Disc is engineered to produce satin or high lustre finishes and can be used for cleaning or light deburring on a variety of metals. Our cut and polish discs feature a durable open-web construction designed to resist loading and greatly increase the life of the disc.



- Aluminium oxide mineral delivers an aggressive cut with a polished surface
- Durable non-woven web construction resists loading, prolonging service life of the disc
- Versatile disc may be used on bench motor or straight shaft tool

Product ID	Product	MOQ	Order Unit
7000046014	Scotch-Brite™ Cut and Polish Disc CP-DC, 6 in x 1/2 in A MED	100	Each
7000094866	Scotch-Brite™ Cut and Polish Disc, CP-DC, 200 mm - 20 mm, A MED	120	Each
7010329036	Scotch-Brite™ Cut and Polish Disc, CP-DC, A/O Very Fine, 152 mm x 12,7 mm, 100 ea/Case	100	Each

# Discs

## Scotch-Brite™ Cut and Polish Unitized Disc

Scotch-Brite™ Cut and Polish Unitized Disc is a layered, durable unitised disc construction. Our discs are ideal for tough blending and finishing applications.

- Available in fine and medium grades
- Layered, durable unitised construction
- Features aluminium oxide mineral



Product ID	Product	MOQ	Order Unit
7000046131	Scotch-Brite™ Cut and Polish Unitized Disc CP-UD, 4-1/2 in x 7/8 in, 5A FIN	5	Each
7000046132	Scotch-Brite™ Cut and Polish Unitized Disc CP-UW, 115 mm x 22 mm, 7A MED	5	Each

## Scotch-Brite™ EXL Unitized Disc XL-UD

Scotch-Brite™ EXL Unitized Disc is engineered by mixing abrasive mineral and nylon fibres together. Our EXL unitised discs have a web that is cured and compressed together for added strength and durability.,

- Abrasive deburrs and finishes with minimal change to workpiece geometry
- Resists smearing for cleaner surfaces and less preparation
- Open web is load-resistant



Product ID	Product	MOQ	Order Unit
7000028518	Scotch-Brite™ EXL Unitized Disc XL-UD, 115 mm x 22 mm, 2S FIN	5	Each
7000028516	Scotch-Brite™ EXL Unitized Disc XL-UD, 115 mm x 22 mm, 6S FIN	5	Each
7000028517	Scotch-Brite™ EXL Unitized Disc XL-UD, 115 mm x 22 mm, CRS	5	Each

## Scotch-Brite™ Precision Surface Conditioning Disc

Scotch-Brite™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.

- Now with 3M™ precision shaped grain technology - setting a new standard of performance.
- Designed for ease of use and consistent surface finishing results
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material.



Product ID	Product	MOQ	Order Unit
7100275261	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274705	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100274279	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274273	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274227	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274275	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274660	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 150 mm x NH, 25 per inner, 100 per case	100	Each

MOQ = Minimum Order Quantity

## Scotch-Brite™ Precision Surface Conditioning Disc

Scotch-Brite™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology - setting a new standard of performance.
- Designed for ease of use and consistent surface finishing results
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material.

Product ID	Product	MOQ	Order Unit
7100274665	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275259	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Coarse, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275260	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274706	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100274225	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274270	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274272	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274226	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274661	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 150 mm x NH, 25 per inner, 100 per case	100	Each
7100274664	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275256	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Extra Coarse, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275837	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 100 mm x 16 mm, 25 per inner, 100 per case	200	Each
7100274670	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100275836	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274222	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274274	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100276268	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274663	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 150 mm x NH, 25 per inner, 100 per case	200	Each
7100274667	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275255	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Fine, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275899	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274669	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 100 mm x NH, 25 per inner, 100 per case	100	Each



## Scotch-Brite™ Precision Surface Conditioning Disc

Scotch-Brite™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology - setting a new standard of performance.
- Designed for ease of use and consistent surface finishing results
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material.

Product ID	Product	MOQ	Order Unit
7100275844	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274223	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274271	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274229	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274662	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 150 mm x NH, 25 per inner, 100 per case	100	Each
7100274666	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275258	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Medium, 178 mm x NH, 25 per inner, 100 per case	100	Each
7100275838	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 100 mm x 16 mm, 25 per inner, 100 per case	100	Each
7100274671	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 100 mm x NH, 25 per inner, 100 per case	100	Each
7100275845	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 115 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274224	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 115 mm x NH, 25 per inner, 100 per case	100	Each
7100274277	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 125 mm x NH, 25 per inner, 100 per case	100	Each
7100274228	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 125 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100274704	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 150 mm x NH, 25 per inner, 100 per case	100	Each
7100274668	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 178 mm x 22,23 mm, 25 per inner, 100 per case	100	Each
7100275253	Scotch-Brite™ Precision Surface Conditioning Disc, PN-DH, Very Fine, 178 mm x NH, 25 per inner, 100 per case	100	Each

# Discs

## Scotch-Brite™ Hookit™ 7447 PRO Disc

Our Scotch-Brite™ Hookit™ 7447 PRO Disc combines flexible fibers with outstanding cut to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. It is an excellent alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks. The Hookit™ backing enables convenient attachment on a random orbital sander.



- Use for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Unique fibre coating capability assures a fast, consistent scratch
- Very fine grade aluminum oxide abrasive cleans and finishes efficiently

Product ID	Product	MOQ	Order Unit
7010300879	Scotch-Brite™ Hookit™ 7447 PRO Disc, 152.4 mm x NH, A VFN	40	Each

## Quick Change Discs

### 3M™ Cubitron™ II Roloc™ Fibre Disc 982C

3M™ Cubitron™ II Roloc™ Fibre Disc 982C offers outstanding performance and productivity for medium to high pressure grinding applications. Our discs are perfect for use on carbon steel when a smaller disc is needed.



- Features 3M Precision Shaped Grain which gives improved cut and longevity
- Disc life is significantly increased, completing more parts per disc for less disc changes
- Roloc™ quick attachment system makes for easy disc changes between grades or applications

Product ID	Product	MOQ	Order Unit
7000118429	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 50 mm, 36+	50	Each
7000044902	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76 mm, R300V, 60+	50	Each
7000044904	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76 mm, R300V, 80+	50	Each
7100126838	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76 mm, RS300VM, 36+	200	Each
7000118430	3M™ Cubitron™ II Roloc™ Fibre Disc 982C, 76mm, R300V, 36+	50	Each

### 3M™ Cubitron™ II Roloc™ Cloth Disc 984F

3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F combines the convenience of our 3M Roloc Quick-Change Attachment System with 3M Precision Shaped Grain technology, delivering increased cut rates and disc life.



- Features 3M Precision Shaped Grain which gives improved cut and longevity
- Disc life is significantly increased, completing more parts per disc for less disc changes
- Incorporated grinding aid reduces grinding temperatures on heat sensitive alloys increasing longevity

Product ID	Product	MOQ	Order Unit
7000045173	3M™ Cubitron™ II Roloc™ Cloth Disc 984, 50 mm, RS200PM, 60+	200	Each
7000045233	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 25 mm, R100N, 60+	200	Each
7000045166	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, R150S, 36+	200	Each
7000045171	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, R150S, 60+	200	Each
7000045175	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, R150S, 80+	200	Each
7000045168	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, RS150SM, 36+	200	Each

# Discs

## 3M™ Cubitron™ II Roloc™ Cloth Disc 984F

3M™ Cubitron™ II Roloc™ Durable Edge Disc 984F combines the convenience of our 3M Roloc Quick-Change Attachment System with 3M Precision Shaped Grain technology, delivering increased cut rates and disc life.



- Features 3M Precision Shaped Grain which gives improved cut and longevity
- Disc life is significantly increased, completing more parts per disc for less disc changes
- Incorporated grinding aid reduces grinding temperatures on heat sensitive alloys increasing longevity

Product ID	Product	MOQ	Order Unit
7100001474	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 36+	200	Each
7100001475	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 60+	200	Each
7100001473	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 80+	200	Each
7000045167	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 76 mm, R300V, 36+	200	Each
7000045172	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 76 mm, R300V, 60+	200	Each
7000045176	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 76 mm, R300V, 80+	200	Each
7000045177	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 38 mm, RS150SM, 80+	200	Each

## 3M™ Cubitron™ II Roloc™ Disc 984F

3M™ Cubitron™ II Roloc™ Disc 984F offers a superior solution for tackling metalworking applications where flexibility is required, such as weld grinding, beveling, flame-cut edge clean-up and deburring.



- 3M Precision Shaped Ceramic Grain (PSG) maintains super-sharp points that cut exceptionally fast with less pressure compared to conventional abrasives
- Disc life is significantly longer, completing more parts per disc and requiring fewer disc changes compared to conventional abrasives
- Grinding aid incorporated on the disc minimizes grinding temperatures for stainless steel and other heat-sensitive alloys

Product ID	Product	MOQ	Order Unit
7010361116	3M™ Cubitron™ II Roloc™ Cloth Disc 984F, 50 mm, R200P, 60+	200	Each

## 3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A is a poly-cotton backed, heavyweight, sharp cutting disc. Our strong, durable discs are easy to use and ideal for edge work.



- Precision-Shaped Grain delivers sharp, cool, consistent cutting action
- Poly-cotton backing offers water resistance and great tensile strength, enhancing durability of grains
- Heavy weight backing makes it more durable and tear resistant, great for edge work

Product ID	Product	MOQ	Order Unit
7100077039	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 40+	200	Each
7100077047	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 60+	200	Each
7100076925	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 80+	200	Each
7100076933	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 50 mm, 120+	200	Each
7100077040	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 40+	200	Each
7100076898	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 60+	200	Each

# Discs

## 3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A

3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A is a poly-cotton backed, heavyweight, sharp cutting disc. Our strong, durable discs are easy to use and ideal for edge work.



- Precision-Shaped Grain delivers sharp, cool, consistent cutting action
- Poly-cotton backing offers water resistance and great tensile strength, enhancing durability of grains
- Heavy weight backing makes it more durable and tear resistant, great for edge work

Product ID	Product	MOQ	Order Unit
7100076926	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 80+	200	Each
7100076934	3M™ Cubitron™ II Roloc™ Durable Edge Disc 947A, 76 mm, 120+	200	Each

## 3M™ Roloc™ Fibre Disc 782C

3M™ Roloc™ Fibre Disc 782C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear-resistance.



- Cuts carbon steel rapidly
- Premium mineral excels at heavy weight applications
- 3M Precision Shaped Grain yields higher cut rates

Product ID	Product	MOQ	Order Unit
7100100976	3M™ Roloc™ Fibre Disc 782C, 50 mm, 36+	200	Each
7100100989	3M™ Roloc™ Fibre Disc 782C, 50 mm, 60+	200	Each
7100100999	3M™ Roloc™ Fibre Disc 782C, 50 mm, 80+	200	Each
7100100942	3M™ Roloc™ Fibre Disc 782C, 76 mm, 36+	200	Each
7100100885	3M™ Roloc™ Fibre Disc 782C, 76 mm, 60+	200	Each
7100100986	3M™ Roloc™ Fibre Disc 782C, 76 mm, 80+	200	Each

## 3M™ Roloc™ Fibre Disc 787C

3M™ Roloc™ Fibre Disc 787C is a fibre disc featuring our advanced abrasive technology, 3M Precision Shaped Grain. These discs have a stiff fibre backing and strong resin bond that provide durability and tear-resistance. They are constructed with a grinding aid.



- Cuts hard and fast to grind metals like stainless steel and high nickel alloys
- 3M Precision Shaped Grain yields higher cut rates and excels at heavy weight applications
- Grinding aid minimises grinding temperatures for heat-sensitive alloys

Product ID	Product	MOQ	Order Unit
7100100974	3M™ Roloc™ Fibre Disc 787C, 50 mm, 36+	200	Each
7100100982	3M™ Roloc™ Fibre Disc 787C, 50 mm, 60+	200	Each
7100100962	3M™ Roloc™ Fibre Disc 787C, 50 mm, 80+	200	Each
7100100964	3M™ Roloc™ Fibre Disc 787C, 50 mm, 120+	200	Each
7100100981	3M™ Roloc™ Fibre Disc 787C, 75 mm, 36+	200	Each
7100100979	3M™ Roloc™ Fibre Disc 787C, 75 mm, 60+	200	Each
7100100966	3M™ Roloc™ Fibre Disc 787C, 75 mm, 120+	200	Each
7100100961	3M™ Roloc™ Fibre Disc 787C, 76 mm, 80+	200	Each



# Discs

## Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100175521	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 50 mm, S XCRS, Purple	60	Each
7100173795	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 76 mm, S XCRS, Purple	40	Each
7100192704	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 100 mm x 13 mm x 6 mm, S XCRS, Purple	10	Each
7100192705	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 125 mm x 13 mm x 6 mm, S XCRS, Purple	8	Each
7100192706	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Disc XO-ZR, 150 mm x 13 mm x 6 mm, S XCRS, Purple	6	Each

## Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion, while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100179815	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc XC-DR, 50 mm, A XCRS, Green	60	Each
7100173790	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc XC-DR, 76 mm, A XCRS, Green	40	Each

## Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc

Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc features aluminium oxide abrasive mineral incorporated into an open nylon web. Our discs are designed to remove tough coatings, such as heavy rust, thick paint and corrosion while also blending and refining the bare metal underneath.



- Quickly removes heavy rust, thick paint, corrosion and cleans welds
- Aluminium oxide mineral aggressively removes top layer and refines the bare metal underneath
- High conformability provides a larger contact patch for faster removal rates

Product ID	Product	MOQ	Order Unit
7100192712	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc XO-ZR, 100 mm x 13 mm x 6 mm, A XCRS, Green	10	Each
7100192733	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc XO-ZR, 125 mm x 13 mm x 6 mm, A XCRS, Green	8	Each
7100192734	Scotch-Brite™ Roloc™+ Clean and Strip XT Pro Extra Cut Disc XO-ZR, 150 mm x 13 mm x 6 mm, A XCRS, Green	6	Each

## Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR

Scotch-Brite™ Roloc™ Surface Conditioning Disc combines our durable, non-woven disc with the efficient Roloc quick-change attachment system, for effective cleaning, finishing, blending and deburring. These discs use non-woven fibre which conforms well to irregular surfaces.



- Tough non-woven disc aggressively deburrs and finishes
- Conformable, non-woven disc with Roloc™ backing for aggressive cutting
- Achieve consistent finishes with open-web construction that resists loading and runs cool

Product ID	Product	MOQ	Order Unit
7000045887	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR TR, 38 mm, A CRS, Brown	50	Each
7000000704	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 25 mm, A CRS, Brown	200	Each
7000021280	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 25 mm, A MED, Red	200	Each
7000021279	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 25 mm, A VFN, Blue	200	Each
7000045888	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 38 mm, A MED, Red	50	Each
7000028507	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	100	Each
7000000752	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	50	Each
7000068118	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, PN139497	200	Each
7000068117	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, PN139496	200	Each
7000028506	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, Red	100	Each
7000000751	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MED, Red	50	Each
7000000750	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A VFN, Blue	200	Each
7000028508	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A VFN, Blue	100	Each
7000068116	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A VFN, PN139495	200	Each
7000028509	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, S FIN, Grey	100	Each
7000000753	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, S SFN, Grey	200	Each
7000046114	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A CRS, Brown	4	Carton
7000000756	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A CRS, Brown	100	Each
7000000755	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A MED, Red	25	Each
7000046113	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A MED, Red	4	Carton
7000000754	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A VFN, Blue	25	Each
7000046108	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, A VFN, Blue	4	Carton
7000028501	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 76 mm, S SFN, Grey	100	Each
7100007009	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 102 mm, A CRS	25	Each

# Discs

## Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR

Scotch-Brite™ Roloc™ SE Surface Conditioning Discs combine a coarse, non-woven disc with the efficiency of the 3M™ Roloc™ quick-change attachment system. Our discs are designed for heavy-duty deburring and finishing, with a conformable fibre and supportive Roloc backing for aggressive cutting.



- Course, tough non-woven disc aggressively deburrs and finishes
- Open-web construction resists loading and runs cool, producing consistent finishes
- Conformable disc conditions surfaces without gouging, undercutting, or damaging the base material

Product ID	Product	MOQ	Order Unit
7000046111	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 50 mm, A CRS, Brown	200	Each
7000046110	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 50 mm, A MED, Red	200	Each
7000042733	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 76 mm, A CRS, Brown	100	Each
7000046112	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 76 mm, A MED, Red	100	Each
7000046149	Scotch-Brite™ Roloc™ Surface Conditioning Disc SE-DR, 76 mm, A VFN, Red	100	Each

## Scotch-Brite™ Roloc™ SL Surface Conditioning Disc

Scotch-Brite™ Roloc™ SL Surface Conditioning Disc has a unique web construction and formulation. Our discs resist loading and use aluminium oxide abrasive mineral for a fast, aggressive cut and long product life. They offer blending and finishing capabilities.



- Specially engineered light grinding and blending disc can last up to twice as long as other surface conditioning discs
- Blending and finishing capability saves process steps and offers desired finish without sacrificing cut-rate
- Versatile for grind line refinement, metal blending, and surface preparation

Product ID	Product	MOQ	Order Unit
7000121083	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 50 mm, A MED	200	Each
7000046219	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 50 mm, CRS, Heavy Duty	200	Each
7000046221	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 50 mm, CRS, Super Duty	200	Each
7000046218	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 75 mm, CRS, Heavy Duty	100	Each
7000046220	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 75 mm, CRS, Super Duty	100	Each
7100029968	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 76 mm, A CRS	100	Each
7000121082	Scotch-Brite™ Roloc™ Surface Conditioning Disc SL-DR, 76 mm, A MED	100	Each

# Discs

## Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR

Scotch-Brite™ Roloc™ Light Grinding and Blending Discs use a fast cutting ceramic aluminium oxide abrasive grain blend. We've designed them for optimal weld grinding and blending in mild-steel applications, and to handle intense heat and stress applications.



- Grinds and blends in a single step
- 3M™ ceramic aluminium oxide abrasives combine high cut-rate with blending, eliminating finishing steps
- Disc backup pad helps provide high edge durability for consistent finishing and long disc life

Product ID	Product	MOQ	Order Unit
7100019197	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 25 mm, A CRS	200	Each
7100048019	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 38 mm, A CRS	200	Each
7000046250	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 50 mm, Heavy Duty	200	Each
7000046251	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 50 mm, Super Duty	200	Each
7100007318	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 76 mm, Heavy Duty	100	Each
7100009310	Scotch-Brite™ Roloc™ Light Grinding and Blending Disc GB-DR, 76 mm, Super Duty	100	Each

## Scotch-Brite™ Roloc™ Clean and Strip Disc CG-RD

Scotch-Brite™ Roloc™ Clean and Strip Disc uses a long lasting abrasive that combines silicon carbide mineral with non-woven nylon fibres using a resin which dissolves and breaks down over time. Our discs are designed to aggressively clean without altering the base material.



- Removes paint, rust and quickly without compromising the geometry of the work piece
- Load resistant material resists clogging for consistent cutting action
- Smear resistant to minimise cleaning of the work surface

Product ID	Product	MOQ	Order Unit
7100093978	Scotch-Brite™ Roloc™ Clean and Strip Disc CG-RD, 100 mm x 13 mm	10	Each

## Scotch-Brite™ Roloc™ Coating Removal Disc CR-DR

Scotch-Brite™ Roloc™ Coating Removal Disc uses extra coarse silicon carbide abrasive and conformable, non-woven material to effectively remove paint and rust from metal surfaces and welds. Our discs feature a secure hook and loop backing and are a good option to wire brushes.



- Strips coatings and preps surfaces more effectively than wire brushes
- Non-woven material aggressively removes coating without damaging the base material
- Open web material runs cool and resists loading for prolonged operation

Product ID	Product	MOQ	Order Unit
7000046010	Scotch-Brite™ Roloc™ Coating Removal Disc CR-DR, 50 mm	60	Each
7000046009	Scotch-Brite™ Roloc™ Coating Removal Disc CR-DR, 76 mm	40	Each



## Scotch-Brite™ Roloc™ Deburr & Finish PRO Unitized Wheel

Scotch-Brite™ Roloc™ Deburr & Finish PRO Unitized Wheel is our new metalworking tool with 3M precision shaped grain woven throughout the abrasive. These unitised wheels have a soft nylon fibre backing and include a Roloc™ attachment for swift, easy connection to power tools.



- Unitised construction enhances abrasive durability and strength, helping prolong service life
- Non-woven construction permits dust and debris to escape, minimising loading
- Perfect for moderate to heavy deburring

Product ID	Product	MOQ	Order Unit
7100081368	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 50 mm x 3.2 mm, 6C MED+	60	Each
7100081367	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 50 mm x 6.35 mm, 6C MED+	60	Each
7010300983	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 3.2 mm, 4C MED+	40	Each
7100081366	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 3.2 mm, 6C MED+	40	Each
7100109130	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 3.2 mm, 8C CRS+,	40	Each
7100081365	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6 mm, 6C MED+	40	Each
7010329346	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6.35 mm, 2S FIN,	40	Each
7010295274	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6.35 mm, 4C MED+,	40	Each
7100109110	Scotch Brite™ Roloc™ Deburr and Finish PRO Unitized Wheel, 76 mm x 6.35 mm, 8C CRS+	40	Each
7100290649	Scotch-Brite™ Roloc™ Deburr & Finish PRO Unitized Wheel, DP-UR, 50,8 mm x 6 mm, TR, 9C XCRS+	60	Each
7100291543	Scotch-Brite™ Roloc™ Deburr & Finish PRO Unitized Wheel, DP-UR, 76,2 mm x 6 mm, TR, 9C XCRS+	40	Each

## Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc

Scotch-Brite™ Roloc™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology, setting a new standard of performance.
- Consistency and ease of use, to improve surfaces without significantly changing the workpiece.
- Conformable, non-woven disc combined with Roloc™ backing allows for aggressive cutting and a convenient, efficient attachment system.

Product ID	Product	MOQ	Order Unit
7100271028	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 25.4 mm, 50/Inner, 200 ea/Case, Dispenser Pack	200	Each
7100264164	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264169	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100272236	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 50.8 mm , 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264090	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264092	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264197	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264427	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 76.2 mm, 1000 ea/Case, Bulk	1000	Each

## Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc

Scotch-Brite™ Roloc™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology, setting a new standard of performance.
- Consistency and ease of use, to improve surfaces without significantly changing the workpiece.
- Conformable, non-woven disc combined with Roloc™ backing allows for aggressive cutting and a convenient, efficient attachment system.

Product ID	Product	MOQ	Order Unit
7100264203	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Coarse, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264150	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264165	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264170	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264172	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 50.8 mm , 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264091	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264193	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264198	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264438	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 76.2 mm, 1000 ea/Case, Bulk	1000	Each
7100270872	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Extra Coarse, TR, 101.6 mm, 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264159	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264152	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264167	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264171	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 50.8 mm , 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264174	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264139	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264195	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100271030	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 76.2 mm, 1000/Case, Bulk	1000	Each
7100264204	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Fine, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264161	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264168	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 38,1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each

## Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc

Scotch-Brite™ Roloc™ Precision Surface Conditioning Discs set a new standard in surface conditioning performance. These reformulated multi-purpose discs feature 3M Precision-Shaped Grain technology incorporated into the nonwoven web, bringing a new level of productivity and abrasive life to the Scotch-Brite™ lineup.



- Now with 3M™ precision shaped grain technology, setting a new standard of performance.
- Consistency and ease of use, to improve surfaces without significantly changing the workpiece.
- Conformable, non-woven disc combined with Roloc™ backing allows for aggressive cutting and a convenient, efficient attachment system.

Product ID	Product	MOQ	Order Unit
7100264163	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100272016	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 50.8 mm , 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264089	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264141	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264196	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264428	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 76.2 mm, 1000 ea/Case, Bulk	1000	Each
7100264142	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Medium, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264156	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 25.4 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264151	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 38.1 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264166	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 38.1 mm, 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100272237	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 50.8 mm , 25/Inner, 100 ea/Case, Dispenser Pack	100	Each
7100264173	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 50.8 mm , 50/inner, 200 ea/Case, Dispenser Pack	200	Each
7100264138	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 50.8 mm , 1000 ea/Case, Bulk	1000	Each
7100264194	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 76.2 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each
7100264429	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 76.2 mm, 1000 ea/Case, Bulk	1000	Each
7100264199	Scotch-Brite™ Roloc™ Precision Surface Conditioning Disc, PN-DR, Very Fine, TR, 101.6 mm, 25/inner, 100 ea/Case, Dispenser Pack	100	Each



# Wheels



## Cut-off & Grinding Wheels

### Focus

### 3M™ Cubitron™ 3 Cut-Off Wheel

The 3M™ Cubitron™ 3 Cut-Off Wheel creates perpendicular cuts using the outer edge of the wheel, making it ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.

Additionally, the 3M™ Cubitron™ 3 Cut-Off Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives.

3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut-Off Wheel.



- **SPECIALISED FUNCTIONALITY:** Creates perpendicular cuts using the outer edge of the wheel, making them ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.
- **ENHANCED SPEED:** Delivers up to 10% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- **LESS CHANGEVER:** Removes up to 3x more material compared to 3M™ Cubitron™ II Performance Abrasives.

Product ID	Product	MOQ	Order Unit
7100305230	3M™ Cubitron™ 3 Cut-Off Wheel, 60+, T41, 180 mm x 1.6 mm x 22.23mm	50	Each
7100303829	3M™ Cubitron™ 3 Cut-Off Wheel, 86412, 36+, T41, 125 mm x 1.6 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304304	3M™ Cubitron™ 3 Cut-Off Wheel, 86457, 60+, T41, 125 mm x 1.3 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304056	3M™ Cubitron™ 3 Cut-Off Wheel, 86542, 60+, T41, 150 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304127	3M™ Cubitron™ 3 Cut-Off Wheel, 86580, 80+, T41, 125 mm x 0.8 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304305	3M™ Cubitron™ 3 Cut-Off Wheel, 86581, 80+, T41, 115 mm x 0.8 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304120	3M™ Cubitron™ 3 Cut-Off Wheel, 86616, 60+, T41, 115 mm x 1 mm x 22.23 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100304306	3M™ Cubitron™ 3 Cut-Off Wheel, 86647, 60+, T41, 125 mm x 1 mm x 22.23 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100303830	3M™ Cubitron™ 3 Cut-Off Wheel, 86997, 36+, T41, 100 mm x 2 mm x 15.88 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303831	3M™ Cubitron™ 3 Cut-Off Wheel, 87338, 36+, T42, 125 mm x 3 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303832	3M™ Cubitron™ 3 Cut-Off Wheel, 87371, 36+, T41, 230 mm x 3 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303993	3M™ Cubitron™ 3 Cut-Off Wheel, 87378, 36+, T42, 230 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303994	3M™ Cubitron™ 3 Cut-Off Wheel, 87396, 36+, T42, 180 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303995	3M™ Cubitron™ 3 Cut-Off Wheel, 87963, 36+, T42, 125 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303996	3M™ Cubitron™ 3 Cut-Off Wheel, 88383, 36+, T42, 115 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303997	3M™ Cubitron™ 3 Cut-Off Wheel, 88404, 36+, T41, 230 mm x 2.5 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each

MOQ = Minimum Order Quantity

# Wheels

Focus

## 3M™ Cubitron™ 3 Cut-Off Wheel

The 3M™ Cubitron™ 3 Cut-Off Wheel creates perpendicular cuts using the outer edge of the wheel, making it ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.

Additionally, the 3M™ Cubitron™ 3 Cut-Off Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives.

3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut-Off Wheel.



- **SPECIALISED FUNCTIONALITY:** Creates perpendicular cuts using the outer edge of the wheel, making them ideal for cutting through metal, including autobody or marine sheet metal, stainless steel tubing, exhaust pipes, clamps, rusted fasteners and more.
- **ENHANCED SPEED:** Delivers up to 10% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- **LESS CHANGEVER:** Removes up to 3x more material compared to 3M™ Cubitron™ II Performance Abrasives.

Product ID	Product	MOQ	Order Unit
7100303998	3M™ Cubitron™ 3 Cut-Off Wheel, 88732, 36+, T41, 230 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100303999	3M™ Cubitron™ 3 Cut-Off Wheel, 88768, 36+, T41, 180 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304000	3M™ Cubitron™ 3 Cut-Off Wheel, 88775, 36+, T41, 125 mm x 2 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304002	3M™ Cubitron™ 3 Cut-Off Wheel, 89435, 36+, T41, 125 mm x 1.6 mm x 22.23mm, EN-JP, 25/Pack, 50 ea/Case	50	Each
7100304003	3M™ Cubitron™ 3 Cut-Off Wheel, 89573, 36+, T41, 115 mm x 1.6 mm x 22.23 mm, EN, 25/Pack, 50 ea/Case	50	Each
7100304121	3M™ Cubitron™ 3 Cut-Off Wheel, 89623, 60+, T41, 75 mm x 1 mm x 9.53 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100303861	3M™ Cubitron™ 3 Cut-Off Wheel, 90230, 60+, T41, 75 mm x 1 mm x 6.35 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100304123	3M™ Cubitron™ 3 Cut-Off Wheel, 91045, 60+, T41, 75 mm x 1 mm x 10 mm, EN, 25/ Pack, 50 ea/Case	50	Each
7100304124	3M™ Cubitron™ 3 Cut-Off Wheel, 91564, 60+, T41, 75 mm x 1 mm x 8 mm, EN, 25/Pack, 50 ea/Case	50	Each

MOQ = Minimum Order Quantity

## 3M™ Cubitron™ 3 Depressed Center Grinding Wheel

The 3M™ Cubitron™ 3 Depressed Center Grinding Wheel is an exceptionally fast-cutting and long-lasting rigid-bonded wheel for heavy weld removal and other heavy-duty grinding applications. Utilising a depressed centre to enable grinding at any angle, this wheel works well on almost all materials while being specially formulated for use on stainless steel, mild steel, and aerospace alloys.

Additionally, the 3M™ Cubitron™ 3 Depressed Center Grinding Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives. 3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Depressed Center Grinding Wheel.



- **HEAVY-DUTY:** Designed for heavy weld removal and other heavy-duty grinding applications on almost all materials while being specially formulated for use on stainless steel, mild steel, and aerospace alloys.
- **ENHANCED PERFORMANCE:** Delivers up to 14% increased cut rate compared to 3M™ Cubitron™ II Abrasives to help reduce the amount of time and pressure required to get the job done.
- **LESS CHANGEVER:** Removes up to 2x more material compared to 3M™ Cubitron™ II Performance Abrasives.

Product ID	Product	MOQ	Order Unit
7100312955	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 43616, 36+, T27, 125 mm x 7 mm x 22.23 mm, Gouge Special EN, 20 ea/Case	20	Each
7100303963	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 74433, 36+, T27, 150 mm x 7 mm x 22.23 mm, Gouge Special EN, 10/Pack 20 ea/Case	20	Each
7100305453	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 97618, 36+, T27, 180 mm x 7 mm x 22.23 mm, Gouge Special EN, 10/Pack 20 ea/Case	20	Each
7100303979	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98291, 36+, T27, 230 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303980	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98418, 36+, T27, 180 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303981	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98452, 36+, T27, 150 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303982	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 98647, 36+, T27, 125 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303983	3M™ Cubitron™ 3 Depressed Center Grinding Wheel, 99306, 36+, T27, 115 mm x 7 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each

# Wheels

Focus

## 3M™ Cubitron™ 3 Cut and Grind Wheel

The 3M™ Cubitron™ 3 Cut and Grind Wheel is a versatile solution designed to be used both as a grinding wheel and cut-off wheel — making it ideal for cutting, grinding, gouging, and more. Unlike other abrasive products, which are designed for just one job, this wheel can meet multiple challenges thanks, in part, to a flat, reinforced inner surface that can shape or grind objects and a thin outer edge that can be used to make perpendicular cuts and gouges. This inclusive design removes the need for multiple abrasive tools and can help to maximise production.

Additionally, the 3M™ Cubitron™ 3 Cut and Grind Wheel is powered by 3M Re-Engineered Precision Shaped Grain using proprietary breakthroughs in molecular bonding technology designed with sharp, angular structures that continuously fracture to form sharp points. These clean, sharp points help create an abrasive that slices faster, runs cooler, and lasts much longer than conventional abrasives. 3M™ Cubitron™ Performance Abrasives are made for professionals who need more from their equipment — so experience the next generation in abrasive performance by choosing the 3M™ Cubitron™ 3 Cut and Grind Wheel.



- **MULTIPLE FUNCTIONS:** Used both as a grinding wheel and cut-off wheel, making it ideal for cutting, grinding, gouging, and more
- **ENHANCED SPEED:** Delivers up to 5% increased cut rate compared to 3M™ Cubitron™ II Performance Abrasives to help reduce the amount of time and pressure required to get the job done.
- **RIGID, REINFORCED, RESIN-BONDED WHEEL:** Designed to be used both as a grinding wheel and as a cut-off wheel on both stainless and mild steel substrates.

Product ID	Product	MOQ	Order Unit
7100305148	3M™ Cubitron™ 3 Cut and Grind Wheel, 47563, 36+, T27, 150 mm x 3.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305445	3M™ Cubitron™ 3 Cut and Grind Wheel, 93314, 36+, T27, 100 mm x 3.2 mm x 15.88 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305446	3M™ Cubitron™ 3 Cut and Grind Wheel, 93395, 36+, T27, 230 mm x 3.8 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305447	3M™ Cubitron™ 3 Cut and Grind Wheel, 93473, 36+, T27, 180 mm x 3.5 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305448	3M™ Cubitron™ 3 Cut and Grind Wheel, 93498, 36+, T27, 125 mm x 3.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305449	3M™ Cubitron™ 3 Cut and Grind Wheel, 94159, 36+, T27, 115 mm x 3.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303971	3M™ Cubitron™ 3 Cut and Grind Wheel, 94343, 36+, T27, 230 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303972	3M™ Cubitron™ 3 Cut and Grind Wheel, 94542, 36+, T27, 180 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303973	3M™ Cubitron™ 3 Cut and Grind Wheel, 94888, 36+, T27, 150 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303974	3M™ Cubitron™ 3 Cut and Grind Wheel, 94946, 36+, T27, 125 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100303975	3M™ Cubitron™ 3 Cut and Grind Wheel, 95344, 36+, T27, 115 mm x 4.2 mm x 22.23 mm, EN, 10/Pack, 20 ea/Case	20	Each
7100305450	3M™ Cubitron™ 3 Cut and Grind Wheel, 95508, 36+, T27, 100 mm x 4.2 mm x 15.88 mm, EN, 10/Pack, 20 ea/Case	20	Each

MOQ = Minimum Order Quantity



# Wheels

## 3M™ Silver Cut-Off Wheel

3M™ Silver Cut-Off Wheel is designed to deliver an unbeatable combination of performance and value. It cuts quickly through metal pipes, tubes and flat sheets. The long-lasting wheel uses our Precision Shaped Grain to deliver a fast, consistent cut.



- Cuts cleanly with minimal burrs
- Cuts quickly through metal pipes, tubes, flat sheets and more
- 3M Precision Shaped Grain cuts cleanly and fast, helping to increase productivity

Product ID	Product	MOQ	Order Unit
7100139223	3M™ Silver Cut-Off Wheel, 51781, T41 105 mm x 1.3 mm x 9.53 mm, 50 per inner 500 per carton Ring	50	Each
7100139207	3M™ Silver Cut-Off Wheel, T41, 75 mm x 0.9 mm x 6.35 mm	50	Each
7100139209	3M™ Silver Cut-Off Wheel, T41, 75 mm x 0.9 mm x 10 mm	50	Each
7100139211	3M™ Silver Cut-Off Wheel, T41, 75 mm x 1.6 mm x 9.53 mm	50	Each
7100139213	3M™ Silver Cut-Off Wheel, T41, 100 mm x 0.9 mm x 6.35 mm	50	Each
7100139216	3M™ Silver Cut-Off Wheel, T41, 100 mm x 1 mm x 9.53 mm	50	Each
7100139217	3M™ Silver Cut-Off Wheel, T41, 100 mm x 1 mm x 16 mm	50	Each
7100139218	3M™ Silver Cut-Off Wheel, T41, 100 mm x 1.3 mm x 16 mm	50	Each
7100139219	3M™ Silver Cut-Off Wheel, T41, 105 mm x 1 mm x 10 mm	50	Each
7100139227	3M™ Silver Cut-Off Wheel, T41, 115 mm x 1 mm x 22.2 mm	50	Each
7100139229	3M™ Silver Cut-Off Wheel, T41, 115 mm x 1.6 mm x 22.2 mm	50	Each
7100139232	3M™ Silver Cut-Off Wheel, T41, 125 mm x 1 mm x 22.2 mm	50	Each
7100139234	3M™ Silver Cut-Off Wheel, T41, 125 mm x 1.6 mm x 22.2 mm	50	Each
7100139238	3M™ Silver Cut-Off Wheel, T41, 125 mm x 2 mm x 22.2 mm	50	Each
7100139235	3M™ Silver Cut-Off Wheel, T41, 150 mm x 1.6 mm x 22.2 mm	50	Each
7100141045	3M™ Silver Cut-Off Wheel, T41, 178 mm x 3 mm x 22.2 mm	50	Each
7100139240	3M™ Silver Cut-Off Wheel, T41, 180 mm x 2 mm x 22.2 mm	50	Each
7100141075	3M™ Silver Cut-Off Wheel, T41, 230 mm x 3 mm x 22.2 mm	50	Each
7100141056	3M™ Silver Cut-Off Wheel, T42, 115 mm x 2.5 mm x 22.2 mm	50	Each
7100141069	3M™ Silver Cut-Off Wheel, T42, 125 mm x 2.5 mm x 22.2 mm	50	Each
7100141067	3M™ Silver Cut-Off Wheel, T42, 178 mm x 2.5 mm x 22.2 mm	50	Each
7100141070	3M™ Silver Cut-Off Wheel, T42, 230 mm x 2.5 mm x 22.2 mm	50	Each

MOQ = Minimum Order Quantity

# Wheels

## 3M™ Silver Depressed Centre Grinding Wheel

3M™ Silver Depressed Centre Grinding Wheel is our type 27 wheel, designed to deliver an unbeatable combination of performance and value that delivers a fast and consistent cut during grinding and heavy stock removal on stainless steel, mild steel, aerospace alloys and more.



- Suitable for heavy grinding, beveling and weld removal
- 3M Precision Shaped Grain cuts cleanly and fast, helping to increase productivity
- Long-lasting wheel provides great performance value

Product ID	Product	MOQ	Order Unit
7100141123	3M™ Silver Depressed Centre Grinding Wheel, T27, 100 mm x 7 mm x 16 mm	20	Each
7100141083	3M™ Silver Depressed Centre Grinding Wheel, T27, 115 mm x 7 mm x 22.2 mm	20	Each
7100141086	3M™ Silver Depressed Centre Grinding Wheel, T27, 125 mm x 7 mm x 22.2 mm	20	Each
7100141089	3M™ Silver Depressed Centre Grinding Wheel, T27, 150 mm x 7 mm x 22.2 mm	20	Each
7100141096	3M™ Silver Depressed Centre Grinding Wheel, T27, 178 mm x 7 mm x 22.2 mm	20	Each
7100141099	3M™ Silver Depressed Centre Grinding Wheel, T27, 230 mm x 7 mm x 22.2 mm	20	Each

## 3M™ Cut & Grind Wheel

3M™ Cut & Grind Wheels are engineered to help you get more work done for your dollar. They blast through tough jobs with a fast, smooth cut ... with less pressure ... and with less chatter on back gouging and root pass grinding. 3M Precision Shaped Grain technology slices through metal with super-sharp, micro-replicated points for a cooler, faster and longer lasting cut than conventional crushed abrasive grain. Plus, these long-lasting wheels need fewer changes, so you can power through the daily grind much faster.



- 3M™ Cut & Grind wheels use 3M precision-shaped grain technology that increases the speed and life of the abrasive
- Designed for the cost driven customer. Delivers high performance at an affordable price
- Versatile: Rigid reinforced resin bonded wheel is designed to be used as both a grinding wheel and a cut-off wheel on mild and stainless-steel substrates

Product ID	Product	MOQ	Order Unit
7100214038	3M™ Cut and Grind Wheel, T27, 115 mm x 4.2 mm x 22.2 mm	20	Each
7100214085	3M™ Cut and Grind Wheel, T27, 127 mm x 4.2 mm x 22.2 mm	20	Each
7100214087	3M™ Cut and Grind Wheel, T27, 152 mm x 4.2 mm x 22.2 mm	20	Each
7100214088	3M™ Cut and Grind Wheel, T27, 180 mm x 4.2 mm x 22.2 mm	20	Each
7100214089	3M™ Cut and Grind Wheel, T27, 230 mm x 4.2 mm x 22.2 mm	20	Each
7100213967	3M™ Cut and Grind Wheel, Type 27, 102 mm x 4.2 mm x 16 mm	20	Each

# Wheels

## 3M™ Cubitron™ II Flexible Grinding Wheels

The 3M™ Cubitron™ II Flexible Grinding Wheel is designed to help you grind, shape and sand as fast as possible on a variety of metal materials. Utilising 3M Precision Shaped Grain that cuts fast and cool, while still offering enhanced flexibility.



- Designed to grind, shape and sand on a variety of metal materials
- 3M™ Precision Shaped Grain offer excellent cut rate and enhanced flexibility vs standard depressed center grinding wheels
- Resin bond helps retain strength and performance under grinding operations

Product ID	Product	MOQ	Order Unit
7100140055	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 100mm x 3mm x 16mm	200	Each
7100140056	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 115 mm x 3 mm x 22.2 mm	200	Each
7100140059	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 115 mm x 3 mm x 22.2 mm	200	Each
7100140057	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 125 mm x 3 mm x 22.2 mm	200	Each
7100140060	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 125 mm x 3 mm x 22.2 mm, 80+	200	Each
7100140058	3M™ Cubitron™ II Flexible Grinding Wheels, T27, 178 mm x 4 mm x 22.2 mm	100	Each

## Deburring & Finishing Wheels

### Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW

Scotch-Brite™ Deburr and Finish PRO Unitized Wheel uses 3M Precision Shaped Grain technology, bound to a nylon web, for higher cutting and durability in deburring and blending applications. Our unitised wheels are soft yet wear like iron, designed to minimise wheel changes.



- Get a longer lasting unitised wheel
- Perform faster deburring
- A soft, strong and smooth wheel with good control

Product ID	Product	MOQ	Order Unit
7100256411	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 6C Medium+, 76 mm x 12.7 mm x 6.35 mm, 20 ea/Case	20	Each
7100083512	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 25.4 mm x 25.4 mm x 4.76 mm, 6C MED+	50	Each
7100290254	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 25.4 mm x 25.4 mm x 4.76 mm, 9C XCRS+	1	Each
7100053413	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 50 mm x 3.175 mm x 6.35 mm, 6C MED+	60	Each
7100053414	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 50 mm x 6.35 mm x 6.35 mm, MED	60	Each
7100290249	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 50.8 mm x 6.35 mm x 6.35 mm, 9C XCRS+	60	Each
7100053418	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 3.18 mm x 6.35 mm, 6C MED+	40	Each
7100105326	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 3.175 mm x 6.35 mm, 8C CRS+	40	Each
7100256513	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 2S Fine	40	Each
7010365693	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 4C MED+	40	Each
7100256410	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 6C Med+	40	Each
7100256508	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 6.35 mm x 6.35 mm, 8C CRS+	40	Each
7010310029	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 12.7 mm x 6.35 mm, 4C MED+	20	Each
7100256517	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 12.7 mm x 6.35 mm, 8C CRS+	20	Each
7100110912	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 12.7 mm x 9.52 mm, 8 CRS+	20	Each
7100053421	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 19 mm x 6.35 mm, 6C MED+	20	Each
7010329496	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 19 mm x 6.35 mm, 8C CRS+	20	Each
7100256519	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76 mm x 25.4 mm x 6.35 mm, 8C CRS+	120	Each
7100290246	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76.2 mm x 6.35 mm x 6.35 mm, 9C XCRS+	40	Each
7100290244	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 76.2 mm x 12.7 mm x 6.35 mm, 9C XCRS+	20	Each
7100290250	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 127 mm x 3.175 mm x 25.4 mm, 9C XCRS+	16	Each
7100290101	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 127 mm x 6.35 mm x 25.4 mm, 9C XCRS+	10	Each
7100088615	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 3.2 mm x 25.4 mm, 6C MED+	16	Each
7010310028	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 3.175 mm x 12.7 mm, 6C MED+	16	Each
7100256509	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 6.35 mm x 25.4 mm, 6C Med+	8	Each



# Wheels

## Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW

Scotch-Brite™ Deburr and Finish PRO Unitized Wheel uses 3M Precision Shaped Grain technology, bound to a nylon web, for higher cutting and durability in deburring and blending applications. Our unitised wheels are soft yet wear like iron, designed to minimise wheel changes.



- Get a longer lasting unitised wheel
- Perform faster deburring
- A soft, strong and smooth wheel with good control

Product ID	Product	MOQ	Order Unit
7100256521	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 12.7 mm, 6C Med+	4	Each
7100256514	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 25.4 mm, 2S Fine	4	Each
7100256516	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 25.4 mm, 6C Med+	4	Each
7100256507	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 12.7 mm x 25.4 mm, 8C CRS+	4	Each
7100256518	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 12.7 mm, 6C Med+	2	Each
7100256522	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 25.4 mm, 6C Med+	2	Each
7100256520	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 25.4 mm, 8C CRS+	2	Each
7100256515	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152 mm x 25.4 mm x 25.4mm, 2S Fine	2	Each
7100290255	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152.4 mm x 3.175 mm x 12.7 mm, 9C XCRS+	16	Each
7100290763	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152.4 mm x 3.175 mm x 25.4 mm, 9C XCRS+	16	Each
7100290251	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152.4 mm x 6.35 mm x 22.23 mm, 9C XCRS+	8	Each
7100290100	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152.4 mm x 6.35 mm x 25.4 mm, 9C XCRS+	8	Each
7100290253	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152.4 mm x 12.7 mm x 12.7 mm, 9C XCRS+	4	Each
7100290252	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 152.4 mm x 12.7 mm x 25.4 mm, 9C XCRS+	4	Each
7100108778	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 203 mm x 12.7 mm x 12.7 mm, A CRS	4	Each
7100290248	Scotch-Brite™ Deburr and Finish PRO Unitized Wheel DP-UW, 203.2 mm X 6.35 mm X 6.35 mm, 9C XCRS+	8	Each

MOQ = Minimum Order Quantity

# Wheels

## Scotch-Brite™ EXL PRO Unitized Wheel

The Scotch-Brite™ EXL PRO Unitized Wheel is a tough nonwoven abrasive wheel designed for laser braze finishing applications on silicon bronze. This wheel delivers a clean edge and resists smearing, reducing the need for additional clean up and preparation, and resists heat buildup to help deliver a clean and smooth finish.



- Designed to blend and finish silicon bronze parts for laser brazing
- Open web construction resists loading and extends effective service life
- Tough, layered, unitized construction can operate clockwise or counterclockwise directions

Product ID	Product	MOQ	Order Unit
7100133807	Scotch-Brite™ EXL PRO Unitized Wheel, 152 mm x 2.7 mm x 12.7 mm, 8A CRS	10	Each
7100133793	Scotch-Brite™ EXL PRO Unitized Wheel, 203.2 mm x 3.2 mm x 25.4 mm, 8A CRS	10	Each
7100133775	Scotch-Brite™ EXL PRO Unitized Wheel, 203.2 mm x 4.2 mm x 25.4 mm, 8A CRS	10	Each
7100133692	Scotch-Brite™ EXL PRO Unitized Wheel, EX-UW, 8A Coarse, 3 in x 3 mm x 3/8 in, 40 ea/Case	40	Each
7100133703	Scotch-Brite™ EXL PRO Unitized Wheel, EX-UW, 8A Coarse, 3 in x 4.2 mm x 3/8 in, 40 ea/Case	40	Each
7100278221	Scotch-Brite™ EXL PRO Unitized Wheel, EX-UW, 8A Coarse, 203 mm x 4.2 mm x 25.4 mm, 1300 ea/Case	1300	Each

## Scotch-Brite™ EXL Unitized Wheel XL-UW

Scotch-Brite™ EXL Unitized Wheel features a soft, conformable consistency that smooths, deburrs and finishes the edges of metal alloys – as well as many plastic composites. Our EXL unitised wheels are available in a variety of densities and grades.



- Wheel edge can be dressed for effective deburring, finishing and polishing of all metal alloys and many plastics and composites
- Tough, layered, unitised construction can operate clockwise or anticlockwise directions
- Densities and grades ranging from soft and conformable to hard and aggressive – to offer utility for a wide variety of applications

Product ID	Product	MOQ	Order Unit
7100256317	Scotch-Brite™ EXL Unitized Wheel XL-UW, 76 mm x 6.35 mm x 6.35 mm, 2A Med	40	Each
7100256412	Scotch-Brite™ EXL Unitized Wheel XL-UW, 76 mm x 12.7 mm x 6.35 mm, 2A Med	20	Each
7100256328	Scotch-Brite™ EXL Unitized Wheel XL-UW, 152 mm x 6.35 mm x 12.7 mm, 2S Fine	8	Each
7000000690	Scotch-Brite™ EXL Unitized Wheel XL-UW, 25mm x 25mm x 4.84mm, 2S FIN	50	Each
7000046104	Scotch-Brite™ EXL Unitized Wheel XL-UW, 152 mm x 6.35 mm x 12.7 mm, 3S FIN	8	Each

## Scotch-Brite™ EX3 Deburring Wheel X3-WL

Scotch-Brite™ EX3 Deburring Wheel is a convolute-constructed, hard, durable deburring wheel suited for applications where edge retention is a must. Our wheels perform best when consistently presented with a sharp edge or metal burrs.



- Convolute construction provides a balanced, smooth running wheel
- Specially engineered to condition sharp edges and metal burrs
- Non-woven web runs cool and lessens impact on heat-sensitive materials

Product ID	Product	MOQ	Order Unit
7000046167	Scotch-Brite™ EX3 Deburring Wheel X3-WL, 203 mm x 12.7 mm x 76.2 mm, 9S FIN	4	Each

# Wheels

## Scotch-Brite™ EX2 Deburring Wheel X2-WL

Scotch-Brite™ EX2 Deburring Wheel is a convolute-constructed wheel that provides mid-range aggressiveness and hardness for deburring, edge radius, blending, polishing, and finishing. Our deburring wheels perform best when consistently presented with a sharp edge or metal burrs.



- Wheel edge can be dressed for effective deburring, finishing and polishing of all metal alloys and many plastics and composites
- Tough, layered, unitised construction can operate clockwise or anticlockwise directions
- Densities and grades ranging from soft and conformable to hard and aggressive offer utility for a wide variety of applications

Product ID	Product	MOQ	Order Unit
7000046098	Scotch-Brite™ EX2 Deburring Wheel X2-WL, 254 mm x 25.4 mm x 127 mm, 9S FIN	2	Each

## Scotch-Brite™ EXL Deburring Convolute Wheel

Use Scotch-Brite™ EXL Deburring Wheel, featuring a unique resin system that produces less smearing, reducing clean and prep time. These EXL deburring wheels are available in silicon carbide or aluminium oxide abrasive mineral.



- Solid, dense and conformable wheel produces a professional finish – without undercutting, gouging, or distorting the workpiece
- Effective for all types of metals, composites, and glass, allowing one wheel to perform more tasks
- Convolute construction keeps the wheel running smoothly – producing a consistent, superior finish

Product ID	Product	MOQ	Order Unit
7000046074	Scotch-Brite™ EXL Deburring Wheel XL-WL, 304 mm x 50.8 mm x 127 mm, 9S FIN	1	Each
7000000737	Scotch-Brite™ EXL Deburring Convolute Wheel, XL-WL, 9S Fine, 6 in x 1 in x 1 in, 3 ea/Case	3	Each
7000045967	Scotch-Brite™ EXL Deburring Convolute Wheel, 9S Fine, 8 in x 3/4 in x 3 in, 3 ea/Case	3	Each
7000000738	Scotch-Brite™ EXL Deburring Wheel XL-WL, 203 mm x 25.4 mm x 76 mm, 9S FIN	3	Each
7000046066	Scotch-Brite™ EXL Deburring Wheel XL-WL, 304.8 mm x 12.7 mm x 125 mm, 8S FIN	2	Each

## Scotch-Brite™ Deburring Wheel

Scotch-Brite™ Deburring Wheel is an aggressive wheel engineered for a variety of deburring tasks and surfaces. Use our silicon carbide wheels that offers a hard 11 density rating in medium and fine grades, for light to medium edge deburring on carbon steels, stainless steel, titanium and soft metals.



- Hard conformable wheel for efficient burr removal without undercutting the workpiece
- Convolute design for smooth running wheel and consistent results
- Scotch-Brite™ non-woven material resists loading and consistently delivers fresh abrasives for continuous cutting action

Product ID	Product	MOQ	Order Unit
7000028491	Scotch-Brite™ Deburring Wheel DB-WL, 152 mm x 25 mm x 25.4 mm, 7S FIN	3	Each
7000028488	Scotch-Brite™ Deburring Wheel DB-WL, 152 mm x 25 mm x 25.4 mm, 9S FIN	3	Each
7000046089	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 25 mm x 76.2 mm, 7S FIN	3	Each
7000046086	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 25 mm x 76.2 mm, 9S FIN	3	Each
7000028493	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 50 mm x 76.2 mm, 7S FIN	2	Each
7000046088	Scotch-Brite™ Deburring Wheel DB-WL, 203 mm x 50 mm x 76.2 mm, 9S FIN	2	Each

# Wheels

## Scotch-Brite™ Finishing Wheel

Scotch-Brite™ Finishing Wheel is constructed using silicon carbide abrasive. Our finishing wheels are convolute constructed and have a combination of mineral grades and soft density making them suitable for final finishing applications.



- Provides uniform grain for final finishing on stainless steel, aluminium, brass, copper, ferrous and non-ferrous metals
- Highly conformable for consistent finishing on contoured, curved and other surfaces
- Moderate aggressiveness and lighter density provide controlled wear for consistent results

Product ID	Product	MOQ	Order Unit
7000028484	Scotch-Brite™ Finishing Wheel FS-WL, 152 mm x 25 mm x 25.4 mm, 2S CRS	3	Each
7000028494	Scotch-Brite™ Finishing Wheel FS-WL, 152 mm x 25 mm x 25.4 mm, 6S FIN	3	Each

## Scotch-Brite™ Light Deburring Wheel

Scotch-Brite™ Light Deburring Wheel is a smooth running, convolute-constructed wheel that provides a clean system for light deburring, polishing, and finishing. Our wheels are made for soft construction and smooth operation, requiring less effort by the operator than a harder wheel.



- Provides a clean and economical system for removing fine burrs, resulting in a polished finish
- Conformability offers consistent finishing while keeping fresh abrasive mineral continuously exposed
- Non-woven web runs cool and lessens impact on heat-sensitive materials

Product ID	Product	MOQ	Order Unit
7000000730	Scotch-Brite™ Light Deburring Wheel LD-WL, 152 mm x 25.4 mm x 25.4 mm, 7S FIN	3	Each
7000000732	Scotch-Brite™ Light Deburring Wheel LD-WL, 203 mm x 12.7 mm x 76 mm, 8S FIN	4	Each
7000046052	Scotch-Brite™ Light Deburring Wheel LD-WL, 254 mm x 25.4 mm x 127 mm, 7S FIN	2	Each

## Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR

Scotch-Brite™ Roloc™ EXL Unitized Wheel is made with a compressed, non-woven fibre construction and uniform grain distribution. Our unitized wheels are strong and effective in a variety of metal working applications including edge deburring and finishing.




- Strong unitised construction provides effective edge deburring and finishing
- Hard densities offer good edge retention, to help maintain consistent shape and cutting action
- Soft densities offer conformability and flexibility for finishing flat, contoured, or irregular surfaces without damaging the part

Product ID	Product	MOQ	Order Unit
7000045976	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 50 mm x 6 mm, 2S FIN	15	Each
7100000858	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 76 mm x 6 mm, 2A MED	10	Each
7100005209	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 76 mm x 6 mm, 2S FIN	10	Each
7000028469	Scotch-Brite™ Roloc™ EXL Unitized Wheel XL-DR, 76 mm x 6 mm, 6A MED	40	Each







# Brushes

# Brushes

## Bristle Brushes & Discs

### Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS

Scotch-Brite™ Shaft Mounted Bristle Discs are made of plastic filled with 3M™ Cubitron™ abrasive grain, moulded into a disc and mounted on a spindle. Our discs are flexible and conform well for a uniform finish, even in hard to reach areas.

- Shaft mounted for quick and easy change
- Flexible and conformable, to work well on all kinds of irregular surfaces
- Work harder and faster than traditional abrasives without sacrifice to the finish quality



Product ID	Product	MOQ	Order Unit
7000078180	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 50 mm, P80, Yellow, Type C	6	Each
7000078175	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 50 mm, P120, White, Type C	6	Each
7000078179	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 50 mm, P220, Brown, Type C	6	Each
7000078178	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 75 mm, P220, Brown, Type C	6	Each
7000078176	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 76 mm, P80, Yellow, Type C	6	Each
7000078177	Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS, 76 mm, P120, White, Type C	6	Each

### Scotch-Brite™ Bristle Disc BD-ZB

Scotch-Brite™ Bristle Disc features ceramic abrasive grain and moulded, flexible bristles that provide more surface contact than wire brushes and maintains abrasive property throughout the life of the disc. Our bristle discs remove paint, stains, adhesives, weld burns, rust, heavy oxides and surface contaminants from large areas.

- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality throughout the life of the disc
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts
- Bristle spacing is ideal for coating removal and other high-loading substances



Product ID	Product	MOQ	Order Unit
7000061507	Berner Bristle Disc, BD-ZB, P80, M14, Yellow, 115 mm	10	Each
7000061352	Berner Roloc Bristle Disc, RD-ZB, P80, TR, Yellow, 50.8 mm	40	Each
7000061353	Berner Roloc Bristle Disc, RD-ZB, P120, TR, White, 50.8 mm	40	Each
7100138287	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P50, Green, M14	10	Each
7100151528	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P80, Yellow	5	Each
7100138288	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P80, Yellow, M14	10	Each
7100151532	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P120, White	5	Each
7100138289	Scotch-Brite™ Bristle Disc BD-ZB, 115 mm, P120, White, M14	10	Each
7000062861	Scotch-Brite™ Bristle Disc, 4.5 M14-2, P50	5	Each

# Brushes

## Scotch-Brite™ Radial Bristle Brush Type S BB-ZB

Scotch-Brite™ Radial Bristle Brush uses our own blend of 3M™ Ceramic Abrasive Grain, with aluminium oxide and moulded, flexible but firm bristles which give more surface contact than wire brushes. These brushes stay abrasive for their entire lifespan.



- Moulded, abrasive filled bristles finish, polish, and deburr, more efficiently than wire brushes
- 3M™ Ceramic Abrasive Grain blend gives superior finish quality throughout the life of the disc
- Cleans with minimal pressure

Product ID	Product	MOQ	Order Unit
7000046180	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, 6 Micron, Peach, Type C, With Adaptor	5	Each
7100138300	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, P80, Yellow, Type C, With adapter	5	Each
7100138298	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, P120, White, Type C, With adapter	5	Each
7000021284	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 11.11 mm x 25.4 mm, P400, Blue, Type C, With adapter	5	Each
7100138290	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P36, Brown, Type A, With adapter	5	Each
7100138347	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P50, Green, Type A, With adapter	5	Each
7100138291	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P80, Yellow, Type A, With adapter	5	Each
7100138299	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 12.7 mm x 25.4 mm, P220, Red, Type C, With adapter	5	Each
7000046181	Scotch-Brite™ Radial Bristle Brush BB-ZB, 152 mm x 22 mm x 25.4 mm, 1 Micron, Light green, Type C, With Adaptor	5	Each
7100138337	Scotch-Brite™ Radial Bristle Brush BB-ZB, 193.7 mm x 25.4 mm x 31.8 mm, P80, Yellow, Type C, With adapter	2	Each
7100138338	Scotch-Brite™ Radial Bristle Brush BB-ZB, 193.7 mm x 25.4 mm x 31.8 mm, P120, White, Type C, With adapter	2	Each
7100138335	Scotch-Brite™ Radial Bristle Brush BB-ZB, 193.7 mm x 25.4 mm x 31.8 mm, P220, Red, Type C, With adapter	2	Each
7100138332	Scotch-Brite™ Radial Bristle Brush BB-ZB, 203 mm x 25.4 mm x 31.8 mm, P50, Green, Type S, With adapter	2	Each
7100138333	Scotch-Brite™ Radial Bristle Brush BB-ZB, 203 mm x 25.4 mm x 31.8 mm, P80, Yellow, Type S, With adapter	2	Each
7100138334	Scotch-Brite™ Radial Bristle Brush BB-ZB, 203 mm x 25.4 mm x 31.8 mm, P120, White, Type S, With adapter	2	Each
7100138336	Scotch-Brite™ Radial Bristle Brush BB-ZB, Type C, 193.7 mm x 25.4 mm x 31.8 mm, P400 with Flange	2	Each
7000061533	Scotch-Brite™ Radial Bristle Brush, 75 mm, P120, Type C, White	80	Each



# Brushes

## Scotch-Brite™ Radial Bristle Disc

Scotch-Brite™ Radial Bristle Disc features 3M Ceramic Abrasive Grain and moulded, flexible bristles for more surface contact than wire brushes and abrasive staying power for the entire disc life. Our fast-running disc removes surface defects including paint, stains, burns and rust from large areas.



- Moulded abrasive-filled bristles strip, deburr, blend, finish, polish, clean and remove coatings
- Get aggressive cutting and consistent finish quality for the entire disc life with 3M Ceramic Abrasive Grain
- Flexible bristles need less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Product	MOQ	Order Unit
7000061351	Berner Roloc Bristle Disc, RD-ZB, P50, TR, Green, 50.8 mm	40	Each
7100138344	Scotch-Brite™ Radial Bristle Disc RB-ZB, 19 mm x 1.58 mm, P80	2100	Each
7000046126	Scotch-Brite™ Radial Bristle Brush, 14,2 mm x 1,58 mm, Type C	192	Each
7000046160	Scotch-Brite™ Radial Bristle BrushRB-ZB, 50 mm x 9.5 mm, 1 Micron, Type C	80	Each
7000046161	Scotch-Brite™ Radial Bristle Disc RB-ZB, 76.2 mm x 9 mm, 6 µm, Type C	80	Each
7000046125	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14 mm x 1.58 mm, P400, Blue, Type C	192	Each
7000000764	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14 mm x 4.23 mm, P120, White, Type C	192	Each
7100002321	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14.28 mm x 1.58 mm, P220, Red	192	Each
7000046127	Scotch-Brite™ Radial Bristle Disc RD-ZB, 14.28 mm x 1.58 mm, Pol 1, Type C	192	Each
7000000766	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, 1 Micron, Light Green, Type C	192	Each
7000000765	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, 6 Micron, Type C	192	Each
7000000757	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, P80, Yellow, Type C	192	Each
7000000758	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, P220, Red, Type C	192	Each
7000000759	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, P400, Blue, Type C	192	Each
7000000760	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19 mm x 1.58 mm, Pumice, Type C	192	Each
7100138342	Scotch-Brite™ Radial Bristle Disc RD-ZB, 19.1 mm x 1.59 mm, P120, White, Type C	192	Each
7100138326	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P36, Brown, Type C	96	Each
7000000761	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P50, Green, Type C	96	Each
7000000762	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P80, Yellow, Type C	96	Each
7000000763	Scotch-Brite™ Radial Bristle Disc RD-ZB, 25 mm x 3.18 mm, P120, White, Type C	24	Each
7000046159	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50 mm x 9.53 mm, 6 Micron, Peach, Type C	80	Each
7000046158	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50 mm x 9.53 mm, 6 Micron, Peach, Type C	80	Each
7100138293	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P80, Yellow, Type C	80	Each
7100138294	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P120, White, Type C	80	Each
7100138295	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P220, Red, Type C	80	Each
7000028529	Scotch-Brite™ Radial Bristle Disc RD-ZB, 50.8 mm x 9.53 mm, P400, Blue, Type C	80	Each
7100138323	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P50, Green, Type C	40	Each
7000000771	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P80, Yellow, Type C	80	Each
7100138297	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P220, Red, Type C	80	Each
7000028532	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm x 9.53 mm, P400, Blue, Type C	80	Each
7100007341	Scotch-Brite™ Radial Bristle Disc RD-ZB, 75 mm, 1 Micron, Light Green, Type C	80	Each
7000000749	Scotch-Brite™ Radial Bristle Disc RD-ZB, 76 mm x 9.52 mm, P120, White, Type C	40	Each
7100138296	Scotch-Brite™ Radial Bristle Disc RD-ZB, 76 mm x 9.52 mm, P120, White, Type C	80	Each
7100138324	Scotch-Brite™ Radial Bristle Disc RD-ZB, 76.2 mm x 9.53 mm, P80, Yellow	40	Each
7100135078	Scotch-Brite™ Radial Bristle Disc Thin Bristle, 1 in x 1/8 in 120, 2000 ea/Case	2000	Each

MOQ = Minimum Order Quantity

# Brushes

## Scotch-Brite™ Radial Bristle Disc

Scotch-Brite™ Radial Bristle Disc features 3M Ceramic Abrasive Grain and moulded, flexible bristles for more surface contact than wire brushes and abrasive staying power for the entire disc life. Our fast-running disc removes surface defects including paint, stains, burns and rust from large areas.



- Moulded abrasive-filled bristles strip, deburr, blend, finish, polish, clean and remove coatings
- Get aggressive cutting and consistent finish quality for the entire disc life with 3M Ceramic Abrasive Grain
- Flexible bristles need less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Product	MOQ	Order Unit
7100135079	Scotch-Brite™ Radial Bristle Disc, 1 in x 1/8 in 36, 2000 ea/Case	2000	Each
7100135084	Scotch-Brite™ Radial Bristle Disc, 1 in x 1/8 in 220, 2000 ea/Case	2000	Each
7100135085	Scotch-Brite™ Radial Bristle Disc, 1 in x 1/8 in 400, 2000 ea/Case	6000	Each
7000061534	Scotch-Brite™ Radial Bristle Disc, 75 mm	80	Each
7000061387	Scotch-Brite™ Radial Bristle Disc, 76.2 mm	40	Each

## Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB

Scotch-Brite™ Radial Bristle Brush Replacement Disc is made of moulded, flexible bristles filled with 3M™ Ceramic Abrasive Grain. We've designed the firm yet flexible bristles to reach into contours and to give a high quality finish to all surfaces, with minimal pressure.



- Moulded, abrasive-filled bristles surpass wire brushes to strip, deburr, blend, finish, polish and clean
- Extra discs allow for more brush widths
- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality for the disc lifespan

Product ID	Product	MOQ	Order Unit
7100138292	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P36, Type A	80	Each
7100138327	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P50, Green, Type A	2	Pack
7100138194	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P80, Yellow, Type A	80	Each
7100138301	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P80, Yellow, Type C	80	Each
7000021285	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P120, White, Type C	2	Pack
7100138302	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P220, Red, Type C	80	Each
7000144604	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 152 mm, P400, Blue, Type C	80	Each
7100138303	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 193.7 mm, P80, Yellow, Type C	70	Each
7100138304	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 193.7 mm, P120, White, Type C	70	Each
7100138341	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 193.7 mm, P220, Red, Type C	1	Pack
7100138339	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 203 mm, P50, Green, Type S	1	Pack
7100138340	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 203 mm, P80, Type S,	1	Pack
7100038608	Scotch-Brite™ Radial Bristle Brush Replacement Disc BB-ZB, 203.2 mm, P120, Type S,	1	Pack

# Brushes

## Scotch-Brite™ Roloc™ Bristle Disc RD-ZB

Scotch-Brite™ Roloc™ Bristle Disc comprises of our Ceramic Abrasive Grain, blended with aluminium oxide and moulded, flexible bristles which provide more surface contact than wire brushes and keep their abrasive properties throughout the life of the disc.



- Moulded abrasive filled bristles surpass wire brushes in stripping, deburring, blending, finishing, polishing, cleaning
- Ceramic Abrasive Grain blend provides high degree of finish quality throughout the life of the disc
- Bristle spacing is ideal for coating removal and other high-loading substances

Product ID	Product	MOQ	Order Unit
7100138322	Scotch-Brite™ Roloc™ Bristle Disc , 76 mm P120	4	Carton
7100138319	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25 mm x 15.8 mm, P80, Yellow	80	Each
7000000740	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25.4 mm x 15.8 mm, P50, Green	20	Each
7000000741	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25.4 mm x 15.8 mm, P120, White,	80	Each
7100151882	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm, P50	10	Each
7100151522	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm, P80	10	Each
7100151530	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 50 mm, P120	10	Each
7100151531	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 75 mm, P50	5	Each
7100138305	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 76 mm x 15.8mm, P50, Green	40	Each
7100138307	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 76 mm x 15.8mm, P80, Yellow	40	Each
7100138306	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 76 mm x 15.8mm, P120, White	10	Each
7100138285	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, TR, Green, 50 mm x 15.9 mm, Tapered	40	Each
7100138286	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, White, 50 mm x 15.8 mm, P120, 07528	40	Each
7100138284	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Yellow, 50 mm x 15.8 mm, P80, 07525	40	Each
7100138321	Scotch-Brite™ Roloc™ Bristle Disc, 75 mm x 16 mm, CRS	4	Carton
7100138320	Scotch-Brite™ Roloc™ Bristle Disc, 76 mm x 15.87 mm, P80	40	Each
7100151529	Wuerth Bristle Disc, BD-ZB, P50, M14, Green, 115 mm	5	Each

## Scotch-Brite™ Roloc™ Body Man's Bristle Disc

Scotch-Brite™ Roloc™ Body Man's Bristle Disc is made with stiff polymer bristles that are spaced apart to form a radial pattern. Our bristle disc design offers optimal load resistance. The combination of Ceramic Abrasive Grain and polymer bristles makes these discs ideal for soft and hard metals.



- Moulded, abrasive-filled bristles surpass wire brushes to strip, deburr, blend, finish, polish and clean with less pressure
- 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality for the disc lifespan
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Product	MOQ	Order Unit
7000000775	Scotch-Brite™ Roloc™ Bristle Disc, RD-ZB, Purple, 50 mm, 36	24	Each

# Brushes

## 3M™ Stripe Off Wheel

3M™ Stripe Off Wheel has a 101.6 mm diameter and 15.88 mm thickness, designed for working on small, hard to remove detailing without damaging the surface below. Our wheels are solid, moulded and durable, with a long service life and a maximum of 4,000 RPM.

- Engineered to remove unwanted decals and stripes without damaging the substrate
- Works well for removal of vinyl, tape and graphics
- 101.6 mm diameter and 15.88 mm thickness for working on small, hard-to-remove detailing



Product ID	Product	MOQ	Order Unit
7100150191	3M™ Clean and Strip™ Stripe off wheel, Beige, 100 mm x 16 mm	5	Each

# Brushes

## Flap Brushes

### Scotch-Brite™ Cut and Polish Flap Brush CP-FB

Use Scotch-Brite™ Cut and Polish Flap Brush as a versatile, high performance alternative to conventional bristle brushes and messy compounds. Our cut and polish flap brushes give you improved consistency and greater control over a number of critical metal prep and finishing tasks.



- Aluminium Oxide mineral cuts fast and sharp for aggressive cleaning and bright finishing
- Available in very fine and medium grades to help achieve desired finishes
- Great for cleaning, deburring, polishing and finishing

Product ID	Product	MOQ	Order Unit
7000077966	Scotch-Brite™ Cut and Polish Flap Brush CP-FB, A MED, 75 mm x 45 mm	10	Each

### Scotch-Brite™ Clean and Strip Flap Brush

Use Scotch-Brite™ Clean and Strip Flap Brush to give a uniform cut and finish throughout the life of the product. Our clean and strip flap brushes feature an abrasive mineral bonded to a fibre core.



- Three dimensional web produces consistent results without damaging the workpiece
- Provides a uniform cut and surface finish without 'chatter marks'
- Features an abrasive mineral bonded to a fibre core

Product ID	Product	MOQ	Order Unit
7000091730	Scotch-Brite™ Clean and Strip Flap Brush, 100 mm x 100 mm x 19 mm, A CRS	2	Each

### Scotch-Brite™ Shaft Mounted Flap Brush

Scotch-Brite™ Shaft Mounted Flap Brushes are made of flaps of non-woven material mounted on a spindle. Our brushes offer a fine, matt scratch pattern.



- With a fine, matt scratch pattern that produces a finer finish than a combi wheel
- Designed for use on all metals
- Give a uniform finish to work pieces, without leaving chatter marks

Product ID	Product	MOQ	Order Unit
7100093971	Scotch-Brite™ Shaft Mounted Flap Brush PF-ZS, 75 mm x 45 mm x 6 mm, AMED	10	Each
7100093973	Scotch-Brite™ Shaft Mounted Flap Brush PF-ZS, 100 mm x 45 mm x 6 mm, AMED	10	Each



# Brushes

## Scotch-Brite™ Roloc™ Cut and Polish Flap Brush

Scotch-Brite™ Roloc™ Cut and Polish Flap Brush uses tough durable aluminium oxide mineral and our unique non-woven web design of blended synthetic fibres and abrasive particles in a conformable, three-dimensional material. These brushes provide a smooth and polished finish.



- Aluminium oxide mineral easily removes surface imperfections, helping to cut faster
- Easy abrasive wheel attachment
- Heavy-duty design for a longer brush life

Product ID	Product	MOQ	Order Unit
7000077928	Scotch-Brite™ Roloc™ Cut and Polish Flap Brush PF-ZR, 50 mm x 25 mm, A MED	25	Each
7000077904	Scotch-Brite™ Roloc™ Cut and Polish Flap Brush PF-ZR, 75 mm x 35 mm, AMED	10	Each





# Sheets & Rolls

# Sheets & Rolls

## Non-woven Sheets & Rolls

### Scotch-Brite™ Durable Flex Roll

Scotch-Brite™ Durable Flex Roll is an aggressive and long lasting non-woven roll. Our flex rolls are used for deburring, finishing, blending, and cleaning.

- Aggressive and long lasting non-woven roll
- Reinforced low-stretch backing offers good flexibility and great edge durability
- Use for deburring, finishing, blending, and cleaning



Product ID	Product	MOQ	Order Unit
7100182485	Scotch-Brite™ Durable Flex Roll DF-RL, 125 mm x 10 m, A/O VFN	4	Roll
7100182484	Scotch-Brite™ Durable Flex Roll, 100 mm x 10 m, SiC UFN	4	Roll
7100182482	Scotch-Brite™ Durable Flex Roll, 125 mm x 10 m, S UFN	4	Roll
7100182486	Scotch-Brite™ Durable Flex Roll, 150 mm x 10 m, A VFN	4	Roll
7100182483	Scotch-Brite™ Durable Flex Roll, DF-RL, 100 mm x 10 m, A/O VFN	4	Roll

### Scotch-Brite™ 7447 PRO Roll

Scotch-Brite™ 7447 PRO Roll combines flexible fibres with finely graded aluminium oxide particles for a sharp consistent cut. Use our 7447 PRO instead of steel wool, wire brushes, sandpaper and other non-woven products for cleaning or finishing.

- With fast cutting denser mineral coating on fibres compared to 7447, for a uniform scratch
- Very fine grade aluminium oxide abrasive cleans and finishes efficiently
- Long lasting nylon non-woven material resists tearing, loading and rust



Product ID	Product	MOQ	Order Unit
7100288556	Scotch-Brite™ Roll 7447 Pro, AVFN, 100 mm x 10 m, 4 Roll/Case	4	Roll
7100288455	Scotch-Brite™ Roll 7447 Pro, AVFN, 125 mm x 10 m, 3 Roll/Case	3	Roll

### Scotch-Brite™ 7448 PRO Roll

Scotch-Brite™ 7448 PRO Roll comprises of durable, precision coated fibres that cut fast and provide consistent finishes. Our unique design of ultra-fine mineral and coated, flexible fibres is perfect for prepping surfaces for paint and primer, general scuffing and hand blending.

- Use for light scuffing and surface prep for better subsequent coating adhesion
- Ideal for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Denser mineral placement than 7448 which allows for uniform scratch and a faster cut rate



Product ID	Product	MOQ	Order Unit
7100288456	Scotch-Brite™ Roll 7448 Pro, SUFN, 100 mm x 10 m, 4 Roll/Case	4	Roll
7100288457	Scotch-Brite™ Roll 7448 Pro, SUFN, 125 mm x 10 m, 3 Roll/Case	3	Roll

# Sheets & Rolls

## Scotch-Brite™ Cut and Polish Sheet 7440

Scotch-Brite™ Cut and Polish Sheet features a tough, tight and dense web that is conformable – allowing it to adapt to unique contours and get into hard to reach areas. Our cut and polish sheets can be used manually or on an in-line sander for metalworking, paint prep or coating and corrosion removal.



- Dense construction allows for aggressive blending, cleaning and polishing on metal surfaces
- Load resistant design assures consistent action across the sheet
- Conformable and soft for an even finish

Product ID	Product	MOQ	Order Unit
7100182601	Scotch-Brite™ Cut and Polish Sheet 7440, 158 mm x 224 mm, A MED, Brown	60	Each

## Scotch-Brite™ Clean and Finish Sheet CF-SH

Scotch-Brite™ Clean and Finish Sheet uses a conformable non-woven web and a variety of mineral types to blend, clean and finish. Our clean and finish sheets are flexible – making them effective for use in hard to reach areas to produce a uniform finish.



- Abrasive mineral adhered to non-woven web are ideal for cleaning, blending, finishing, and light coating and corrosion removal
- Conformable pad gets into corners and over contoured surfaces to produce a uniform finish
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular, or contoured surfaces

Product ID	Product	MOQ	Order Unit
7100182599	Scotch-Brite™ Clean and Finish Sheet CF-SH, 158 mm x 224 mm, A VFN, Green	60	Each

## Scotch-Brite™ Clean and Finish Roll CF-RL

Scotch-Brite™ Clean and Finish Roll provides consistent surface conditioning for the life of the product. Our clean and finish roll stock can be cut into any length.



- Roll stock can be cut into any length
- Conformable pad gets into hard-to-reach areas
- Suitable for hand use or on oscillating and dual pad rubbing machines

Product ID	Product	MOQ	Order Unit
7100182496	Scotch-Brite™ Clean and Finish Roll CF-RL, 120 mm x 10 m, A VFN HP	42	Roll
7100182533	Scotch-Brite™ Clean and Finish Roll CF-RL, 930 mm x 10 m, S UFN	6	Roll
7100182820	Scotch-Brite™ Clean and Finish Roll CF-RL, 100 m x 965 mm, A VFN	1	Roll
7100182231	Scotch-Brite™ Clean and Finish Roll CF-RL, 100 mm x 10 m, A VFN	4	Roll
7100182499	Scotch-Brite™ Clean and Finish Roll CF-RL, 100 mm x 10 m, S UFN	4	Roll
7100182457	Scotch-Brite™ Clean and Finish Roll CF-RL, 150 mm x 115 mm, A VFN	4	Roll



# Sheets & Rolls

## Scotch-Brite™ Cut and Polish Roll

Scotch-Brite™ Cut and Polish Roll features a tough, tight and dense web that is conformable – allowing it to adapt to unique contours and get into hard to reach areas. Our cut and polish rolls can be used manually or on an in-line sander for metalworking, paint preparation or coating and corrosion removal.



- Dense construction allows for aggressive blending, cleaning and polishing on metal surfaces
- Load resistant design assures consistent action across the sheet
- Conformable and soft for an even finish

Product ID	Product	MOQ	Order Unit
7100182489	Scotch-Brite™ Cut and Polish Roll CP-RL, 120 mm x 10 m, A MED	32	Roll

## Scotch-Brite™ Wear Resistant Roll

Scotch-Brite™ Wear Resistant Rolls are designed for machine and manual applications. Use our rolls for cleaning, finishing and light deburring.



- Versatile for use on a variety of substrates
- Doesn't alter the geometry of a workpiece
- Use for cleaning, finishing and light deburring

Product ID	Product	MOQ	Order Unit
7100182515	Scotch-Brite™ Wear Resistant Roll WR-RL, 115 mm x 10 m, A MED	4	Roll
7100182517	Scotch-Brite™ Wear Resistant Roll WR-RL, 300 mm x 10 m, A FIN	18	Roll

## Scotch-Brite™ General Purpose Sheet

Scotch-Brite™ General Purpose Sheet is an all-purpose web for cleaning, deburring and finishing applications. Our sheets give a controlled, repeatable cut.



- Controlled, repeatable cut
- Consistent finish
- Does not change the geometry of the workpiece

Product ID	Product	MOQ	Order Unit
7100182594	Scotch-Brite™ General Purpose Sheet GP-SH, 158 mm x 224 mm, A FIN	60	Each

## Scotch-Brite™ Multi-Flex Sheet Roll MX-SR

Scotch-Brite™ Multi-Flex Sheet is a thin, tough, highly conformable, sharp cutting and non-woven abrasive. Our multi-flex sheets are suitable for cleaning and finishing surfaces by hand.



- Highly conformable, tough, non-woven abrasives
- Sharp cutting
- Suitable for cleaning and finishing surfaces by hand

Product ID	Product	MOQ	Order Unit
7100182456	Scotch-Brite™ Multi-Flex Sheet Roll MX-SR, 100 mm x 200 mm, A VFN, No Hole	4	Roll



# Handheld Abrasives

# Handheld Abrasives

## Hand Pads

### Scotch-Brite™ Durable Flex Hand Pad MX-HP

Scotch-Brite™ Durable Flex Hand Pad combines excellent flexibility with effective cutting action and precise hand control. Our hand pads allow you to accomplish tough cleaning jobs or produce fine finishing results.



- Superior alternative to steel wool and other nonwoven products for cleaning or finishing tasks
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular and contoured surfaces
- Non-woven web is load resistant

Product ID	Product	MOQ	Order Unit
7100209414	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 114 mm x 228 mm, A VFN	100	Each
7100209618	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 114 mm x 228 mm, S ULF	100	Each
7100182487	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 200 mm x 100 mm, A VFN, Precut	4	Roll
7100182488	Scotch-Brite™ Durable Flex Hand Pad MX-HP, 200 mm x 100 mm, S UFN, Precut	4	Roll

### Scotch-Brite™ Hand Pad 7447

Scotch-Brite™ General Purpose Hand Pad 7447 combines flexibility with effective cutting action and precise hand control. Our hand pad uses fine grade aluminium oxide abrasives which cut fast and fine, to leave a smooth finished surface.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Product ID	Product	MOQ	Order Unit
7000000728	Scotch-Brite™ Hand Pad 7447, 152 mm x 228 mm, A VFN	60	Each
7000027560	Scotch-Brite™ Hand Pad 7447, 152 mm x 228 mm, A VFN, Bulk,	1	Case
7100182554	Scotch-Brite™ Hand Pad 7447, 158 mm x 224 mm, A VFN	60	Each

### Scotch-Brite™ Hand Pad 7447+

Scotch-Brite™ Hand Pad 7447+ combines flexibility with effective cutting action and precise hand control. Our pad offers consistently fine finishing results in a variety of tasks, including tough cleaning jobs. The fine grade aluminium oxide abrasives cut fast and fine, leaving a smooth surface.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features very fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber and composites

Product ID	Product	MOQ	Order Unit
7100182588	Scotch-Brite™ Hand Pad 7447+, 158 mm x 224 mm, A VFN	60	Each

# Handheld Abrasives

## Scotch-Brite™ Hand Pad 7448+

Scotch-Brite™ Ultra Fine Hand Pad 7448+ is designed for conditioning metal surfaces and paint preparation. Unlike fine steel wool, our pads won't shred during use, rust after use, or leave fine metal splinters. They're flexible and long lasting.

- Ultra-fine finishing action outperforms steel wool
- Efficient for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering



Product ID	Product	MOQ	Order Unit
7100182555	Scotch-Brite™ Hand Pad 7448+, 158 mm x 224 mm, S UFN, Grey	60	Each

## Scotch-Brite™ Hand Pad 7447 PRO

Scotch-Brite™ Hand Pad 7447 PRO combines flexibility with effective cutting action and precise hand control. Our pad with tightly graded aluminium oxide abrasive particles provides a consistent, uniform scratch for the life of the product. Use it for many different materials and tasks.

- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features very fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber and composites



Product ID	Product	MOQ	Order Unit
7100288524	Scotch-Brite™ Handpad 7447 PRO, AVFN, 158 mm x 224 mm, 60 Ea/Case	60	Each

## Scotch-Brite™ Hand Pad 7448 PRO

Scotch-Brite™ Hand Pad 7448 PRO is durable and flexible. It's designed to last and provide easy reach into tight spots. Use our pad instead of steel wool for faster conditioning of metal surfaces and paint preparation compared with conventional non-woven abrasive products.

- Very fine finishing action outperforms steel wool for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering
- Scotch-Brite™ Hand Pad 7448 PRO cuts faster and produces a more consistent finish than conventional non-woven abrasive products



Product ID	Product	MOQ	Order Unit
7100288566	Scotch-Brite™ Handpad 7448 PRO, SUFN, 158 mm x 224 mm, 60 Ea/Case	60	Each

# Handheld Abrasives

## Scotch-Brite™ Heavy Duty Hand Pad 7440

The dense construction of Scotch-Brite™ Heavy Duty Hand Pad 7440 makes it our most aggressive and durable hand pad. The super strong pads cut through contaminants and oxides quickly and easily to break down adhesive coatings during heavy cleaning, deburring, and finishing applications.



- Perform heavy-duty cleaning, deburring and finishing applications with an aggressive, durable pad
- Very high density Scotch-Brite™ pad is super aggressive for quick stock removal
- Durable construction withstands extremely heavy use on the toughest surfaces

Product ID	Product	MOQ	Order Unit
7100080459	Scotch-Brite™ Heavy Duty Hand Pad 7440, 152 mm x 228 mm, CRS	40	Each

## Scotch-Brite™ Hand Pad Pre-Cut on a Roll CF-SR

Scotch-Brite™ Hand Pad Pre-Cut on a Roll is made of a very fine grade aluminium oxide abrasive that cuts fast and fine, leaving a smooth, finished surface. Our rolls combine flexibility with an effective cutting action and precise hand control on tough cleaning jobs, or to produce fine finishing results after each use.



- Good alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Cleans, finishes, grains, denibs, and defuzzes
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Product ID	Product	MOQ	Order Unit
7100182225	Scotch-Brite™ Hand Pad Pre-Cut on a Roll CF-SR, 150 mm x 115 mm, S UFN, Grey	4	Roll

## 3M™ Tack Pad

3M™ Tack Pad leaves no drag marks behind as dust is drawn into the tack pad. Our tack pads leave hands less sticky due to the reduction of adhesive transfer.



- Hands are less sticky due to the reduction of adhesive transfer
- Leaves no drag marks behind
- Smooth transition for spraying primers, base coat or clear coat paints

Product ID	Product	MOQ	Order Unit
7100193601	3M™ Tack Pad, 175 mm x 235 mm, 07910	60	Each





# Belts



# What's in this catalogue ?

In this catalogue we have only included our Core Belt Range. These are our stocked items that represent a sub-set of our overall belt offering to the market. This sub-set covers the most common sizes and material requirements.



There are 1000's of potential belt size and material combinations, all carrying different prices.

To make ordering easy for our customers, we use Configurable Product Codes that represent a variety of material and grade combinations.

These universal product codes can be applied to any available size combination to create a unique price using our bCOM distributor ordering portal - they are listed on the next pages for your reference.

- 1 Choose the required material from the Configurable Product Code Tables overleaf
- 2 Log-on to bCom and search for the chosen Product Code
- 3 Enter required width, length and quantity values
- 4 Click GET PRICE







## Configurable product codes.



### 3M™ Conventional Mineral

SAP ID	Material	Grade
7100080482	307D	P120
7100080483	307D	P150
7100080484	307D	P180
7100080485	307D	P220
7100080486	307D	P240
7100080487	307D	P320
7100080488	307D	P400

SAP ID	Material	Grade
7100080489	307D	P600
7100091777	384F	36+
7100091779	384F	50+
7100091799	384F	60+
7100091802	384F	80+
7100091804	384F	120+
7100091806	384F	150+
7100091808	384F	180+
7100091813	384F	220+
7100091815	384F	240+
7100091817	384F	320+
7100091819	384F	400+



### Scotch-Brite™ Non-woven

SAP ID	Material	Grade
7100013687	DF-BL	ACRS
7100012444	DF-BL	AFIN
7100013155	DF-BL	AMED
7100253860	FN-BC	AMED
7100156430	SC-BF	ACRS
7100012858	SC-BF	AMED
7100013611	SC-BF	AVFN

SAP ID	Material	Grade
7100013507	SC-BL	ACRS
7100171628	SC-BL	AMED
7100000134	SC-BL	AVFN
7100012618	SC-BL	SSFN
7100012150	SC-BL	SVFN
7100048459	SC-BL	TYPT
7100013534	SC-BS	ACRS
7100012358	SC-BS	AMED
7100012347	SC-BS	AVFN
7100012085	SC-BS	SSFN



## Configurable product codes.



### 3M™ Trizact™ Micro and Macro-replicated

SAP ID	Material	Grade
7100052788	217EA	A6
7100052787	217EA	A16
7100052786	217EA	A30
7100052768	217EA	A45
7100052769	217EA	A65
7100052770	217EA	A80
7100052771	217EA	A100
7100007882	237AA	A6
7100007878	237AA	A16
7100007880	237AA	A30
7100007881	237AA	A45
7100007883	237AA	A65
7100007884	237AA	A80
7100007877	237AA	A100
7100007879	237AA	A160
7100051346	253FA	A6

SAP ID	Material	Grade
7100049039	253FA	A16
7100051853	253FA	A30
7100052775	253FA	A45
7100052778	253FA	A100
7100052733	307EA	A6
7100052732	307EA	A16
7100052731	307EA	A30
7100052730	307EA	A45
7100052729	307EA	A65
7100052728	307EA	A80
7100112315	307EA	A100
7100052831	337DC	A30
7100052826	337DC	A45
7100048818	337DC	A65
7100052827	337DC	A100
7100052828	337DC	A160
7100052829	337DC	A300
7100065454	347FC	A30
7100065455	347FC	A45
7100065456	347FC	A65
7100065457	347FC	A100
7100065458	347FC	A160
7100065459	347FC	A300
7100070052	363FC	A45
7100070054	363FC	A65
7100052841	363FC	A100
7100052840	363FC	A160
7100052839	363FC	A300

# Belts

## Cloth belts

Focus

### 3M™ Cubitron™ 3 Cloth Belt 1184F

Introducing the 3M™ Cubitron™ 3 Cloth Belt 1184F, featuring a re-engineered 3M Precision-Shaped Grain. Designed to give you the performance boost you need, this belt outperforms competitive belts, as well as previous-generation 3M belts. This cloth belt delivers up to 86% faster cut rate compared to crushed ceramic competitors - providing the ultimate in performance. Available in 36+ grit for medium and high-pressure applications like gate grinding and other heavy grinding.



- **3M RE-ENGINEERED PRECISION-SHAPED GRAIN:** Helps increase cut rate and abrasive life to boost productivity
- **OPTIMIZED FOR ROBOTICS:** Built for manual and automated applications designed for faster performance
- **LONGER LIFE:** Fewer changeouts needed and less downtime

Product ID	Product	MOQ	Order Unit
7100329008	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 13 mm x 457 mm		Each
7100329007	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 13 mm x 610 mm		Each
7100329006	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 50 mm x 2000 mm		Each
7100329005	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 50 mm x 2500 mm		Each
7100329004	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 50 mm x 3500 mm		Each
7100329003	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 50 mm x 4000 mm		Each
7100326912	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 75 mm x 2000 mm		Each
7100329009	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 75 mm x 2500 mm		Each
7100329010	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 75 mm x 3000 mm		Each
7100329014	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 100 mm x 1220 mm		Each
7100329013	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 100 mm x 2000 mm		Each
7100329046	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 100 mm x 2200 mm		Each
7100329012	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 100 mm x 3000 mm		Each
7100329047	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 100 mm x 3200 mm		Each
7100329011	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 120 mm x 2500 mm		Each
7100329043	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 150 mm x 2000 mm		Each
7100329045	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 150 mm x 2900 mm		Each
7100329044	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF weight, 150 mm x 3500 mm		Each
7100313150	3M™ Cubitron™ 3 Cloth Belt 1184F, 36+ YF-weight, Config		Each

MOQ = Minimum Order Quantity



# Belts

## 3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belts 984F offer revolutionary performance with 3M Precision Shaped Grain that slices clean through metal. Our 984F belts contain a grinding aid, making it ideal for medium to high pressure applications.



- Minimise operator fatigue as 3M Precision Shaped Grain requires less grinding pressure
- Cool running temperature reduces risk of discolouration and heat related stress cracks
- 3M Precision Shaped Grain fractures into self-sharpening points, cutting exceptionally fast and increasing productivity

Product ID	Product	MOQ	Order Unit
7100218943	3M™ Cubitron™ II Cloth Belt 984F, 10 mm x 305 mm, 80+	100	Each
7000060872	3M™ Cubitron™ II Cloth Belt 984F, 10 mm x 330 mm, 60+	100	Each
7000060879	3M™ Cubitron™ II Cloth Belt 984F, 10 mm x 330 mm, 80+	200	Each
7000060889	3M™ Cubitron™ II Cloth Belt 984F, 12 mm x 330 mm, 60+	100	Each
7000060887	3M™ Cubitron™ II Cloth Belt 984F, 12 mm x 330 mm, 80+	200	Each
7100218990	3M™ Cubitron™ II Cloth Belt 984F, 12 mm x 520 mm, 36+	100	Each
7000060873	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 305 mm, 60+	100	Each
7000060865	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 457 mm, 60+	100	Each
7000060866	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 457 mm, 80+	100	Each
7000060862	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 610 mm, 36+	100	Each
7000060867	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 610 mm, 60+	100	Each
7000060868	3M™ Cubitron™ II Cloth Belt 984F, 13 mm x 610 mm, 80+	100	Each
7000060870	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 457 mm, 60+	100	Each
7000060863	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 520 mm, 36+	100	Each
7000060869	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 520 mm, 60+	100	Each
7000060880	3M™ Cubitron™ II Cloth Belt 984F, 20 mm x 520 mm, 80+	100	Each
7000060823	3M™ Cubitron™ II Cloth Belt 984F, 25 mm x 4000 mm, 36+	40	Each
7100219014	3M™ Cubitron™ II Cloth Belt 984F, 30 mm x 1250 mm, 80+	40	Each
7000060768	3M™ Cubitron™ II Cloth Belt 984F, 38 mm x 1525 mm, 36+	40	Each
7100218996	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 787 mm, 36+	30	Each
7100218988	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 1000 mm, 36+	30	Each
7100219008	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 1500 mm, 36+	30	Each
7000060748	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2000 mm, 36+	30	Each
7000060848	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2000 mm, 60+	30	Each
7000060849	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2000 mm, 80+	30	Each
7000060741	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2500 mm, 36+	30	Each
7100218978	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2500 mm, 60+	30	Each
7100218982	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 2740 mm, 60+	30	Each
7000060743	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 3500 mm, 36+	30	Each
7100218948	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 3500 mm, 60+	30	Each
7100218973	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 3500 mm, 80+	30	Each
7000060754	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 4000 mm, 36+	30	Each
7000060780	3M™ Cubitron™ II Cloth Belt 984F, 50 mm x 4000 mm, 60+	30	Each
7100219016	3M™ Cubitron™ II Cloth Belt 984F, 60 mm x 2175 mm, 36+	30	Each
7000060749	3M™ Cubitron™ II Cloth Belt 984F, 60 mm x 3500 mm, 36+	30	Each

MOQ = Minimum Order Quantity

# Belts

## 3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belts 984F offer revolutionary performance with 3M Precision Shaped Grain that slices clean through metal. Our 984F belts contain a grinding aid, making it ideal for medium to high pressure applications.



- Minimise operator fatigue as 3M Precision Shaped Grain requires less grinding pressure
- Cool running temperature reduces risk of discolouration and heat related stress cracks
- 3M Precision Shaped Grain fractures into self-sharpening points, cutting exceptionally fast and increasing productivity

Product ID	Product	MOQ	Order Unit
7100219021	3M™ Cubitron™ II Cloth Belt 984F, 70 mm x 2000 mm, 60+	30	Each
7100219059	3M™ Cubitron™ II Cloth Belt 984F, 70 mm x 4000 mm, 36+	20	Each
7000060753	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2000 mm, 36+	20	Each
7000060778	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2000 mm, 60+	20	Each
7000060777	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2000 mm, 80+	20	Each
7000060762	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2250 mm, 36+	20	Each
7000060742	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 2500 mm, 36+	20	Each
7100219024	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 4000 mm, 36+	20	Each
7000060766	3M™ Cubitron™ II Cloth Belt 984F, 75 mm x 3000 mm, 36+	20	Each
7100219005	3M™ Cubitron™ II Cloth Belt 984F, 80 mm x 9000 mm, 80+	20	Each
7000060767	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 1220 mm, 36+	20	Each
7100218981	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2000 mm, 60+	20	Each
7100219022	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2200 mm, 36+	20	Each
7100218972	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2250 mm, 36+	20	Each
7100218969	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2500 mm, 36+	20	Each
7000060776	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2740 mm, 36+	20	Each
7100219000	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 3450 mm, 36+	20	Each
7000060746	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 3500 mm, 36+	20	Each
7100218977	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 9000 mm, 80+	20	Each
7000060773	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 1000 mm, 36+	20	Each
7000060755	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 2000 mm, 36+	20	Each
7000060756	3M™ Cubitron™ II Cloth Belt 984F, 100 mm x 3000 mm, 36+	20	Each
7100218999	3M™ Cubitron™ II Cloth Belt 984F, 102 mm x 4270 mm, 36+	20	Each
7100218968	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 1000 mm, 36+	10	Each
7100218991	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 2300 mm, 36+	10	Each
7000060757	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 2500 mm, 36+	10	Each
7100218967	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 2800 mm, 36+	10	Each
7100219017	3M™ Cubitron™ II Cloth Belt 984F, 120 mm x 9000 mm, 36+	10	Each
7100219011	3M™ Cubitron™ II Cloth Belt 984F, 145 mm x 4000 mm, 36+	10	Each
7100219025	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 1000 mm, 36+	10	Each
7000060751	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2000 mm, 36+	10	Each
7000060775	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2000 mm, 60+	10	Each
7000060789	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2000 mm, 80+	10	Each
7000060822	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2250 mm, 36+	10	Each
7100218966	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2500 mm, 36+	10	Each

# Belts

## 3M™ Cubitron™ II Cloth Belt 984F

3M™ Cubitron™ II Cloth Belts 984F offer revolutionary performance with 3M Precision Shaped Grain that slices clean through metal. Our 984F belts contain a grinding aid, making it ideal for medium to high pressure applications.



- Minimise operator fatigue as 3M Precision Shaped Grain requires less grinding pressure
- Cool running temperature reduces risk of discolouration and heat related stress cracks
- 3M Precision Shaped Grain fractures into self-sharpening points, cutting exceptionally fast and increasing productivity

Product ID	Product	MOQ	Order Unit
7100218980	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2500 mm, 60+	10	Each
7100218975	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 2500 mm, 80+	10	Each
7000060788	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 3500 mm, 80+	10	Each
7000060771	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 10700 mm, 36+	6	Each
7000060790	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 3500 m, 60+	10	Each
7000060752	3M™ Cubitron™ II Cloth Belt 984F, 150 mm x 3500 mm, 36+	10	Each
7100038905	3M™ Cubitron™ II Cloth Belt 984F, 190 mm x 2360 mm, 80+	10	Each
7000060772	3M™ Cubitron™ II Cloth Belt 984F, 200 mm x 4250 mm, 36+	5	Each
7100218965	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 2000 mm, 36+	10	Each
7100218964	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3000 mm, 36+	10	Each
7100218976	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3000 mm, 80+	10	Each
7100218962	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3500 mm, 36+	5	Each
7100218985	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3500 mm, 60+	10	Each
7100218945	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 3500 mm, 80+	10	Each
7100144158	3M™ Cubitron™ II Cloth Belt 984F, 300 mm x 16900 mm, 36+	90	Each
7100007990	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 36+	1	Each
7100007991	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 60+	1	Each
7100007992	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 80+	1	Each
7100082475	3M™ Cubitron™ II Cloth Belt 984F, Config Belt, 120+	1	Each

## 3M™ Cubitron™ II Cloth Belt 947A

3M™ Cubitron™ II Cloth Belt 947A features Precision Shaped Grain on a X-weight, poly-cotton backing. Our 947A belts are resin bonded for improved heat resistance and are recommended to be used dry.



- Precision Shaped Grain cuts exceptionally fast, helping to increase productivity
- Requires less pressure, reducing operator fatigue
- Suitable for dry applications

Product ID	Product	MOQ	Order Unit
7100176940	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 40+	100	Each
7100069960	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 60+	100	Each
7100070629	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 80+	100	Each
7100218984	3M™ Cubitron™ II Cloth Belt 947A, 10 mm x 330 mm, 120+	100	Each
7100219058	3M™ Cubitron™ II Cloth Belt 947A, 12 mm x 330 mm, 60+	100	Each
7100219041	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 305 mm, 80+	100	Each

# Belts

## 3M™ Cubitron™ II Cloth Belt 947A

3M™ Cubitron™ II Cloth Belt 947A features Precision Shaped Grain on a X-weight, poly-cotton backing. Our 947A belts are resin bonded for improved heat resistance and are recommended to be used dry.



- Precision Shaped Grain cuts exceptionally fast, helping to increase productivity
- Requires less pressure, reducing operator fatigue
- Suitable for dry applications

Product ID	Product	MOQ	Order Unit
7100026792	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 457 mm, 40+	100	Each
7100026527	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 457 mm, 60+	100	Each
7100026427	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 457 mm, 80+	100	Each
7100026526	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 610 mm, 60+	100	Each
7100026755	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 610 mm, 80+	100	Each
7100026547	3M™ Cubitron™ II Cloth Belt 947A, 13 mm x 610 mm, 120+	100	Each
7100028819	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 457 mm, 40+	100	Each
7100027081	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 457 mm, 60+	100	Each
7100027618	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 457 mm, 120+	100	Each
7100026793	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 520 mm, 40+	100	Each
7100026791	3M™ Cubitron™ II Cloth Belt 947A, 19 mm x 520 mm, 80+	100	Each
7100218955	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 480 mm, 60+	100	Each
7100218954	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 520 mm, 60+	100	Each
7100047970	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 520 mm, 80+	100	Each
7100218950	3M™ Cubitron™ II Cloth Belt 947A, 20 mm x 520 mm, 120+	100	Each
7100218993	3M™ Cubitron™ II Cloth Belt 947A, 50 mm x 450 mm, 120+	30	Each
7100218953	3M™ Cubitron™ II Cloth Belt 947A, 50 mm x 2500 mm, 40+	30	Each
7100219040	3M™ Cubitron™ II Cloth Belt 947A, 60+, 13 mm x 305 mm	100	Each
7100025847	3M™ Cubitron™ II Cloth Belt 947A, 75 mm x 2000 mm, 60+	20	Each
7100026546	3M™ Cubitron™ II Cloth Belt 947A, 75 mm x 2000 mm, 120+	20	Each
7100026426	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 289 mm, 60+	20	Each
7100026670	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 289 mm, 80+	20	Each
7100219001	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 9000 mm, 60+	20	Each
7100219068	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 9000 mm, 80+	20	Each
7100026529	3M™ Cubitron™ II Cloth Belt 947A, 100 mm x 9000 mm, 120+	20	Each
7100219007	3M™ Cubitron™ II Cloth Belt 947A, 120 mm x 2000 mm, 120+	10	Each
7100219146	3M™ Cubitron™ II Cloth Belt 947A, 345 mm x 1615 mm, 120+	5	Each
7100171627	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 40+	1	Each
7100023234	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 60+	1	Each
7100023179	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 80+	1	Each
7100023178	3M™ Cubitron™ II Cloth Belt 947A, Config Belt, 120+	1	Each

# Belts

## Focus

### 3M™ Cubitron™ II Cloth Belt 726A

3M™ Cubitron™ II Cloth Belt 726A is widely used in the metal blending and finishing application. Grades from 80+ to 400+. Suitable for manual, robot, and automated processes. This flexible belt makes this product a good choice when using a soft contact wheel or slack of belt.



- J-weight backing
- Precision Shaped Grain abrasive material
- Used for Metalworking applications

Product ID	Product	MOQ	Order Unit
7100289610	3M™ Cubitron™ II Cloth Belt 726A, 80+ J-weight, Config		
7100289609	3M™ Cubitron™ II Cloth Belt 726A, 120+ J-weight, Config		
7100289608	3M™ Cubitron™ II Cloth Belt 726A, 150+ J-weight, Config		
7100289607	3M™ Cubitron™ II Cloth Belt 726A, 180+ J-weight, Config		
7100289606	3M™ Cubitron™ II Cloth Belt 726A, 220+ J-weight, Config		
7100289605	3M™ Cubitron™ II Cloth Belt 726A, 240+ J-weight, Config		
7100289604	3M™ Cubitron™ II Cloth Belt 726A, 320+ J-weight, Config		
7100289603	3M™ Cubitron™ II Cloth Belt 726A, 400+ J-weight, Config		

### 3M™ Cubitron™ II Cloth Belt 784F

3M™ Cubitron™ II Cloth Belt 784F features 3M Precision Shaped Grain. Our cloth belts are a precise mix of shaped ceramic and premium aluminium oxide. They have a flexible J-weight cotton backing and open coat construction. The belts also feature a waterproof backing and grinding aid.



- Up to two times longer life than comparable aluminium oxide belts, resists deterioration from heat
- Consistent, faster results on medium pressure applications
- Conformable for grinding and blending both straight and contoured surfaces

Product ID	Product	MOQ	Order Unit
7100219054	3M™ Cubitron™ II Cloth Belt 784F, 10 mm x 330 mm, 60+	100	Each
7100219053	3M™ Cubitron™ II Cloth Belt 784F, 10 mm x 330 mm, 80+	100	Each
7100218971	3M™ Cubitron™ II Cloth Belt 784F, 12 mm x 330 mm, 60+	100	Each
7100176465	3M™ Cubitron™ II Cloth Belt 784F, 12 mm x 330 mm, 80+	600	Each
7100218959	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 305 mm, 60+	100	Each
7100218935	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 305 mm, 80+	100	Each
7100218942	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 457 mm, 60+	100	Each
7100218934	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 457 mm, 80+	100	Each
7100218941	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 610 mm, 60+	100	Each
7100219038	3M™ Cubitron™ II Cloth Belt 784F, 13 mm x 610 mm, 80+	100	Each
7100142081	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 457 mm, 50+	100	Each
7100218938	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 457 mm, 60+	100	Each
7100218937	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 520 mm, 60+	100	Each
7100181788	3M™ Cubitron™ II Cloth Belt 784F, 20 mm x 520 mm, 80+	100	Each
7100219049	3M™ Cubitron™ II Cloth Belt 784F, 40 mm x 314 mm, 120+	120	Each
7100219050	3M™ Cubitron™ II Cloth Belt 784F, 50 mm x 2010 mm, 36+	30	Each

MOQ = Minimum Order Quantity



# Belts

## 3M™ Cubitron™ II Cloth Belt 784F

3M™ Cubitron™ II Cloth Belt 784F features 3M Precision Shaped Grain. Our cloth belts are a precise mix of shaped ceramic and premium aluminium oxide. They have a flexible J-weight cotton backing and open coat construction. The belts also feature a waterproof backing and grinding aid.



- Up to two times longer life than comparable aluminium oxide belts, resists deterioration from heat
- Consistent, faster results on medium pressure applications
- Conformable for grinding and blending both straight and contoured surfaces

Product ID	Product	MOQ	Order Unit
7100219030	3M™ Cubitron™ II Cloth Belt 784F, 50 mm x 4000 mm, 36+	30	Each
7100219028	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 36+	20	Each
7100146406	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 60+	20	Each
7100218932	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 80+	20	Each
7100219046	3M™ Cubitron™ II Cloth Belt 784F, 75 mm x 2000 mm, 120+	20	Each
7100219056	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 289 mm, 60+	20	Each
7100219055	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 289 mm, 80+	20	Each
7100219057	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 2250 mm, 80+	20	Each
7100219071	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 3000 mm, 36+	20	Each
7100144567	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 3150 mm, 50+	20	Each
7100219023	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 3500 mm, 50+	20	Each
7100219043	3M™ Cubitron™ II Cloth Belt 784F, 100 mm x 9000 mm, 80+	20	Each
7100219037	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2000 mm, 36+	10	Each
7100218940	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2000 mm, 60+	10	Each
7100219051	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2000 mm, 120+	10	Each
7100219036	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2500 mm, 36+	10	Each
7100218933	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 2500 mm, 80+	10	Each
7100218939	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 3000 mm, 60+	10	Each
7100219045	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 3500 mm, 36+	10	Each
7100219013	3M™ Cubitron™ II Cloth Belt 784F, 150 mm x 3500 mm, 50+	10	Each
7100219033	3M™ Cubitron™ II Cloth Belt 784F, 220 mm x 2000 mm, 36+	10	Each
7100219004	3M™ Cubitron™ II Cloth Belt 784F, 220 mm x 2000 mm, 50+	10	Each
7100181358	3M™ Cubitron™ II Cloth Belt 784F, 300 mm x 16900 mm, 36+	10	Each
7100218936	3M™ Cubitron™ II Cloth Belt 784F, 300 mm x 22285 mm, 60+	20	Each
7100219052	3M™ Cubitron™ II Cloth Belt 784F, 1300 mm x 1900 mm, 36+	2	Each
7100171629	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 36+	1	Each
7100091823	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 50+	1	Each
7100091825	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 60+	1	Each
7100091827	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 80+	1	Each
7100091829	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 120+	1	Each
7100091831	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 150+	1	Each
7100091833	3M™ Cubitron™ II Cloth Belt 784F, Config Belt, 180+	1	Each

# Belts

## 3M™ Cubitron™ II Cloth Belt 994F

3M™ Cubitron™ II Cloth Belt 994F features Precision Shaped Grain on a ZF weight backing. Our 994F belts are ideal for medium to high pressure carbon steel and aluminium applications



- Precision Shaped Grain cuts exceptionally fast, helping to increase productivity
- Requires less pressure, reducing operator fatigue
- Suitable for wet and dry applications

Product ID	Product	MOQ	Order Unit
7000060890	3M™ Cubitron™ II Cloth Belt 994F, 50 mm x 3500 mm, 36+	30	Each
7100047077	3M™ Cubitron™ II Cloth Belt 994F, Config Belt, 36+	1	Each

## 3M™ Trizact™ Cloth Belt 217EA

3M™ Trizact™ Cloth Belt 217EA uses microreplication technology with micron-graded aluminium oxide particles coated on a J-weight rayon backing. Our belts feature a grinding aid that helps prevent heat build-up, warping and discolouration.



- Flexible J-weight backing flows over contoured surfaces for consistent finishing
- Produces finer finishes than conventional electrostatically coated abrasives
- Ideal for light pressure applications – allows abrasive to break down and maintain cut and produce consistent finishes

Product ID	Product	MOQ	Order Unit
7100052788	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A6	1	Each
7100052787	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A16	1	Each
7100052786	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A30	1	Each
7100052768	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A45	1	Each
7100052769	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A65	1	Each
7100052770	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A80	1	Each
7100052771	3M™ Trizact™ Cloth Belt 217EA, Config Belt, A100	1	Each

# Belts

## 3M™ Trizact™ Cloth Belt 237AA

3M™ Trizact™ Cloth Belt 237AA uses 3M microreplication technology, where micron graded aluminium oxide particles are coated on an X weight cloth backing for a consistent cut and finish. Our belts feature a grinding aid to help prevent heat build-up, warping and discolouration.



- Self-sharpening pyramids start sharp, stay sharp, and run cooler than conventional abrasives
- Flexible backing for consistent finish over contours
- Ideal for intermediate finishing and fine polishing prior to plating or buffing

Product ID	Product	MOQ	Order Unit
7000060078	3M™ Trizact™ Cloth Belt 237AA, 50 mm x 450 mm, A30	30	Each
7000060076	3M™ Trizact™ Cloth Belt 237AA, 50 mm x 450 mm, A100	30	Each
7100219029	3M™ Trizact™ Cloth Belt 237AA, 50 mm x 2500 mm, A100	30	Each
7000060033	3M™ Trizact™ Cloth Belt 237AA, 75 mm x 2000 mm, A30	20	Each
7000060897	3M™ Trizact™ Cloth Belt 237AA, 75 mm x 2000 mm, A45	20	Each
7000059968	3M™ Trizact™ Cloth Belt 237AA, 75 mm x 2000 mm, A65	20	Each
7100219035	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A16	20	Each
7100219073	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A30	20	Each
7100219066	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A45	20	Each
7100219145	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A65	20	Each
7100219067	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A80	20	Each
7100219061	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A100	20	Each
7100219060	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 289 mm, A160	20	Each
7100219009	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 4000 mm, A100	20	Each
7100218952	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 9000 mm, A80	10	Each
7100218951	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 9000 mm, A100	10	Each
7100219002	3M™ Trizact™ Cloth Belt 237AA, 100 mm x 9000 mm, A160	10	Each
7000059967	3M™ Trizact™ Cloth Belt 237AA, 300 mm x 3500 mm, A30	10	Each
7100007882	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A6	1	Each
7100007878	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A16	1	Each
7100007880	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A30	1	Each
7100007881	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A45	1	Each
7100007883	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A65	1	Each
7100007884	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A80	1	Each
7100007877	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A100	1	Each
7100007879	3M™ Trizact™ Cloth Belt 237AA, Config Belt, A160	1	Each

# Belts

## 3M™ Trizact™ Cloth Belt 307EA

3M™ Trizact™ Cloth Belt 307EA uses 3M microreplication technology, where micron graded aluminium oxide particles are coated onto a rayon backing, offering a consistent cut and predictable fine finish. Our 307EA belts feature a grinding aid to help prevent heat build-up, warping and discolouration.



- Self-sharpening pyramids start sharp, stay sharp, and run cooler than conventional abrasives
- Flexible backing for consistent finish over contours
- Ideal for intermediate finishing and fine polishing prior to plating or buffing

Product ID	Product	MOQ	Order Unit
7100168938	3M™ Trizact™ Cloth Belt 307EA, 25 mm x 4000 mm, A16	40	Each
7100218983	3M™ Trizact™ Cloth Belt 307EA, 40 mm x 3500 mm, A16	30	Each
7100218961	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 1520 mm, A100	30	Each
7000060356	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 1525 mm, A16	30	Each
7100218974	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 2500 mm, A16	30	Each
7100218960	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 2500 mm, A30	30	Each
7100045155	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 3350 mm, A45	60	Each
7100166994	3M™ Trizact™ Cloth Belt 307EA, 50 mm x 4000 mm, A16	30	Each
7100219020	3M™ Trizact™ Cloth Belt 307EA, 100 mm x 4000 mm, A45	20	Each
7100218956	3M™ Trizact™ Cloth Belt 307EA, 300 mm x 3500 mm, A30	10	Each
7100218957	3M™ Trizact™ Cloth Belt 307EA, 300 mm x 3500 mm, A65	10	Each
7100218922	3M™ Trizact™ Cloth Belt 307EA, 300 mm x 3500 mm, A100	10	Each
7100052733	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A6	1	Each
7100052732	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A16	1	Each
7100052731	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A30	1	Each
7100052730	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A45	1	Each
7100052729	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A65	1	Each
7100052728	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A80	1	Each
7100112315	3M™ Trizact™ Cloth Belt 307EA, Config Belt, A100	1	Each

## 3M™ Trizact™ Cloth Belt 363FC

3M™ Trizact™ Cloth Belt 363FC features an aluminium oxide mineral bonded to a YF-weight polyester cloth backing. Our 363FC belts are available in grades A300 to A35.



- Trizact™ abrasives can last up to five times longer than conventional abrasives
- Waterproof polyester YF-weight backing allows users to rinse the belt – reducing clogging of the abrasive
- Resin bond helps to resist thermal and chemical deterioration

Product ID	Product	MOQ	Order Unit
7100219062	3M™ Trizact™ Cloth Belt 363FC, 150 mm x 3500 mm, A65	10	Each
7100070052	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A45	1	Each
7100070054	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A65	1	Each
7100052841	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A100	1	Each
7100052840	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A160	1	Each
7100052839	3M™ Trizact™ Cloth Belt 363FC, Config Belt, A300	1	Each

# Belts

## 3M™ Trizact™ Cloth Belt 337DC

3M™ Trizact™ Cloth Belt 337DC is a Trizact™ abrasive belt on an X weight backing. Our belts use premium aluminium oxide mineral and a grinding aid, for consistent finishing in medium pressure metal working applications including scratch refinement, dimensioning and finishing.

- Achieve an excellent finish consistency
- Works well under medium pressure conditions
- Structured patterned abrasive



Product ID	Product	MOQ	Order Unit
7100219074	3M™ Trizact™ Cloth Belt 337DC, 100 mm x 289 mm, A30	60	Each
7100219064	3M™ Trizact™ Cloth Belt 337DC, 100 mm x 289 mm, A65	60	Each
7100218992	3M™ Trizact™ Cloth Belt 337DC, 100 mm x 289 mm, A160	60	Each
7100052831	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A30	1	Each
7100052826	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A45	1	Each
7100048818	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A65	1	Each
7100052827	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A100	1	Each
7100052828	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A160	1	Each
7100052829	3M™ Trizact™ Cloth Belt 337DC, Config Belt, A300	1	Each

### Focus

## 3M™ Cloth Belt 767F

3M™ Cloth Belt 767F is a high-performance abrasive belt built for versatility and value. Powered by 3M Precision-Shaped Grain, it lasts longer and cuts faster than alumina zirconia belts — and it's priced for affordability and everyday use. This combination of performance and value can increase productivity while also helping lower your overall abrasive spend.

- Delivers long-lasting performance and versatility at a value price
- Contains 3M Precision-Shaped Grain, which cuts faster and lasts longer than conventional abrasive grain
- Proven to outperform traditional alumina zirconia belts in cut-rate and life



Product ID	Product	MOQ	Order Unit
7100266289	3M™ Cloth Belt 767F, 36+, Config	1	Each
7100266290	3M™ Cloth Belt 767F, 60+, Config	1	Each
7100266291	3M™ Cloth Belt 767F, 80+, Config	1	Each
7100266292	3M™ Cloth Belt 767F, 120+, Config	1	Each



# Belts

## 3M™ Cloth Belt 384F

3M™ Cloth Belt 384F is a general purpose, premium aluminium oxide cloth belt with an extra durable backing. Our belts feature fast-cutting abrasive grains that are resin-bonded to a durable X-weight polyester cloth backing. They are recommended for use on metal substrates and wood.



- Consistent, reliable performance on all substrates
- Waterproof backing holds up for wet and dry applications
- X-weight cloth backing withstands heavy sanding and grinding

Product ID	Product	MOQ	Order Unit
7100091777	3M™ Cloth Belt 384F, Config Belt, 36+	1	Each
7100091779	3M™ Cloth Belt 384F, Config Belt, 50+	1	Each
7100091799	3M™ Cloth Belt 384F, Config Belt, 60+	1	Each
7100091802	3M™ Cloth Belt 384F, Config Belt, 80+	1	Each
7100091804	3M™ Cloth Belt 384F, Config Belt, 120+	1	Each
7100091806	3M™ Cloth Belt 384F, Config Belt, 150+	1	Each
7100091808	3M™ Cloth Belt 384F, Config Belt, 180+	1	Each
7100091813	3M™ Cloth Belt 384F, Config Belt, 220+	1	Each
7100091815	3M™ Cloth Belt 384F, Config Belt, 240+	1	Each
7100091817	3M™ Cloth Belt 384F, Config Belt, P320	1	Each
7100091819	3M™ Cloth Belt 384F, Config Belt, P400	1	Each

# Belts

## Non-woven Belts

### Scotch-Brite™ Durable Flex Belt DF-BL

Scotch-Brite™ Durable Flex Belt is the most flexible in our Scotch-Brite surface conditioning belt range, engineered for tough detail work such as deburring, blending and finishing, on a variety of metals. A reinforced low stretch backing and highly durable edge offers aggressive cutting ability.



- Tough non-woven belt for effective deburring blending and cleaning
- Resists chunking and works well on belt sanders with small contact wheels
- Low stretch backing offers aggressive conditioning capability

Product ID	Product	MOQ	Order Unit
7000067914	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 520 mm, A MED	150	Each
7100036130	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 520 mm, A CRS	150	Each
7000067868	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 2500 mm, A MED	50	Each
7000145907	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 520 mm, A MED	50	Each
7100110587	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 450 mm, A FIN	50	Each
7000067874	Scotch-Brite™ Durable Flex Belt DF-BL, 75 mm x 3500 mm, A MED	30	Each
7000067921	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 9000 mm, A MED	8	Each
7000067888	Scotch-Brite™ Durable Flex Belt DF-BL, 150 mm x 625 mm, A MED	25	Each
7100181787	Scotch-Brite™ Durable Flex Belt DF-BL, 300 mm x 610 mm, A CRS	25	Each
7000067882	Scotch-Brite™ Durable Flex Belt DF-BL, 310 mm x 625 mm, A MED	12	Each
7100211890	Scotch-Brite™ Durable Flex Belt DF-BL, 630 mm x 2.62 m, A MED	10	Each
7100254164	Scotch-Brite™ Durable Flex Belt DF-BL, 1120 mm x 2200 mm, A CRS	1	Each
7100254166	Scotch-Brite™ Durable Flex Belt DF-BL, 1120 mm x 2200 mm, A FIN	1	Each
7100254165	Scotch-Brite™ Durable Flex Belt DF-BL, 1120 mm x 2200 mm, A MED	6	Each
7000067873	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 305 mm, A MED	150	Each
7000067935	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 457 mm, A CRS, Brown	75	Each
7000067933	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 457 mm, A FIN, Blue	150	Each
7100219034	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 457 mm, A MED, Red	75	Each
7000067877	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 520 mm, A CRS	150	Each
7000067941	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 610 mm, A CRS, Brown	150	Each
7000067940	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 610 mm, A FIN, Blue	25	Each
7100219015	Scotch-Brite™ Durable Flex Belt DF-BL, 6 mm x 610 mm, A MED, Red	75	Each
7100219018	Scotch-Brite™ Durable Flex Belt DF-BL, 10 mm x 330 mm, A CRS, Brown	75	Each
7100218994	Scotch-Brite™ Durable Flex Belt DF-BL, 10 mm x 330 mm, A FIN, Blue	75	Each
7100219026	Scotch-Brite™ Durable Flex Belt DF-BL, 12 mm x 330 mm, A CRS, Brown	25	Each
7100219042	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A FIN, Blue	25	Each
7100218947	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A CRS, Brown	25	Each
7100218963	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A MED, Red	25	Each
7100218986	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 610 mm, A CRS, Brown	25	Each
7100219006	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 610 mm, A FIN, Blue	25	Each
7100218979	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 610 mm, A MED, Red	25	Each
7100146031	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 1120 mm, A MED, Red	50	Each
7100101072	Scotch-Brite™ Durable Flex Belt DF-BL, 15 mm x 610 mm, A FIN	150	Each
7100159044	Scotch-Brite™ Durable Flex Belt DF-BL, 15 mm x 615 mm, A MED	150	Each

# Belts

## Scotch-Brite™ Durable Flex Belt DF-BL

Scotch-Brite™ Durable Flex Belt is the most flexible in our Scotch-Brite surface conditioning belt range, engineered for tough detail work such as deburring, blending and finishing, on a variety of metals. A reinforced low stretch backing and highly durable edge offers aggressive cutting ability.



- Tough non-woven belt for effective deburring blending and cleaning
- Resists chunking and works well on belt sanders with small contact wheels
- Low stretch backing offers aggressive conditioning capability

Product ID	Product	MOQ	Order Unit
7000067944	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 457 mm, A CRS, Brown	150	Each
7000067943	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 457 mm, A MED, Red	150	Each
7000067942	Scotch-Brite™ Durable Flex Belt DF-BL, 19 mm x 457mm, A FIN, Blue	150	Each
7100218946	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 520 mm, A CRS, Brown	10	Each
7100201780	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 760 mm, A MED, Red	50	Each
7100143972	Scotch-Brite™ Durable Flex Belt DF-BL, 20 mm x 1500 mm, A MED, Red	1	Each
7100218970	Scotch-Brite™ Durable Flex Belt DF-BL, 25 mm x 457 mm, A FIN, Blue	10	Each
7000067872	Scotch-Brite™ Durable Flex Belt DF-BL, 25 mm x 480 mm, A FIN, Blue	50	Each
7100150663	Scotch-Brite™ Durable Flex Belt DF-BL, 38 mm x 1.525 m, A CRS	50	Each
7100219010	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 1100 mm, A MED, Red	6	Each
7100219027	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 2500 mm, A MED, Red	6	Each
7000067876	Scotch-Brite™ Durable Flex Belt DF-BL, 50 mm x 3500 mm, A FIN	30	Each
7100219003	Scotch-Brite™ Durable Flex Belt DF-BL, 60 mm x 2400 mm , A CRS, Brown	6	Each
7100219048	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 289 mm, A CRS, Brown	5	Each
7100219047	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 289 mm, A FIN, Blue	5	Each
7100219044	Scotch-Brite™ Durable Flex Belt DF-BL, 100 mm x 289 mm, A MED, Red	15	Each
7100111733	Scotch-Brite™ Durable Flex Belt DF-BL, 200 mm x 3.49 m, A MED	15	Each
7100150128	Scotch-Brite™ Durable Flex Belt DF-BL, 300 mm x 3.5 m, A FIN	15	Each
7100098610	Scotch-Brite™ Durable Flex Belt DF-BL, 300 mm x 11140 mm, A MED	4	Each
7100255864	Scotch-Brite™ Durable Flex Belt DF-BL, A MED, Red, 50 mm x 1525 mm, 6 ea/Case	30	Each
7100242873	Scotch-Brite™ Durable Flex Belt DF-BL, A/O Coarse, 25.4 mm x 3759.2 mm	5	Each
7100236019	Scotch-Brite™ Durable Flex Belt DF-BL, ACRS, 200 mm x 3490 mm, 3 ea/Case	15	Each
7100013687	Scotch-Brite™ Durable Flex Belt DF-BL, Config Belt, A CRS, Brown	1	Each
7100012444	Scotch-Brite™ Durable Flex Belt DF-BL, Config Belt, A FIN, Blue	1	Each
7100013155	Scotch-Brite™ Durable Flex Belt DF-BL, Config Belt, A MED, Red	1	Each
7100069562	Scotch-Brite™ Durable Flex Belt, 50 mm x 610 mm, AMED	50	Each
7100149446	Scotch-Brite™ Durable Flex Belt, STA DF-BL, 190 mm x 4.7 m, A MED	8	Each
7100022777	Scotch-Brite™ Durable Flex Roll DF-BL, 317 mm x 25000 mm, A CRS	4	Roll
7100024364	Scotch-Brite™ Durable Flex Roll DF-BL, 317 mm x 25000 mm, A FIN, Blue	4	Roll
7100022778	Scotch-Brite™ Durable Flex Roll DF-BL, 317 mm x 25000 mm, A MED	4	Roll
7000067928	Scotch-Brite™ Surface Conditioning Belt, DF-BL, Maroon, 13 mm x 305 mm, AMED	150	Each

# Belts

## Scotch-Brite™ Surface Conditioning Low Stretch Belt SC-BL

Scotch-Brite™ Surface Conditioning Low Stretch Belt is our durable, flexible belt with moderate strength for versatile use in cleaning finishing and light deburring. Our belts perform well on contoured and uneven surfaces, offering aggressive cutting without damaging substrates.



- Ideal for low-stretch applications with durable cloth and polyester scrim backing
- Suitable for use on a variety of substrates, from stainless steel to brass
- Available in a variety of minerals, grades and belt types to suit different applications

Product ID	Product	MOQ	Order Unit
7100049823	Scotch-Brite™ Surface Conditioning Low Stretch Belt SC-BL, 10 mm x 330 mm, A MED	25	Each
7000068085	Scotch-Brite™ SC Surface Conditioning Low Stretch Belt SC-BL, 100 mm x 3000 mm, S SFN	50	Each
7000067929	Scotch-Brite™ Surface Conditioning Belt, DF-BL, Brown, 13 mm x 305 mm, ACRS	150	Each
7000068084	Scotch-Brite™ Surface Conditioning Low Stretch Belt SC-BL, 6 mm x 533 mm, A CRS, Brown	150	Each







# Abrasive Tools & Accessories

# Abrasive Tools & Accessories

## Holders & Back-up Pads

### 3M™ High Performance Ribbed Back-Up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II and 3M™ Cubitron™ III discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.



- Unique rib pattern
- Resistant to temperatures over 100°C (212° F)
- Use to extend the cut rate and lifespan of 3M™ Cubitron™ II discs

Product ID	Product	MOQ	Order Unit
7100135643	3M™ High Performance Ribbed Back-Up Pad, 115 mm	50	Each
7000105441	3M™ High Performance Ribbed Back-Up Pad, 115 mm, Black	10	Each
7000032409	3M™ High Performance Ribbed Back-Up Pad, 115 mm, Red	10	Each
7000032410	3M™ High Performance Ribbed Back-Up Pad, 125 mm, Red	10	Each
7000105442	3M™ High Performance Ribbed Back-Up Pad, 127 mm, Black	10	Each
7000032411	3M™ High Performance Ribbed Back-Up Pad, 180 mm, Red	10	Each

### 3M™ Flat Fibre Disc Back-up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II and 3M™ Cubitron™ III discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.



- Supports 5" diameter x 7/8" centre hole 3M™ Fibre Discs
- Hard rubber construction works with fibre disc backing for consistent support
- Reduces vibration for greater operator comfort

Product ID	Product	MOQ	Order Unit
7100242134	3M™ Flat Fibre Disc Back-up Pad, 150 mm, PN64829	15	Each
7100016545	3M™ High Performance Ribbed Back-Up Pad, 178 mm, PN09921	5	Each
7000061713	3M™ Fibre Disc Back-up Pad, 180 mm, Red, PN64858	10	Each
7000061711	3M™ Flat Fibre Disc Back-up Pad, 115 mm, Flat, Red,	10	Each
7000061712	3M™ Flat Fibre Disc Back-up Pad, 125 mm	10	Each
7100097174	3M™ Flat Fibre Disc Back-up Pad, 125 mm, Low Profile	50	Each
7000008959	3M™ Flat Semi-Flexible Pad, Black, 100 mm x M10-1.5	10	Each
7000105439	3M™ Flat Semi-Flexible Pad, Black, 115 mm x M14	10	Each

# Abrasive Tools & Accessories

## 3M™ Centre Pin Back-Up Pad

3M™ Centre Pin Back-Up Pads are used in conjunction with Scotch-Brite™ Surface Conditioning discs. Our pads don't interfere with work surfaces.



- Quick and easy placement and centring of discs
- Does not interfere with work surface
- Allows disc to be used at usual angle

Product ID	Product	MOQ	Order Unit
7000086469	3M™ Center Pin Back-Up Pad, 100 mm, 5/8	5	Each
7000086456	3M™ Center Pin Back-Up Pad, 100 mm, M10	5	Each
7000086468	3M™ Center Pin Back-Up Pad, 100 mm, M14	5	Each
7000061390	3M™ Center Pin Back-Up Pad, 115 mm, M14	5	Each
7000061389	3M™ Center Pin Back-Up Pad, 125 mm, M14	5	Each
7000086464	3M™ Center Pin Back-Up Pad, 178 mm, M14	5	Each

## 3M Xtract™ Low Profile Back-up Pad

3M Xtract™ Low Profile Back-up Pads are firm yet flexible to provide versatility for flat sanding applications and are designed to securely hold a 3M Xtract Disc on a random orbital sander (sold separately). Part of the 3M Xtract Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. Use this back-up pad with coarse grades where good leveling is needed.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- One piece threaded shank for low vibration and improved balance
- Low profile firm density foam and blunt 35 degree tapered edge provide durability and an aggressive cut

Product ID	Product	MOQ	Order Unit
7000028147	3M Xtract™ Low Profile Back-up Pad, 76 mm x 12.7 mm x 6mm	10	Each
7100037832	3M Xtract™ Low Profile Back-up Pad, 127 mm x 9.52 mm x 7.93 mm	10	Each
7100027464	3M Xtract™ Low Profile Back-up Pad, 152 mm x 9.52 mm x 7.93 mm	10	Each

## 3M Xtract™ Low Profile Finishing Back-up Pad

3M Xtract™ Low Profile Finishing Back-up Pad is constructed of soft density foam with a 10 degree blunt tapered edge and is recommended for finishing applications on flat or contoured surfaces. Part of the 3M Xtract™ Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. Use this disc pad with grades 220 and higher 3M Xtract™ Discs (sold separately).



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Low profile soft density beige foam provides flexibility to conform to a variety of complex surface geometries
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7100022038	3M Xtract™ Low Profile Finishing Back-up Pad, 152 mm x 9.52 mm x 15.8 mm, 53 Hole	10	Each

# Abrasive Tools & Accessories

## 3M Xtract™ Low Profile Finishing Back-up Pad

3M Xtract™ Low Profile Finishing Back-up Pad is constructed of soft density foam with a 10 degree blunt tapered edge and is recommended for finishing applications on flat or contoured surfaces. Part of the 3M Xtract™ Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. Use this disc pad with grades 220 and higher 3M Xtract™ Discs (sold separately).



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Low profile soft density beige foam provides flexibility to conform to a variety of complex surface geometries
- 3M™ Hookit™ attachment system provides easy disc changes and optimizes disc life

Product ID	Product	MOQ	Order Unit
7100009657	3M Xtract™ Low Profile Finishing Back-up Pad, 20290, 127 mm x 17.5 mm x 7.93 mm, 44 HLS	10	Each
7000118613	3M Xtract™ Low Profile Finishing Back-up Pad, 20425, 152 mm x 17.5 mm x 7.9 mm, 53 HLS	10	Each

## 3M Xtract™ Back-up Pad

3M Xtract™ Back-up Pads hold a 3M Xtract Disc (sold separately) for applications that require conformability and edge flexibility. Part of the 3M Xtract Series, designed for optimal dust removal, enabling a vacuum to extract dust off the workpiece to prolong disc life and enhance productivity. It has a tapered edge ideal for feather-edging or blending a painted area to match the rest of the workpiece.



- 3M Xtract™ proprietary multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment
- Medium density foam provides some conformability for surface sanding
- Tapered edge performs well when flexibility is needed for feather-edging or blending a painted area

Product ID	Product	MOQ	Order Unit
7100273845	3M Xtract™ Back-up Pad, 89052, 127 mm, Extra Hard, Black, 10 ea/Case	10	Each
7100273863	3M Xtract™ Back-up Pad, 89053, 152 mm, Extra Hard, Black, 10 ea/Case	10	Each
7100270476	3M Xtract™ Back-up Pad, 89409, 152 mm, Hard, Red, 10 ea/Case	10	Each
7100273463	3M Xtract™ Back-up Pad, 89410, 127 mm, Hard, Red, 10 ea/Case	10	Each
7100278691	3M Xtract™ Back-up Pad, 89925, 5 in x 11/16 in 5/16 in-24 External	1	Each

## 3M™ Soft Interface Disc Pad

3M™ Soft Interface Disc Pad is made of 12.7 mm soft density durable foam which increases its conformability when used with a 3M Clean Sanding Backup Pad. Our disc pads allow the user to follow contours and get in closer to most edges while maximising dust extraction.



- Made from a soft, durable foam
- Helps with following contours and getting in closer to most edges while maximising dust extraction
- Reduces cutting edge

Product ID	Product	MOQ	Order Unit
7100006170	3M™ Clean Sanding Soft Interface Disc Pad, 5 in x 1/2 in x 3/4 in MultiHole, PN20278,	10	Each
7100009658	3M™ Soft Interface Disc Pad, 127 mm x 12.5 mm	10	Each

# Abrasive Tools & Accessories

## 3M™ Hookit™ Disc Pad

The 3M™ Hookit™ Disc Pad is designed to securely hold a 3M Hookit sanding or finishing disc and our Finesse-it buffing pad, to a variety of hand-held sanding tools. It features a 45° tapered edge to allow the sanded area to be feather-edged or more easily blended.



- With 'J' hooks to securely hold a 3M™ Hookit™ disc or 3M™ Finesse-it™ buffing pad
- Use with a random orbital sander, rotary sander, or right angle grinder
- The 3M Hookit system offers easy removal and reuse

Product ID	Product	MOQ	Order Unit
7100032853	3M Xtract™ Standard Back-up Pad, 05876, 152 mm x 19 mm x 7.93 mm, External 6 Holes, 10 ea/Case	10	Each
7000028168	3M™ Hookit™ D/F Disc Pad 20242, 3 in x 4 in x 1/2 in 4 Holes, 10 ea/Case, Restricted	10	Each
7100041340	3M™ Hookit™ Disc Pad , 152 mm x 19 mm	10	Each
7000028353	3M™ Hookit™ Disc Pad,947, 177 mm x 25.4 mm, 5/8,	1	Each
7100001985	3M™ Hookit™ Disc Pad, 76 mm	5	Each
7000028220	3M™ Hookit™ Disc Pad, 76 mm x 12.7 mm, 1/4-20 External	5	Each
7100034710	3M™ Hookit™ Disc Pad, 127 mm x 12.5 mm, 5/16 External	5	Each
7100041215	3M™ Hookit™ Disc Pad, 127 mm x 15.9 mm, 15.9-279 mm Internal	5	Each
7100032506	3M™ Hookit™ Disc Pad, 127 mm x 19 mm, 5/16 External, 5 Hole,	10	Each
7100027274	3M™ Hookit™ Disc Pad, 127 mm x 19 mm, 5/16 External	10	Each
7000045702	3M™ Hookit™ Disc Pad, 178 mm, M14	1	Each

## 3M™ Hookit™ Roloc™ Disc Pad

3M™ Hookit™ Roloc™ Disc Pad features hook material attached to soft neoprene foam. Our disc pads must be used with the proper Roloc hardware.



- Contains soft neoprene foam
- Features hook material
- Can be used on disc sanders and mini random orbital sanders

Product ID	Product	MOQ	Order Unit
7100056128	3M™ Hookit™ Roloc™ Disc Pad 28655, 1-1/4 in x 5/16 in, 10 per inner 20 per case	20	Each
7000045755	3M™ Hookit™ Roloc™ Disc Pad, 27 mm x 8 mm	20	Each

## 3M™ Hookit™ Disc Hand Pad

3M™ Hookit™ Disc Hand Pads are made with medium density foam for conformability. Our hand pads have a moulded shape or a 25.4 mm wide strap for holding by the operator.



- Reduces finger marks when hand sanding
- Made with medium density foam for conformability
- Ideal for use in applications involving paint preparation

Product ID	Product	MOQ	Order Unit
7000028331	3M™ Hookit™ Disc Hand Pad, 76 mm	10	Each
7100005515	3M™ Hookit™ Disc Hand Pad, 127 mm x 6,3 mm	20	Each



# Abrasive Tools & Accessories

## 3M™ Hookit™ Clean Sanding Hook Saver

Use 3M™ Hookit™ Clean Sanding Hook Saver to protect the hooks on a new Hookit™ Disc Pad. Our inexpensive attachment device replaces a disc pad to help create greater cost efficiencies.



- Use in place of an expensive disc pad during applications
- Protect hooks on a new Hookit™ Disc Pad
- Get an inexpensive attachment device

Product ID	Product	MOQ	Order Unit
7000045011	3M Xtract™ Disc Pad Hook Saver 20443, 127 × 19,1 mm, 31 Holes, 20 ea/Case	20	Each
7000045251	3M™ Clean Sanding Disc Pad Hook Saver, 76 mm	20	Each
7000042703	3M™ Clean Sanding Disc Pad Hook Saver, 150 mm, 52 Holes, 20446	20	Each

## 3M™ Hookit™ Clean Sanding Disc Pad

3M™ Hookit™ Clean Sanding Disc Pad is a red foam pad designed for use with a 3M™ Random Orbital Sander to increase abrasive life and achieve high efficiency dust pickup. Use our disc pads as part of a total 3M system solution for highly efficient vacuum sanding applications.



- Multi hole design pattern helps to keep work environments cleaner
- Clean Sanding Solution promotes greater operator and task efficiency
- Hookit™ system for easy attachment and removal

Product ID	Product	MOQ	Order Unit
7000028151	3M™ Hookit™ Clean Sanding Disc Pad, 75 mm x 100 mm x 12 mm, Red Foam, 33 Hole, PN20435	10	Each
7000119342	3M™ Hookit™ Clean Sanding Pad 28531, 70 mm x 198 mm x 12.7 mm 33 Holes Red Foam, 5 per case	5	Each
7100025357	3M™ Hookit™ Clean Sanding Pad, 70 mm x 198 mm x 12.7 mm, Herringbone, PN28784	5	Each
7010360095	3M™ Hookit™ Clean Sanding Soft Disc Pad, 20428, 76 mm x 19 mm x 6.35 mm, External 6 Holes, 10 ea/Case	10	Each

## 3M™ Hookit™ Centre Water Feed Disc Hand Pad

3M™ Hookit™ Centre Water Feed Disc Hand Pad has a feed system that dispenses water for wet sanding of plastics, paint, fiberglass and other materials. Our water feed disc hand pads are available in both contoured and bullet shapes.



- Provides longer abrasive life due to water flushing residue off the sanding disc – keeping it from loading
- Firm, yellow foam distributes pressure evenly across the abrasive surface
- Designed for use with 76mm x 22.23mm Hookit™ Microfinishing film discs or Hookit Wetordry™ discs

Product ID	Product	MOQ	Order Unit
7000000601	3M™ Hookit™ Back-Up Pad, Yellow, 76 mm x 22 mm, Centre Hole	10	Each
7000045712	3M™ Hookit™ Center Water Feed Disc Hand Pad 88741, 2 in x 5/8 in, 10 ea/Case	10	Each

# Abrasive Tools & Accessories

## 3M™ Hookit™ Low Profile Disc Pad

3M™ Hookit™ Low Profile Disc Pad is a firm yet flexible disc, designed to offer versatility for flat sanding applications. Our innovative pads are made of firm density foam, with a 15° blunt tapered edge for added durability. They're ideal for aggressive flat sanding applications.



- Holder enables use of 3M™ Hookit™ discs (sold separately) on a disc sander, rotary sander, or random orbital sander
- New one piece threaded shank reduces vibration and improves balance
- Low profile firm density foam is well-suited for flat sanding applications

Product ID	Product	MOQ	Order Unit
7100026249	3M™ Hookit™ Low Profile Disc Pad, 127 mm x 9.5 mm, 5/16-24 External	10	Each

## 3M™ Hookit™ Low Profile Finishing Disc Pad

3M™ Hookit™ Low Profile Finishing Disc Pad is an 11/16" soft density foam with a 15° blunt tapered edge. Our disc pads are designed for use with a 5" 3M Hookit disc\* for expert finishing of flat or contoured surfaces where dust evacuation is not needed.



\*Sold separately

- Low profile flexible 11/16" soft density yellow pad reduces loading
- 15° tapered edge is ideal for final finishing on flat or contoured surfaces
- Use with 5" 3M™ Hookit™ disc (sold separately)

Product ID	Product	MOQ	Order Unit
7100028484	3M™ Hookit™ D/F Low Profile Finishing Disc Pad, 125 mm x 17 mm, 6/16-24 External	10	Each
7100035324	3M™ Hookit™ Low Profile Finishing Disc Pad, 5 in x 11/16 in 5/16-24 External	10	Each

## 3M™ Roloc™+ Holder

3M™ Roloc™+ Holder is a rugged, plastic holder, designed to support all Roloc products, including discs and combo wheels. Our holder features a deeper internal thread to accept products with Roloc buttons.



- Supports all Roloc™ products
- A deeper internal thread accepts products with Roloc™ buttons
- Rugged and hardwearing design

Product ID	Product	MOQ	Order Unit
7000033538	3M™ Roloc™+ Holder, No 4, 75 mm	5	Each

# Abrasive Tools & Accessories

## 3M™ Disc Pad Holder

3M™ Disc Pad Holder allows you to quickly and easily change Scotch-Brite™ abrasive discs during multi-step projects. Our disc pad holders are available in a range of sizes, foam densities and attachment options.



- Allows quick and easy disc attachment and removal during multi-step processing
- Options available for right angle grinders and random orbital sanders
- Choose from solid or foam surfaces for custom sanding and grinding control

Product ID	Product	MOQ	Order Unit
7000028500	3M™ Disc Pad Holder 915, 127 mm x 3 mm x 9 mm	1	Each
7000068111	3M™ Disc Pad Holder, 178 mm, M14	5	Each

## 3M™ Interface Pad

The 3M™ Interface Pad is our 1/2-inch thick, medium density foam pad that provides additional surface conformability when used with a 3M™ Hookit™ backup pad on a 3M™ Random Orbital Sander. The additional conformability helps when sanding critical surfaces with fine grade abrasives, after leveling and refining sanding steps are complete, but before final surface finishing steps.



- Medium density foam provides additional flexibility on contours
- Ideal for sanding curves, angles and contours
- Applies effortlessly between Hookit™ discs and Hookit™ back-up pads for quick changeouts

Product ID	Product	MOQ	Order Unit
7100009701	3M™ Clean Sanding Interface Disc Pad 28323, 5 in x 1/2 in x 3/4 in 31 Holes, 10 ea/Case	10	Each

# Abrasive Tools & Accessories

## Power Sanders

### 3M™ Disc Sander

3M™ Disc Sanders feature a lightweight, compact design and comfortable grip with an ergonomic 97° head that helps reduce wrist strain more than 90° models. Our sanders are ideal for small-scale grinding and deburring applications as well as paint prep and weld burn clean up.



- Precision-balanced motor supports light grinding and deburring
- Lightweight, compact design and comfortable grip with 3M™ Gripping Material generate less vibration and noise, and allows for greater operator control
- Ergonomic 97° head helps reduce wrist strain over 90° models

Product ID	Product	MOQ	Order Unit
7100083998	3M™ Disc Sander, 2 in .3 HP 20,000 RPM 6 mm Collet	1	Each
7100083511	3M™ Disc Sander, 2 in, 0.5 hp, 6mm Collet	1	Each
7100083997	3M™ Disc Sander, 50 mm, 0.3HP,20.000 RPM, 6 mm Collet	18	Each
7100083278	3M™ Disc Sander, 50 mm, 0.5HP, 20.000 RPM, 6 mm Collet	1	Each
7000060285	3M™ Disc Sander, 50 mm, Pistol grip	1	Each
7100142459	3M™ Disc Sander, 75 mm, 1 HP,15.000 RPM, 6 mm Collet	1	Each
7000060284	3M™ Disc Sander, 64874, Pistol Grip, 76.2 mm	1	Each

### 3M™ Elite Self-Generated Vacuum Random Orbital Sander

3M™ Elite Self-Generated Vacuum Random Orbital Sanders are built with powerful, precision balanced air driven motors and a durable lightweight aluminium housing. Our sanders have a self-generated vacuum (SGV) and deliver dust free performance and a swirl-free finish, in high production industrial environments where dust extraction is required.



- Features powerful, precision balanced air driven motors and durable lightweight aluminium housing
- 3M™ Clean Sanding Filter Bag gives superior HEPA-rated dust collection locking dust away
- Rotates in two simultaneous overlapping oval patterns producing a scratch and swirl free finish

Product ID	Product	MOQ	Order Unit
7100010670	3M™ Self-Generated Vacuum Random Elite Orbital Sander, 76 mm, 2.5 mm orbit	1	Each
7000060298	3M™ Self-Generated Vacuum Random Elite Orbital Sander, 76 mm, 5 mm orbit	1	Each

### 3M™ Self-Generated Vacuum Random Orbital Sander

3M™ Elite Self-Generated Vacuum Random Orbital Sander (SGV) is designed to deliver a swirl-free finish in high production industrial environments requiring dust extraction. Our sanders enhance 3M abrasive performance and incorporate 3M™ Clean Sanding Filter Bags – for effective dust removal.



- Precision-balanced steel workings run smoothly with less vibration, ideal for high production industrial environments
- Get comfort and control during prolonged use – with improved durability, ergonomics and noise level
- Pneumatic power exceeds the capability of standard electric sanders, supplying hours of continual use

Product ID	Product	MOQ	Order Unit
7000060301	3M™ Self-Generated Vacuum Random Orbital Sander, 70 mm x 198 mm, 3 mm orbit	1	Each

# Abrasive Tools & Accessories

## 3M™ Non-Vacuum Random Orbital Sander Elite Series

3M™ Elite Non-Vacuum Random Orbital Sander combines durable, grip featuring 3M™ Gripping Material lightweight construction with a powerful precision balanced motor for professional performance and a swirl free finish. Our sander is great for high production industrial environments where dust extraction is not required.



- Powerful motor and precision balanced steel working offer optimal performance in high production industrial environments
- Ergonomic engineering with built in extended curve wrist support for lightweight performance
- Recessed lever platform eliminates pinch and pressure points on operator's palm

Product ID	Product	MOQ	Order Unit
7000060294	3M™ Non-Vacuum Random Orbital Sander Elite Series, 70 mm x 198 mm, 3 mm Orbit	1	Each
7000060286	3M™ Non-Vacuum Random Orbital Sander Elite Series, 75 mm, 4.76 mm Orbit	1	Each
7000060288	3M™ Non-Vacuum Random Orbital Sander Elite Series, 76 mm, 2.5 mm orbit	1	Each

## 3M™ Random Orbital Sander Elite Series

3M™ Elite Central-Vacuum-Ready Random Orbital Sanders deliver a professional performance with maximised dust extraction capabilities. Our vacuum-ready sanders help deliver a quality finish in high-production industrial environments where dust extraction is required.



- Ideal for high production industrial environments where dust extraction is required
- Increased comfort with ergonomic features such as curved wrist rest and recessed lever platform
- Rubber grip with 3M Gripping Material improves operator control and reduces vibration

Product ID	Product	MOQ	Order Unit
7000060297	3M™ Central Vacuum Random Orbital Sander Elite Series, 70 mm x 198 mm, 3.2 mm orbit	1	Each
7000032227	3M™ Central Vacuum Random Orbital Sander Elite Series, 76 mm, 2.5 mm orbit	1	Each
7000060295	3M™ Central Vacuum Random Orbital Sander Elite Series, 76 mm, 5 mm orbit	1	Each



# Abrasive Tools & Accessories

## 3M Xtract™ Pneumatic Random Orbital Sander

The 3M Xtract™ Pneumatic Random Orbital Sander is a key component of the 3M Xtract™ sanding system. Along with 3M Xtract™ Net Discs and the 3M Xtract™ Portable Dust Extractor, this powerful 0.28 HP (209W) sander helps enable virtually dust-free sanding.



- Vacuum-ready for use with 3M Xtract™ Portable Dust Extractor or central vacuum system
- Self-Generated Vacuum provides a compact vacuum solution
- Non-vacuum options available

Product ID	Product	MOQ	Order Unit
7100258884	3M Xtract™ Pneumatic Random Orbital Sander, 88941, 125 mm, Central Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100258886	3M Xtract™ Pneumatic Random Orbital Sander, 88942, 125 mm, Central Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258885	3M Xtract™ Pneumatic Random Orbital Sander, 88943, 125 mm, Central Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258887	3M Xtract™ Pneumatic Random Orbital Sander, 88944, 125 mm, Central Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100264073	3M Xtract™ Pneumatic Random Orbital Sander, 88945, 125 mm, Self-Generated Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100264068	3M Xtract™ Pneumatic Random Orbital Sander, 88946, 125 mm, Self-Generated Vacuum, 5 mm Orbit, 1 per case	1	Each
7100264239	3M Xtract™ Pneumatic Random Orbital Sander, 88947, 125 mm, Self-Generated Vacuum, 8 mm Orbit, 1 per case	1	Each
7100264069	3M Xtract™ Pneumatic Random Orbital Sander, 88948, 125 mm, Self-Generated Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100259232	3M Xtract™ Pneumatic Random Orbital Sander, 88953, 150 mm, Central Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100258801	3M Xtract™ Pneumatic Random Orbital Sander, 88954, 150 mm, Central Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258707	3M Xtract™ Pneumatic Random Orbital Sander, 88955, 150 mm, Central Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258799	3M Xtract™ Pneumatic Random Orbital Sander, 88956, 150 mm, Central Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100264077	3M Xtract™ Pneumatic Random Orbital Sander, 88957, 150 mm, Self-Generated Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100264079	3M Xtract™ Pneumatic Random Orbital Sander, 88958, 150 mm, Self-Generated Vacuum, 5 mm Orbit, 1 per case	1	Each
7100264078	3M Xtract™ Pneumatic Random Orbital Sander, 88959, 150 mm, Self-Generated Vacuum, 8 mm Orbit, 1 per case	1	Each
7100264070	3M Xtract™ Pneumatic Random Orbital Sander, 88960, 150 mm, Self-Generated Vacuum, 9.5 mm Orbit, 1 per case	1	Each

# Abrasive Tools & Accessories

## 3M Xtract™ Electric Random Orbital Sander

New to the 3M line up, ergonomic design combined with a powerful motor.



- Ergonomic, lightweight design
- Soft touch grip with molded-in grip features
- Powerful 350W motor

Product ID	Product	MOQ	Order Unit
7100263555	3M Xtract™ Electric Random Orbital Sander, 88835, 125 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type E	1	Each
7100263558	3M Xtract™ Electric Random Orbital Sander, 88837, 150 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type E	1	Each
7100263559	3M Xtract™ Electric Random Orbital Sander, 88839, 125 mm, Central Vacuum, 2.5 mm Orbit, 240V, Plug Type E	1	Each
7100263549	3M Xtract™ Electric Random Orbital Sander, 88841, 150 mm, Central Vacuum, 2.5 mm Orbit, 240V, Plug Type E	1	Each
7100263554	3M Xtract™ Electric Random Orbital Sander, 88845, 150 mm, Central Vacuum, 5 mm Orbit, 240V, Plug Type G	1	Each
7100263533	3M Xtract™ Electric Random Orbital Sander, 88851, 125 mm, Central Vacuum, 5 mm Orbit, 110V, Plug Type EN60309	1	Each
7100263534	3M Xtract™ Electric Random Orbital Sander, 88853, 150 mm, Central Vacuum, 5 mm Orbit, 110V, Plug Type EN60309	1	Each
7100263546	3M Xtract™ Electric Random Orbital Sander, 88855, 125 mm, Central Vacuum, 2.5 mm Orbit, 110V, Plug Type EN60309	1	Each
7100263547	3M Xtract™ Electric Random Orbital Sander, 88857, 150 mm, Central Vacuum, 2.5 mm Orbit, 110V, Plug Type EN60309	1	Each

## 3M™ Palm-Style Mini Random Orbital Sander

3M™ Palm-Style Mini Random Orbital Sander is lightweight, and compact. Our palm-style mini random orbital sanders have a Roloc™ fixing to accept the full range of Finesse-it™ Roloc sanding backup pads. Includes 3M Roloc 02345 with Stikit™ face.



- Compact, palm-style sander
- Lightweight for easier control and reduced operator fatigue
- Accepts the full range of Finesse-it™ Roloc™ sanding backup pads

Product ID	Product	MOQ	Order Unit
7000032165	3M™ Air-Powered Mini-Random Orbital Sander, 31.75 mm x 4.76 mm, NIB	1	Each

# Abrasive Tools & Accessories

## 3M™ Pistol Grip Disc Sander

Our line of air-powered 3M™ Disc Sander, Pistol Grip tools are designed with operator comfort in mind and run any 3M™ Roloc™ product 3" or less with an RPM rating of at least 15,000. They are ideal for intermittent use on non-production spot sanding and finishing applications as well as paint prep and weld burn clean-up, and the pistol grip and 97 degree head provides improved operator comfort.



- Precision-balanced 0.45 hp motor and comfortable molded grip decrease vibration and noise
- Lightweight tool is ideal for intermittent use on spot duty light sanding and finishing applications
- 97 degree head enables a more natural wrist position on vertical surfaces for greater operator comfort

Product ID	Product	MOQ	Order Unit
7000045299	3M™ Pistol Grip Disc Sander 28547, 3 in, 1 per case	1	Each

## 3M™ Pneumatic Random Orbital Sander

Lightweight and rugged, the 3M™ Pneumatic Random Orbital Sander is designed with a high power-to-weight ratio to help you get more work done in less time and with less strain.



- Power tool is lighter and more comfortable to use
- Guard-free design for better visibility and ease-of-use
- Lighter weight, smaller size and vibration-reducing side handle for improved operator comfort

Product ID	Product	MOQ	Order Unit
7100258879	3M™ Pneumatic Random Orbital Sander, 88936, 125 mm, Non-Vacuum, 2.5 mm Orbit, 1 per case	1	Each
7100258878	3M™ Pneumatic Random Orbital Sander, 88937, 125 mm, Non-Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258882	3M™ Pneumatic Random Orbital Sander, 88939, 125 mm, Non-Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258883	3M™ Pneumatic Random Orbital Sander, 88940, 125 mm, Non-Vacuum, 9.5 mm Orbit, 1 per case	1	Each
7100258787	3M™ Pneumatic Random Orbital Sander, 88949, 152 mm, Non-Vacuum, 3/32 in Orbit	1	Each
7100258652	3M™ Pneumatic Random Orbital Sander, 88950, 150 mm, Non-Vacuum, 5 mm Orbit, 1 per case	1	Each
7100258651	3M™ Pneumatic Random Orbital Sander, 88951, 150 mm, Non-Vacuum, 8 mm Orbit, 1 per case	1	Each
7100258800	3M™ Pneumatic Random Orbital Sander, 88952, 150 mm, Non-Vacuum, 9.5 mm Orbit, 1 per case	1	Each

# Abrasive Tools & Accessories

## Power Grinders

### 3M™ Electric Angle Grinder

3M™ Electric Angle Grinder is designed for use with 3M abrasives and accessories to create a comprehensive system to achieve a more professional finish in less processing time. Our electric angle grinder has a powerful 1900 watt motor and an ergonomic handle to reduce vibration and enhance operator comfort.



- **HIGH-POWERED GRINDING:** High torque and high rotational speed in a lightweight, powerful and versatile tool
- **DESIGNED FOR OPERATOR COMFORT:** Ergonomic design features a low-vibration handle and speed control for different jobs
- **MAXIMISE PRODUCTIVITY TO MINIMISE PROCESSING TIME:** Designed for use with 3M abrasives and accessories

Product ID	Product	MOQ	Order Unit
7100281561	3M™ Electric Angle Grinder 14112, 125 mm, Variable Speed, Plug Type J, 1 ea/case	1	Each
7100281321	3M™ Electric Angle Grinder 14144, 115 mm, Plug Type G, 1 ea/case	1	Each
7100249666	3M™ Electric Angle Grinder, 1900W, 115 mm, Plug Type E, 14253	1	Each
7100249665	3M™ Electric Angle Grinder, 1900W, 125 mm, Plug Type E, 14273	1	Each
7100289510	3M™ Electric Angle Grinder, Kit, 73846, 115 mm, 1900W, w/982CX Slotted Disc (25) & Ribbed BUP, 1 Kit/Case	1	Kit
7100289436	3M™ Electric Angle Grinder, Kit, 73981, 125 mm, 1900W, w/982CX Slotted Disc (25) & Ribbed BUP, 1 Kit/Case	1	Kit
7100249667	3M™ Electric Angle Grinder, Variable Speed, 1900W, 115 mm, Plug Type E, 14281	1	Each
7100249668	3M™ Electric Angle Grinder, Variable Speed, 1900W, 125 mm, Plug Type E, 14291	1	Each

# Abrasive Tools & Accessories

## Dust Extraction Systems

### 3M Xtract™ Portable Dust Extractor

The innovative 3M Xtract™ Portable Dust Extractor allows for maximum dust extraction, right at your side. Easily connect compatible electric or pneumatic 3M Xtract™ Random Orbital sanders for on-demand vacuum dust extraction. Includes high-collection HEPA filters to help keep your work environment virtually dust-free.



- Powerful industrial vacuum unit connects to 3M Xtract™ Random Orbital Sanders to remove dust from the work surface
- Automatic on/off compatibility with pneumatic and electric sanders
- Compact, sturdy design stands up to harsh industrial conditions

Product ID	Product	MOQ	Order Unit
7100259732	3M Xtract™ Portable Dust Extractor, 64159, 240V, Plug Type E, 1 per case	1	Each
7100260424	3M Xtract™ Portable Dust Extractor, 64193, 110 V, Plug Type EN60309, 1 per case	1	Each

### 3M Xtract™ Filter Bag

Using our 3M Xtract™ Filter Bag helps achieve maximum utility from your 3M Xtract Clean Sanding Discs because we designed 3M Xtract Clean Sanding products work together as a system to deliver superior results. Take portable, lightweight dust management to the next level by using a Filter Bag together with a powerful 3M Xtract Self-Generated Vacuum Random Orbital Sander (disc and tools sold separately).



- Part of the 3M Xtract™ Series, designed for optimal dust removal. Thorough dust collection enhances the performance of 3M Xtract Discs (sold separately)
- Filter is rated for optimal work environment
- Large and Extra Large sizes save time because operators can change bags less frequently

Product ID	Product	MOQ	Order Unit
7100296134	3M Xtract™ Filter Bag, 65968, Extra Large, Non-HEPA	20	Each
7100296135	3M Xtract™ Filter Bag, Large, 10/inner, 50 ea/Case	50	Each





# Product Index

Product ID	Page
7000000392	20
7000000393	20
7000000402	20
7000000403	20
7000000404	20
7000000405	21
7000000406	21
7000000407	21
7000000601	116
7000000690	69
7000000704	53
7000000728	88
7000000730	71
7000000732	71
7000000737	70
7000000738	70
7000000740	78
7000000741	78
7000000749	76
7000000750	53
7000000751	53
7000000752	53
7000000753	53
7000000754	53
7000000755	53
7000000756	53
7000000757	76
7000000758	76
7000000759	76
7000000760	76
7000000761	76
7000000762	76
7000000763	76
7000000764	76
7000000765	76
7000000766	76
7000000771	76
7000000775	78
7000008959	112
7000021279	53
7000021280	53
7000021284	75
7000021285	77
7000027560	88
7000028142	33
7000028143	33
7000028147	113
7000028151	116
7000028168	115
7000028191	20
7000028192	20
7000028193	21
7000028194	20
7000028195	20
7000028196	20
7000028197	20
7000028198	20
7000028199	21

Product ID	Page
7000028200	21
7000028201	20
7000028203	20
7000028204	20
7000028220	115
7000028331	115
7000028353	115
7000028469	71
7000028484	71
7000028488	70
7000028491	70
7000028493	70
7000028494	71
7000028500	118
7000028501	53
7000028506	53
7000028507	53
7000028508	53
7000028509	53
7000028516	46
7000028517	46
7000028518	46
7000028529	76
7000028532	76
7000032165	122
7000032227	120
7000032409	112
7000032410	112
7000032411	112
7000033538	117
7000034236	33
7000042703	116
7000042733	54
7000044902	49
7000044904	49
7000045011	116
7000045132	20
7000045159	21
7000045160	21
7000045161	21
7000045166	49
7000045167	50
7000045168	49
7000045171	49
7000045172	50
7000045173	49
7000045175	49
7000045176	50
7000045177	50
7000045186	21
7000045187	21
7000045188	21
7000045230	20
7000045233	49
7000045234	20
7000045251	116
7000045299	123
7000045702	115

Product ID	Page
7000045712	116
7000045755	115
7000045887	53
7000045888	53
7000045967	70
7000045976	71
7000046009	55
7000046010	55
7000046014	45
7000046018	42
7000046019	42
7000046034	43
7000046052	71
7000046066	70
7000046074	70
7000046086	70
7000046088	70
7000046089	70
7000046091	43
7000046098	70
7000046104	69
7000046108	53
7000046110	54
7000046111	54
7000046112	54
7000046113	53
7000046114	53
7000046125	76
7000046126	76
7000046127	76
7000046131	46
7000046132	46
7000046149	54
7000046158	76
7000046159	76
7000046160	76
7000046161	76
7000046167	69
7000046180	75
7000046181	75
7000046214	43
7000046218	54
7000046219	54
7000046220	54
7000046221	54
7000046224	44
7000046244	44
7000046245	44
7000046246	44
7000046247	44
7000046248	44
7000046249	44
7000046250	55
7000046251	55
7000046263	44
7000046264	44
7000046272	44
7000059967	103

Product ID	Page
7000059968	103
7000060033	103
7000060076	103
7000060078	103
7000060284	119
7000060285	119
7000060286	120
7000060288	120
7000060294	120
7000060295	120
7000060297	120
7000060298	119
7000060301	119
7000060356	104
7000060741	96
7000060742	97
7000060743	96
7000060746	97
7000060748	96
7000060749	96
7000060751	97
7000060752	98
7000060753	97
7000060754	96
7000060755	97
7000060756	97
7000060757	97
7000060762	97
7000060766	97
7000060767	97
7000060768	96
7000060771	98
7000060772	98
7000060773	97
7000060775	97
7000060776	97
7000060777	97
7000060778	97
7000060780	96
7000060788	98
7000060789	97
7000060790	98
7000060822	97
7000060823	96
7000060848	96
7000060849	96
7000060862	96
7000060863	96
7000060865	96
7000060866	96
7000060867	96
7000060868	96
7000060869	96
7000060870	96
7000060872	96
7000060873	96
7000060879	96
7000060880	96

# Product Index

Product ID	Page
7000060887	96
7000060889	96
7000060890	102
7000060897	103
7000061351	76
7000061352	74
7000061353	74
7000061387	77
7000061389	113
7000061390	113
7000061507	74
7000061533	75
7000061534	77
7000061711	112
7000061712	112
7000061713	112
7000062861	74
7000067868	107
7000067872	108
7000067873	107
7000067874	107
7000067876	108
7000067877	107
7000067882	107
7000067888	107
7000067914	107
7000067921	107
7000067928	108
7000067929	109
7000067933	107
7000067935	107
7000067940	107
7000067941	107
7000067942	108
7000067943	108
7000067944	108
7000067980	41
7000068084	109
7000068085	109
7000068111	118
7000068116	53
7000068117	53
7000068118	53
7000077904	81
7000077928	81
7000077940	41
7000077966	80
7000078175	74
7000078176	74
7000078177	74
7000078178	74
7000078179	74
7000078180	74
7000086456	113
7000086464	113
7000086468	113
7000086469	113
7000091730	80

Product ID	Page
7000091751	41
7000094866	45
7000104357	25
7000104359	25
7000104360	25
7000104361	25
7000104365	25
7000104366	25
7000104367	25
7000104368	25
7000104371	25
7000104372	25
7000104373	25
7000104374	25
7000104375	25
7000104376	25
7000104377	25
7000104378	25
7000104379	25
7000105439	112
7000105441	112
7000105442	112
7000118429	49
7000118430	49
7000118613	114
7000119342	116
7000119599	39
7000119602	39
7000119605	39
7000119606	39
7000119607	39
7000119608	39
7000120932	43
7000121082	54
7000121083	54
7000144562	20
7000144604	77
7000145907	107
7010029932	39
7010029933	39
7010029934	39
7010029935	39
7010029936	33
7010029938	33
7010029939	33
7010029944	33
7010295274	56
7010300879	49
7010300983	56
7010308138	21
7010310028	67
7010310029	67
7010329036	45
7010329346	56
7010329496	67
7010360095	116
7010361116	50
7010365693	67

Product ID	Page
7010412238	45
7100000858	71
7100001473	50
7100001474	50
7100001475	50
7100001985	115
7100002321	76
7100005209	71
7100005515	115
7100006170	114
7100007009	53
7100007318	55
7100007341	76
7100007877	103
7100007878	103
7100007879	103
7100007880	103
7100007881	103
7100007882	103
7100007883	103
7100007884	103
7100007990	98
7100007991	98
7100007992	98
7100009310	55
7100009657	114
7100009658	114
7100009701	118
7100010261	33
7100010263	33
7100010670	119
7100011144	25
7100011310	25
7100011569	25
7100012444	108
7100013155	108
7100013687	108
7100016545	112
7100016753	33
7100019197	55
7100022038	113
7100022777	108
7100022778	108
7100023178	99
7100023179	99
7100023234	99
7100024364	108
7100025343	25
7100025357	116
7100025847	99
7100026188	25
7100026189	25
7100026249	117
7100026426	99
7100026427	99
7100026526	99
7100026527	99
7100026529	99

Product ID	Page
7100026546	99
7100026547	99
7100026670	99
7100026755	99
7100026791	99
7100026792	99
7100026793	99
7100027081	99
7100027274	115
7100027464	113
7100027618	99
7100028484	117
7100028668	33
7100028819	99
7100029968	54
7100032506	115
7100032853	115
7100034710	115
7100035324	117
7100036130	107
7100037832	113
7100038608	77
7100038905	98
7100041215	115
7100041340	115
7100045070	30
7100045071	30
7100045072	30
7100045073	30
7100045155	104
7100046325	31
7100046326	31
7100046327	32
7100046328	32
7100047077	102
7100047970	99
7100048019	55
7100048818	105
7100049823	109
7100052728	104
7100052729	104
7100052730	104
7100052731	104
7100052732	104
7100052733	104
7100052768	102
7100052769	102
7100052770	102
7100052771	102
7100052786	102
7100052787	102
7100052788	102
7100052826	105
7100052827	105
7100052828	105
7100052829	105
7100052831	105
7100052839	104

# Product Index

Product ID	Page
7100052840	104
7100052841	104
7100053413	67
7100053414	67
7100053418	67
7100053421	67
7100056128	115
7100064174	31
7100064175	30
7100064176	31
7100064177	30
7100064178	30
7100064179	31
7100064270	30
7100064271	30
7100064272	32
7100064273	32
7100064274	32
7100065918	30
7100068024	21
7100069562	108
7100069960	98
7100070052	104
7100070054	104
7100070629	98
7100076898	50
7100076925	50
7100076926	51
7100076933	50
7100076934	51
7100077039	50
7100077040	50
7100077047	50
7100077620	33
7100077621	33
7100077622	33
7100077623	33
7100077624	33
7100077625	33
7100077626	33
7100077975	33
7100078152	39
7100078153	39
7100078154	39
7100078155	39
7100078156	39
7100078157	39
7100078158	39
7100078159	39
7100078180	39
7100078181	39
7100080459	90
7100081365	56
7100081366	56
7100081367	56
7100081368	56
7100081369	45
7100082475	98

Product ID	Page
7100083278	119
7100083511	119
7100083512	67
7100083997	119
7100083998	119
7100084760	33
7100085514	35
7100088615	67
7100091777	106
7100091779	106
7100091799	106
7100091802	106
7100091804	106
7100091806	106
7100091808	106
7100091813	106
7100091815	106
7100091817	106
7100091819	106
7100091823	101
7100091825	101
7100091827	101
7100091829	101
7100091831	101
7100091833	101
7100093971	80
7100093973	80
7100093978	55
7100093991	45
7100097174	112
7100098610	108
7100099091	22
7100099092	22
7100099093	22
7100099094	22
7100099095	22
7100099237	22
7100099238	23
7100099240	23
7100099241	23
7100099243	23
7100099245	23
7100099247	23
7100099249	22
7100099250	22
7100099252	23
7100099254	23
7100099256	23
7100099257	23
7100099258	23
7100099260	23
7100099264	22
7100099284	22
7100099545	22
7100099546	23
7100099576	22
7100099787	23
7100099788	23

Product ID	Page
7100099791	23
7100100885	51
7100100942	51
7100100961	51
7100100962	51
7100100964	51
7100100966	51
7100100974	51
7100100976	51
7100100979	51
7100100981	51
7100100982	51
7100100986	51
7100100989	51
7100100999	51
7100101072	107
7100105326	67
7100105847	24
7100105848	24
7100105849	24
7100105850	24
7100105851	24
7100105852	24
7100105853	24
7100105854	24
7100105855	24
7100105856	24
7100105857	24
7100105858	24
7100105859	24
7100105860	24
7100105861	24
7100105862	24
7100105863	24
7100105864	24
7100105865	24
7100105866	24
7100105867	24
7100106678	31
7100106714	31
7100106716	30
7100106717	30
7100106742	31
7100106764	31
7100106766	31
7100106768	31
7100108778	68
7100109110	56
7100109111	45
7100109130	56
7100110587	107
7100110912	67
7100111238	30
7100111733	108
7100112315	104
7100112980	35
7100113075	34
7100113076	35

Product ID	Page
7100113080	35
7100113096	34
7100113107	35
7100113109	34
7100113110	34
7100113111	34
7100113113	34
7100113114	34
7100113117	34
7100113118	34
7100113120	35
7100113121	35
7100113126	34
7100113137	35
7100113139	35
7100113142	35
7100113143	35
7100113145	34
7100126838	49
7100133692	69
7100133703	69
7100133775	69
7100133793	69
7100133807	69
7100135078	76
7100135079	77
7100135084	77
7100135085	77
7100135643	112
7100138194	77
7100138284	78
7100138285	78
7100138286	78
7100138287	74
7100138288	74
7100138289	74
7100138290	75
7100138291	75
7100138292	77
7100138293	76
7100138294	76
7100138295	76
7100138296	76
7100138297	76
7100138298	75
7100138299	75
7100138300	75
7100138301	77
7100138302	77
7100138303	77
7100138304	77
7100138305	78
7100138306	78
7100138307	78
7100138319	78
7100138320	78
7100138321	78
7100138322	78

# Product Index

Product ID	Page
7100138323	76
7100138324	76
7100138326	76
7100138327	77
7100138332	75
7100138333	75
7100138334	75
7100138335	75
7100138336	75
7100138337	75
7100138338	75
7100138339	77
7100138340	77
7100138341	77
7100138342	76
7100138344	76
7100138347	75
7100139207	64
7100139209	64
7100139211	64
7100139213	64
7100139216	64
7100139217	64
7100139218	64
7100139219	64
7100139223	64
7100139227	64
7100139229	64
7100139232	64
7100139234	64
7100139235	64
7100139238	64
7100139240	64
7100140055	66
7100140056	66
7100140057	66
7100140058	66
7100140059	66
7100140060	66
7100141045	64
7100141056	64
7100141067	64
7100141069	64
7100141070	64
7100141075	64
7100141083	65
7100141086	65
7100141089	65
7100141096	65
7100141099	65
7100141123	65
7100141692	30
7100142081	100
7100142459	119
7100142572	20
7100142581	20
7100143972	108
7100144158	98

Product ID	Page
7100144567	101
7100145316	30
7100145362	30
7100145363	30
7100145403	31
7100145404	30
7100145405	31
7100145407	32
7100145430	31
7100145431	31
7100145433	30
7100145436	31
7100145452	30
7100145455	30
7100145460	30
7100145462	32
7100145469	32
7100145477	31
7100146031	107
7100146406	101
7100149169	21
7100149176	21
7100149446	108
7100149527	21
7100149536	21
7100149538	21
7100149797	21
7100150128	108
7100150191	79
7100150663	108
7100151522	78
7100151528	74
7100151529	78
7100151530	78
7100151531	78
7100151532	74
7100151882	78
7100159044	107
7100166525	31
7100166994	104
7100168938	104
7100169949	34
7100169950	34
7100169959	34
7100169962	34
7100171627	99
7100171629	101
7100173790	52
7100173795	52
7100175138	40
7100175139	40
7100175140	40
7100175196	31
7100175521	52
7100176347	40
7100176348	40
7100176374	40
7100176465	100

Product ID	Page
7100176940	98
7100179815	52
7100181358	101
7100181787	107
7100181788	100
7100182225	90
7100182231	85
7100182456	86
7100182457	85
7100182482	84
7100182483	84
7100182484	84
7100182485	84
7100182486	84
7100182487	88
7100182488	88
7100182489	86
7100182496	85
7100182499	85
7100182515	86
7100182517	86
7100182533	85
7100182554	88
7100182555	89
7100182579	45
7100182588	88
7100182594	86
7100182599	85
7100182601	85
7100182637	45
7100182820	85
7100187013	38
7100187014	38
7100187015	38
7100187016	38
7100187017	38
7100190717	38
7100190718	38
7100190719	38
7100190720	38
7100190721	38
7100190722	38
7100190723	38
7100190724	38
7100190725	38
7100190726	38
7100191877	40
7100192330	40
7100192331	40
7100192332	40
7100192333	40
7100192334	40
7100192335	40
7100192336	40
7100192337	41
7100192338	41
7100192339	40
7100192340	40

Product ID	Page
7100192341	41
7100192704	52
7100192705	52
7100192706	52
7100192707	40
7100192708	40
7100192709	40
7100192710	40
7100192711	40
7100192712	52
7100192733	52
7100192734	52
7100192735	41
7100192736	40
7100192737	41
7100192738	41
7100192739	40
7100193601	90
7100196538	26
7100196539	26
7100196540	26
7100196789	26
7100196790	26
7100196791	26
7100196792	26
7100196793	26
7100196794	26
7100196797	26
7100196798	26
7100196799	26
7100196800	26
7100196812	26
7100196813	26
7100196815	26
7100196816	26
7100196817	26
7100196818	26
7100196819	26
7100196820	26
7100196821	26
7100197061	26
7100197431	26
7100200101	42
7100200718	43
7100200772	43
7100200773	43
7100200774	43
7100200775	43
7100201780	108
7100204458	32
7100204459	32
7100204460	32
7100204463	32
7100206144	32
7100206145	32
7100209414	88
7100209618	88
7100211074	34



# Product Index

Product ID	Page
7100211890	107
7100213967	65
7100214038	65
7100214085	65
7100214087	65
7100214088	65
7100214089	65
7100218922	104
7100218932	101
7100218933	101
7100218934	100
7100218935	100
7100218936	101
7100218937	100
7100218938	100
7100218939	101
7100218940	101
7100218941	100
7100218942	100
7100218943	96
7100218945	98
7100218946	108
7100218947	107
7100218948	96
7100218950	99
7100218951	103
7100218952	103
7100218953	99
7100218954	99
7100218955	99
7100218956	104
7100218957	104
7100218959	100
7100218960	104
7100218961	104
7100218962	98
7100218963	107
7100218964	98
7100218965	98
7100218966	97
7100218967	97
7100218968	97
7100218969	97
7100218970	108
7100218971	100
7100218972	97
7100218973	96
7100218974	104
7100218975	98
7100218976	98
7100218977	97
7100218978	96
7100218979	107
7100218980	98
7100218981	97
7100218982	96
7100218983	104
7100218984	98

Product ID	Page
7100218985	98
7100218986	107
7100218988	96
7100218990	96
7100218991	97
7100218992	105
7100218993	99
7100218994	107
7100218996	96
7100218999	97
7100219000	97
7100219001	99
7100219002	103
7100219003	108
7100219004	101
7100219005	97
7100219006	107
7100219007	99
7100219008	96
7100219009	103
7100219010	108
7100219011	97
7100219013	101
7100219014	96
7100219015	107
7100219016	96
7100219017	97
7100219018	107
7100219020	104
7100219021	97
7100219022	97
7100219023	101
7100219024	97
7100219025	97
7100219026	107
7100219027	108
7100219028	101
7100219029	103
7100219030	101
7100219033	101
7100219034	107
7100219035	103
7100219036	101
7100219037	101
7100219038	100
7100219040	99
7100219041	98
7100219042	107
7100219043	101
7100219044	108
7100219045	101
7100219046	101
7100219047	108
7100219048	108
7100219049	100
7100219050	100
7100219051	101
7100219052	101

Product ID	Page
7100219053	100
7100219054	100
7100219055	101
7100219056	101
7100219057	101
7100219058	98
7100219059	97
7100219060	103
7100219061	103
7100219062	104
7100219064	105
7100219066	103
7100219067	103
7100219068	99
7100219071	101
7100219073	103
7100219074	105
7100219145	103
7100219146	99
7100222628	34
7100222629	34
7100222630	34
7100222757	34
7100226878	38
7100226879	38
7100226884	38
7100226885	38
7100226886	38
7100226887	38
7100226888	38
7100226890	38
7100226891	38
7100226892	38
7100233438	44
7100233439	42
7100233440	42
7100233441	42
7100233442	41
7100233604	44
7100233605	42
7100233606	43
7100233607	43
7100233608	42
7100233609	42
7100233610	42
7100233611	41
7100233614	44
7100233623	42
7100233774	42
7100233775	42
7100233776	42
7100233777	42
7100233778	41
7100233779	43
7100233780	42
7100233781	42
7100233782	42
7100233783	44

Product ID	Page
7100233793	42
7100233794	43
7100233795	42
7100233796	42
7100233797	43
7100233799	44
7100233800	44
7100233801	44
7100233803	42
7100233804	43
7100233805	42
7100233806	42
7100233807	41
7100233808	43
7100233809	43
7100233810	42
7100233811	43
7100233812	42
7100233813	42
7100233814	42
7100233816	43
7100233817	44
7100233818	44
7100233819	44
7100234021	42
7100234022	42
7100234024	42
7100234044	42
7100234045	42
7100234046	44
7100234047	42
7100234048	42
7100236019	108
7100239219	26
7100239223	26
7100239224	26
7100240279	26
7100242134	112
7100242873	108
7100244497	38
7100244890	38
7100244891	38
7100244892	38
7100245353	38
7100246422	30
7100246524	30
7100246525	31
7100246533	30
7100246534	30
7100246535	30
7100248337	30
7100248339	30
7100249319	32
7100249320	32
7100249321	32
7100249322	32
7100249427	32
7100249431	32

# Product Index

Product ID	Page
7100249443	32
7100249473	32
7100249665	124
7100249666	124
7100249667	124
7100249668	124
7100249781	29
7100250109	29
7100250113	29
7100250114	27
7100250115	27
7100250116	27
7100250117	27
7100250118	27
7100250119	27
7100250120	27
7100250475	29
7100250476	29
7100250477	29
7100250478	29
7100250479	29
7100250480	29
7100250481	29
7100251153	29
7100251156	29
7100251161	29
7100251162	29
7100251163	29
7100251165	27
7100251166	29
7100251167	27
7100251168	27
7100251169	29
7100251170	27
7100251171	27
7100251172	27
7100251173	27
7100251177	27
7100251178	27
7100251179	29
7100251180	29
7100251181	29
7100251183	29
7100251184	28
7100251185	28
7100251187	29
7100251188	29
7100251189	27
7100251190	27
7100251191	27
7100251194	29
7100251195	29
7100251196	27
7100251200	29
7100251201	29
7100251204	27
7100251205	27
7100251206	27

Product ID	Page
7100251949	29
7100251950	27
7100251951	27
7100251952	28
7100254164	107
7100254165	107
7100254166	107
7100254484	28
7100254485	28
7100254493	29
7100254496	29
7100254713	27
7100254714	27
7100254715	27
7100254723	27
7100254724	27
7100254725	27
7100254754	27
7100255864	108
7100256317	69
7100256328	69
7100256410	67
7100256411	67
7100256412	69
7100256507	68
7100256508	67
7100256509	67
7100256513	67
7100256514	68
7100256515	68
7100256516	68
7100256517	67
7100256518	68
7100256519	67
7100256520	68
7100256521	68
7100256522	68
7100258651	123
7100258652	123
7100258707	121
7100258787	123
7100258799	121
7100258800	123
7100258801	121
7100258878	123
7100258879	123
7100258882	123
7100258883	123
7100258884	121
7100258885	121
7100258886	121
7100258887	121
7100259232	121
7100259732	125
7100260424	125
7100263533	122
7100263534	122
7100263546	122

Product ID	Page
7100263547	122
7100263549	122
7100263554	122
7100263555	122
7100263558	122
7100263559	122
7100264068	121
7100264069	121
7100264070	121
7100264073	121
7100264077	121
7100264078	121
7100264079	121
7100264089	58
7100264090	56
7100264091	57
7100264092	56
7100264138	58
7100264139	57
7100264141	58
7100264142	58
7100264150	57
7100264151	58
7100264152	57
7100264156	58
7100264159	57
7100264161	57
7100264163	58
7100264164	56
7100264165	57
7100264166	58
7100264167	57
7100264168	57
7100264169	56
7100264170	57
7100264171	57
7100264172	57
7100264173	58
7100264174	57
7100264193	57
7100264194	58
7100264195	57
7100264196	58
7100264197	56
7100264198	57
7100264199	58
7100264203	57
7100264204	57
7100264239	121
7100264427	56
7100264428	58
7100264429	58
7100264438	57
7100266289	105
7100266290	105
7100266291	105
7100266292	105
7100270476	114

Product ID	Page
7100270872	57
7100271028	56
7100271030	57
7100272016	58
7100272236	56
7100272237	58
7100273463	114
7100273845	114
7100273863	114
7100274222	47
7100274223	48
7100274224	48
7100274225	47
7100274226	47
7100274227	46
7100274228	48
7100274229	48
7100274270	47
7100274271	48
7100274272	47
7100274273	46
7100274274	47
7100274275	46
7100274277	48
7100274279	46
7100274660	46
7100274661	47
7100274662	48
7100274663	47
7100274664	47
7100274665	47
7100274666	48
7100274667	47
7100274668	48
7100274669	47
7100274670	47
7100274671	48
7100274704	48
7100274705	46
7100274706	47
7100275253	48
7100275255	47
7100275256	47
7100275258	48
7100275259	47
7100275260	47
7100275261	46
7100275836	47
7100275837	47
7100275838	48
7100275844	48
7100275845	48
7100275899	47
7100276268	47
7100278221	69
7100278691	114
7100281321	124
7100281561	124

# Product Index

Product ID	Page
7100281803	36
7100281804	36
7100281806	37
7100281810	37
7100281811	37
7100282219	36
7100282510	37
7100282513	36
7100284216	35
7100284218	36
7100284266	36
7100284267	37
7100284268	37
7100284271	37
7100284340	36
7100284341	35
7100284342	36
7100284343	36
7100284344	36
7100284353	36
7100284356	37
7100284506	36
7100284508	36
7100284518	36
7100284520	36
7100284521	36
7100284530	36
7100284531	36
7100284565	35
7100284662	35
7100284769	35
7100284886	35
7100288455	84
7100288456	84
7100288457	84
7100288524	89
7100288556	84
7100288566	89
7100289436	124
7100289510	124
7100289603	100
7100289604	100
7100289605	100
7100289606	100
7100289607	100
7100289608	100
7100289609	100
7100289610	100
7100290100	68
7100290101	67
7100290244	67
7100290246	67
7100290248	68
7100290249	67
7100290250	67
7100290251	68
7100290252	68
7100290253	68

Product ID	Page
7100290254	67
7100290255	68
7100290649	56
7100290763	68
7100291543	56
7100296134	125
7100296135	125
7100301568	37
7100303829	60
7100303830	60
7100303831	60
7100303832	60
7100303861	61
7100303963	62
7100303971	63
7100303972	63
7100303973	63
7100303974	63
7100303975	63
7100303979	62
7100303980	62
7100303981	62
7100303982	62
7100303983	62
7100303993	60
7100303994	60
7100303995	60
7100303996	60
7100303997	60
7100303998	61
7100303999	61
7100304000	61
7100304002	61
7100304003	61
7100304056	60
7100304120	60
7100304121	61
7100304123	61
7100304124	61
7100304127	60
7100304304	60
7100304305	60
7100304306	60
7100305148	63
7100305230	60
7100305445	63
7100305446	63
7100305447	63
7100305448	63
7100305449	63
7100305450	63
7100305453	62
7100308530	18
7100308531	18
7100308532	19
7100309787	19
7100309788	19
7100309789	19

Product ID	Page
7100309790	18
7100309793	18
7100309794	18
7100309795	19
7100309798	19
7100309799	18
7100309904	18
7100309905	18
7100309906	19
7100310794	19
7100312955	62
7100313150	95
7100326912	95
7100329003	95
7100329004	95
7100329005	95
7100329006	95
7100329007	95
7100329008	95
7100329009	95
7100329010	95
7100329011	95
7100329012	95
7100329013	95
7100329014	95
7100329043	95
7100329044	95
7100329045	95
7100329046	95
7100329047	95

